

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:	
month day year	S/2 - SW - SE - NE Sec. 18 Twp. 11 S. R. 17 TE	lw
33699 —	(0/0/0/0) 2,453 feet from N / S Line of Sec	
OPERATOR: License#	745 feet from E / W Line of Sec	tion
Name: T-N-T ENGINEERING INC		HOH
Address 1: 3711 MAPLEWOOD AVE, SUITE 201	ls SECTION: Regular X Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: WICHITA FALLS State: TX Zip: 76308 +	County: ELLIS	
Contact Person: RANDY WEIGEL	Lease Name: KOLLMAN Woll #, 14	
Phone: (785) 737-3736	Field Name: BEMIS-SHUTTS	
CONTRACTOR: License# 33493	ts this a Prorated / Spaced Field?	No.
Name: AMERICAN EAGLE	APALICKIE	NO
	Nearest Lease or unit boundary line (in footage): 745'	
Well Drilled For: Well Class: Type Equipment:		- ·
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1830 feet M	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	No
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic : # of Holes Other	Depth to bottom of fresh water: 180	
Other:	Depth to bottom of usable water: 540	
	Surface Pipe by Alternate: XI III	
if OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1100'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 3700'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Weil X Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
	Will Coles be takelt:	HV
	If Yes, proposed zone:	
	If Yes, proposed zone:	
ΔFF	If Yes, proposed zone:	
	If Yes, proposed zone: RECEIVE KANSAS CORPORATION	
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: IDAVIT RECEIVE KANSAS CORPORATION (D COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: IDAVIT RECEIVE KANSAS CORPORATION (D COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20	D COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate district of intent to drill shall be posted an each	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20	D COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; or circulating cement to the top; in all cases surface pipe shall be with ITA KS	D COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; or circulating cement to the top; in all cases surface pipe shall be with the K.S.A. S5 et. seq.	D COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; or circulating cement to the top; in all cases surface pipe shall be well in K.S.A. State of the shall be well in K.S.A. 55 et. seq. conservation Divided in the state of the shall be well in K.S.A. 55 et. seq. conservation Divided in the state of the shall be well in th	D COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged.	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; conservation Div or circulating cement to the top; in all cases surface pipe shall be which ital, ks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in:	D COMMISSION 07
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; conservation Div or circulating cement to the top; in all cases surface pipe shall be with this, ks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: I from below any usable water to surface within 120 DAYS of spud date.	D COMMISSION 07
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; or circulating cement to the top; in all cases surface pipe shall benefit to the to	D COMMISSION 07
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; or circulating cement to the top; in all cases surface pipe shall bewellta, Ks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In afreases, NOTIFY district office prior to any cementing	D COMMISSION 07
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 26 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with ITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing east of any knowledge and belief.	D COMMISSION 07
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the feature.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; or circulating cement to the top; in all cases surface pipe shall bewelltta, Ks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of my knowledge and belief. ENGINEER	D COMMISSION 07
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; oy circulating cement to the top; in all cases surface pipe shall benefit to sunderlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in: I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In afroases, NOTIFY district office prior to any cementing est of my knowledge and belief. ENGINEER Title:	D COMMISSION 07
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the feet to be sufficiently appeared to the statements of the operator of Agent: 12/21/07 Signature of Operator or Agent:	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; or circulating cement to the top; in all cases surface pipe shall bewelltta, Ks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of my knowledge and belief. ENGINEER	D COMMISSION 07
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the feet of the complete of the co	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; oy circulating cement to the top; in all cases surface pipe shall benefit to, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in: I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In afroases, NOTIFY district office prior to any cementing est of any knowledge and belief. ENGINEER Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	D COMMISSION 07 ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the feet of the statements and the control of the statements of the statements of the statements of the statement of th	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; or circulating cement to the top; in all cases surface pipe shall benefit to, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In afroases, NOTIFY district office prior to any cementing est of any knowledge and belief. ENGINEER Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:	D COMMISSION 07 ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the feet of the complete of the	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; oy circulating cement to the top; in all cases surface pipe shall benefit A, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of any knowledge and belief. ENGINEER Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders.	D COMMISSION 07 ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the feet. For KCC Use ONLY API # 15	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be with ITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of any knowledge and belief. ENGINEER Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or re-entry.	D COMMISSION 07 ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the feet. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the feet. 6. Signature of Operator or Agent: 6. For KCC Use ONLY 6. Apple 15 - 25 - 25 - 25 - 25 - 25 - 25 - 25 -	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be the HITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of any knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed (within 60 days):	D COMMISSION 07 ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the feet. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the feet. 6. Signature of Operator or Agent: 6. For KCC Use ONLY 6. Apple 15 - 25 - 25 - 25 - 25 - 25 - 25 - 25 -	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be the HITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of any knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water	D COMMISSION 07 ISION
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the feet. Date: 12/21/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DS/ - 25 7 4 - 0000 Conductor pipe required	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with ITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	D COMMISSION 07 ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the feet. 12/21/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 25 - 25 - 714 - 0000 Conductor pipe required	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be the HITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of any knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water	D COMMISSION 07 ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the feet. Date: 12/21/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 05/-25 714-0000 Conductor pipe required. Minimum surface pipe required. Approved by 4-4-2-7-07 This authorization expires:	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; oy circulating cement to the top; in all cases surface pipe shall be the HITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing est of any knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	D COMMISSION 07 ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the feet. Date: 12/21/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 05/-25 714-0000 Conductor pipe required. Minimum surface pipe required. Approved by 4-4-2-7-07 This authorization expires:	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 6 20 drilling rig; or circulating cement to the top; in all cases surface pipe shall benefitta, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In alloases, NOTIFY district office prior to any cementing est of any knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	D COMMISSION 07 ISION




IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25714-0000	
Operator: T-N-T ENGINEERING INC	Location of Well: County: ELLIS
Lease: KOLLMAN	2,453 feet from N / S Line of Section
Well Number: 14	745 feet from X E / W Line of Section
Field: BEMIS-SHUTTS	Sec. 18 Twp. 11 S. R. 17 E W
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: S/2 - SW - SE - NE	Is Section: Regular or Improvements Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

WICHITA, KS

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections. CONSERVATION DIVISION 4 sections, etc.

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

- 3. The distance to the nearest lease or unit boundary line (in footage)
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: T-N-T ENGINEERING INC		License Number: 33699			
Operator Address: 3711 MAPLEWOOD AVE, SUITE 201		WICHITA FALLS TX 76308			
Contact Person: RANDY WEIGEL		Phone Number: (785) 737-3736			
Lease Name & Well No.: KOLLMAN 14		Pit Location (QQQQ):			
Type of Pit:	Pit is:		S/2 SW SE NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 18 Twp. 11 R. 17 East West		
Settling Pit	If Existing, date constructed:		2,453 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		745 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	0.500	(bbls)	ELLIS County		
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	00 Length (fe	eet)80	Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point:4(feet)No Pit					
material, thickness and installation procedure	e. . •	liner integrity, i	ncluding any special monitoring. KANSAS CORPORATION COMM DEC 2 6 2007 CONSERVATION DIVISION		
Source of info		west fresh water			
<u>ষ্ঠেও</u> feet Depth of water well	74 feet measured well owner electric log KDWR				
			Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: FRESH WATER		
			Number of working pits to be utilized: 3		
,		1	bandonment procedure: Evaporate fluids, break up and backfill		
Does the slope from the tank battery allow all spilled fluids to		Drill pits must	and cover with topsoil ill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
12/21/07 Date ### Date ### Signature of Applicant of Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 12/26/07 Permit Number: Permit Date: 12/26/07 Lease Inspection: Yes No					



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 26, 2007

Mr. Hał Gill TNT Engineering, Inc. 3711 Maplewood Ave. Ste 201 Wichita Falls, TX 76308

RE: Drilling Pit Application Kollman Lease Well No. 14 NE/4 Sec. 18-11S-17W Ellis County, Kansas

Dear Mr. Weigel:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **if sand is encountered during the construction of the reserve pit or working pits, please call the District Office at (785) 625-0550**. The fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File