For KCC Use: Effective Date: 1-2-08 District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: January 1, 2008 month day year	Spot Description:
month day year	SW_NE_NW_SW_Sec. 21 Twp. 24 S. R. 16 XE W
5983	(Oronoro) 2,200 feet from N/X S Line of Section
OPERATOR: License#	900 feet from E / X W Line of Section
Name: Victor J. Leis	Is SECTION: Regular Irregular?
Address 1: Box 223	
Address 2: City: Yates Center State: KS Zip: 66783 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Victor J. Leis	County: Woodson
Phone: 913-285-0127	Lease Name: Pierpoint Well #: 15
	Field Name: Vernon
CONTRACTOR: License# 32079	Is this a Prorated / Spaced Field?
Name: John E. Leis	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 640'
XOil Enh Rec XInfield XMud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water: 20'
Other:	Depth to bottom of usable water: 150'
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe (if any): "" Length of Conducto
Well Name:	Projected Total Depth: 1150'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
	VANSAS CORPORATION COMMISSION:
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	DEC 2 8 2007
 Notify the appropriate district office prior to spudding of well; 	· ·
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig;
	all solutions are sent to the tent in all copper surface pipe state to
3. The minimum amount of surface pipe as specified below shall be set b	y circulating cement to the top; in all cases surface pipe standers.
through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pipe state he set to underlying formation.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge.	y circulating cement to the top; in all cases surface pipe strain the set of underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	y circulating cement to the top; in all cases surface pipe state of the content o
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	y circulating cement to the top; in all cases surface pipe state of the content o
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	y circulating cement to the top; in all cases surface pipe state of the underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	y circulating cement to the top; in all cases surface pipe state of the underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the before the well shall be a statement.	y circulating cement to the top; in all cases surface pipe standing standard underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	y circulating cement to the top; in all cases surface pipe shall be underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best considered. Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pipe shall be underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the beautiful to the beautiful to the complete of the statements of the operator of the spud date. For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 Semember to: 16 File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: Date: 12/20/07 Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pipe shall be underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 18 are from the prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of sould date:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the beautiful to the beautiful to the complete statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 2735 - 2000	y circulating cement to the top; in all cases surface pipe surface underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 18 set of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the contract of the best of the contract	y circulating cement to the top; in all cases surface pipe surface underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the contract of the best of the contract of the best of the contract of	y circulating cement to the top; in all cases surface pipe significant underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the complete of the comp	y circulating cement to the top; in all cases surface pipe significant underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 area of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be contained by the statements of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27350-000 Conductor pipe required Minimum surface pipe required Approved by: Publication expires: 12-28-09 This authorization expires: 12-28-09	y circulating cement to the top; in all cases surface pipe surface underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the completion form ACO-1 within 120 days of spud date; 16 File acreage attribution plat according to field proration orders; 17 Notify appropriate district office 48 hours prior to workover or re-entry; 18 Submit plugging report (CP-4) after plugging is completed (within 60 days); 19 Obtain written approval before disposing or injecting salt water. 19 If this permit has expired (See: authorized expiration date) please
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the complete of the complete of the plant of the complete of the complete of the plant of the complete of the complete of the plant of the complete of t	y circulating cement to the top; in all cases surface pipe surface underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be contained by the statements of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27350-000 Conductor pipe required Minimum surface pipe required Approved by: Publication expires: 12-28-09 This authorization expires: 12-28-09	y circulating cement to the top; in all cases surface pipe surface underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207 - 27350-0000	Location of Well: County: Woodson
Operator: Victor J. Leis Lease: Pierpoint	
Well Number: 15	2,200 feet from N / X S Line of Section 900 feet from E / X W Line of Section
Field: Vernon	Sec. 21 Twp. 24 S. R. 16 X E W
Number of Acres attributable to well:	ls Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

1	•	:					
!						:	
1	:	: :					
1	•			1		:	
1	:	: :					•
		*******					*******
	_						
					٠ .		
		: :					;
		;					
	:	:					;
		:			•		•
l					*******		******
						_	
1	:	; ,					•
i	•				:		
ł	:	: :		}	•		
Į.	•	•		1			;
I	.	; :		ł	•	•	
l	•	•	•		•	•	

				1			
			•	į.	:	•	
	:)			
		•	!		<u>:</u>	:	
	:			t .			
	•	-			:	1	
	:		()	1			•
			2	/			
Į.		•		,			,
i i	כו ו	:					•
an	FINL	•					
100	,	:		1 .			•
	FUL 15	:		1			;
ì	· .	- '		1			
1	1.						
1		· ·				_	
1	: [:		i i			
1	: [•					:
1	: 1	:		!	•	•	•
!	: !				;		
1	: 1	:		1	•		•
1							
1		2,200		1	_		
1	: 1			1			•
1	: 1	:() 1/10	· / > -	1	:	:	
1		W/OU		1	•	-	
1	: 1	: '			;		•
1	· 1			1	:	:	
1	•	•	•	1			
			• • • • • • • •				
1					_		_
1	: I	:			•	:	•
1		•	<u>:</u>	1	<u>:</u>	:	
!	: 1			I	•	•	•
1	: 1	•		1	:	:	:
1	:	:		1	:	-	:
i	• 1	•	•	l	·	·	·

.....

SEWARD CO.

3390

EXAMPLE

NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED KANSAS CORPORATION COMMISSION

DEC 28 2007

CONSERVATION DIVISION WICHITA, KS

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Victor J. Leis		License Number: 5983				
Operator Address: Box 223			Yates Center KS 66783			
Contact Person: Victor J. Leis			Phone Number: 913-285-0127			
Lease Name & Well No.: Pierpoint 15			Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW NE NW SW			
Emergency Pit Bum Pit	Proposed	Existing	Sec. 21 Twp. 24 R. 16 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		2,200 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Workover Pit Haul-Off Pit		900 Feet from East / West Line of Section			
(п ил- Зарру Агт но. от теат отнест)	300	(bbls)	Woodson County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l			
is the bottom below ground level?	Artificial Liner?	·	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	Clay soil			
Pit dimensions (all but working pits):	30 Length (fe	eet) 8	Width (feet) N/A: Steel Pits			
Depth fr	rom ground level to de					
If the pit is lined give a brief description of the liner Describe proce		edures for periodic maintenance and determining ncluding any special monitoring.				
n/a n/a						
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh waterfeet.				
n/a feet Depth of water well	 		red X well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		i	ng, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of material Type of Type o		1	of material utilized in drilling/workover: Fresh water			
i i		orking pits to be utilized: 2				
		procedure: Drain pit and cover with soil				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits me		Drill pits must I	RECFIVED			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
DEC 2 8 2007						
12/26/07 Date 12/26/07 Signature of Applicant or A			ignature of Applicant or Agent WICHITA (C)			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 12/28/07 Permit Number: Permit Date: 12/28/07 Lease Inspection: Yes No						