ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32302	_	API No. 15 - 023-20528-00-00
Name: Key Gas Corp.	ì	County: Cheyenne
Address: 155 N. Market Suite 900		C Sec. 4 Twp. 2 S. R. 41 Teast X West
City/State/Zip: Wichita, KS 67202		feet from S / N (circle one) Line of Section
Purchaser:	- 1	feet from E / (W) (circle one) Line of Section
	1	Footages Calculated from Nearest Outside Section Corner:
Operator Contact Person: Rod Andersen	-	(circle one) NE SE (NW) SW
Phone: (316) 265-2270	-	Lease Name: Ochsner Well #: 25
Contractor: Name: Key Gas Corp.	-	Field Name: Cherry Creek
License: 32302	NSAS .	
Wellsite Geologist:	- S	Producing Formation: Niobrara
Designate Type of Completion:	CORPORATION	Elevation: Ground: 3432 Kelly Bushing: 3437
X New Well Re-Entry Workover	× C	Total Depth: 1623 Plug Back Total Depth: 1601
Oil SWD Temp. 305	28	Amount of Surface Pipe Set and Cemented at 256 Feet
OilSIOWTemp. \$66 X GasENHRSIGW	8	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	COMMISSION	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	2	If Alternate II completion, cement circulated from
Operator:		feet depth tow/sx cmt.
Well Name:	_	
Original Comp. Date: Original Total Depth:		Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) 2-26-07
Deepening Re-perf Conv. to Enhr./SWD		•
Plug BackPlug Back Total Depth		Chloride content ppm Fluid volume bbls
		Dewatering method used Evaporate & Fill
· ·	-	Location of fluid disposal if hauled offsite:
Dual Completion	-	Operator Name:
Other (SWD or Enhr.?) Docket No.	-	Lease Name: License No.:
11-11-03 11-14-03 1-20-04	_	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date		County: Docket No.:
		Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, world Information of side two of this form will be held confidential for a period	kover of 12 ogs ar	ne Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-nd geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to re- nerein are complete and correct to the best of my knowledge.	gulate	the oil and gas industry have been fully complied with and the statements
(X2P) (0000 -		
Signature:		KCC Office Use ONLY
Fitle: 6-6/9184 Date: 7/28/6	> <u> </u>	Letter of Confidentiality Attached
Subscribed and sworn to before me this 29th day of Auly	-	If Denied Yes Date:
	**********	BONITA DANNER LOGBECTIVE
1004.		NOTARY PUBLIC STATE OF KONSASsist Report Received
Notary Public: Banka Danne L	-114	My Appt. Exp. 3-17-0 g
Qate Commission Expires: 3-17-08		

Operator Name: Ke	ey Gas Cor	p		Lea	se Name:	Ochsne	<u>r</u>	Well #:2	5	
	2_s. R. 41		t X West	County: <u>Chevenne</u>				. \$ 'wy'		
INSTRUCTIONS: Shatested, time tool oper temperature, fluid red Electric Wireline Logs	and closed, flowing covery, and flow rate	g and shu es if gas to	t-in pressures, surface test, a	whether along with	shut-in pr	essure reached	static level, hydr	ostatic pressur	es, bottom hole	
Drill Stem Tests Taken Yes X No (Attach Additional Sheets)					[<u>X</u> 1	og Format	ion (Top), Depth	and Datum	Sample	
Samples Sent to Geo	ological Survey		es XNo		Nan Ni d	ne obrara :	Тор 1426	Datum		
Cores Taken		□ Y	es XNo		1111	DDIALA	1420	+2011		
Electric Log Run (Submit Copy)		₹ Y	es No		٠.					
List All E. Logs Run: Gamma Ray/ N	Veutron									
		Reno		RECORD	-	ew Used	etion etc.	enger i erit mila entre etternastegra avaitada di yenera qui descriptor		
Purpose of String	Size Hole	Siz	Size Casing		eight	Setting	Type of	# Sacjs	Type and Percent	
SUrface	Drilled	7 "	et (In O.D.) LI		s. / Ft.	Depth 260	Cement	Used	Additives	
Production				White and the state of the section of	1642	Common 50/50	110 75			
,										
			ADDITIONAL	CEMENT	ring / sql	JEEZE RECORD)		Anna mana di	
Purpose: Perforate	Depth Top Bottom	Туре	of Cement	#Saci	#Sacks Used Type ar			nd Percent Additives		
Protect Casing Plug Back TD Plug Off Zone										
Shots Per Foot	D - Bridge Plug ach Interval Peri	e	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth							
4	1426-30									
FUBING RECORD	Size	Set At	·	Packer	At	Liner Run	Yes No			
Date of First, Resumerd F	Production, SWD or Er	nhr.	Producing Meth	od	Flowing	Pumpir	ng Gas Lif	t Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil E	Bbls.	Gas I	Mcf	Wate	r B	bls. G	as-Oil Ratio	Gravity _	
Disposition of Gas	METHOD OF CO	OMPLETIO	N , , , , ,	, <u>1</u> ,	## ***********************************	Production Inter	val			
Vented Sold (If vented, Sumi	Used on Lease	[Open Hole Other (Specify	Per Bhu	-	ually Comp.	Commingled _			

183595

CEMENTER'S WELL SERVICE, INC. PO BOX 336220 · GREELEY CO 80633 · (970) 353-7299 · FAX (970) 353-7712

										• ,			
Date //-07-03 Well Owner Key Gas Case Well No. # 2.5									Tease Och sper				
County Che	Action regards 6000 to the constitution of the	Field											
County Cheyenne State Konsas Charge to Faccest Energy LLC									charge Code				
Address 4/0	and the state of t	**************************************		For Offic	For Office Use Only								
City, State	"Tehis	can Ko	1250 5 ; 6	6 250	/				t o to delicity and a cons	**************************************	***************************************		
Pump Truck No.	204 C	ode ,	Bulk Truck No.		Code								
Type of Job			Depth		Ft. 5	7 ~~		То					
Surface 7 '(Pasing	(Printer strikk) manu alapu na biyak histolik kalik kanan kiyak sa nahi, se canan masu na sa sa sa sa sa sa sa	Bottom of Surface	CC	Ft 266 To								
Plug		70) elfellelle melselele melsele melsele skrivet inner foræ i skrivet blev else et melsele skrivet blev en skri	Plug Landed @	240	Ft. Ti	nie On <i>1.</i> 3	1.30						
Production		May million and pulsaring group may have been received in the support of the contract of the support of	Pipe Landed @_	100	Ft. Fi		TO 11	. 15	-				
Reference No.	Descri		RECEIV	ED	Qty.	Meas.		it Price	Amount				
	Pump	Truck Charge	ANSAS CORPORATIO		4								
	Cemen	it Neat	JUL 3 0	2004	110	565			2	527	50		
	Poz. M	lix	CONSERVATION		etterföljarise samm. Die de genelle begreife begr								
	Calciu	m Chloride 🗸	WICHITA, K	.5	39		ERED						
***************************************	Gel	% Flo-Cel	THE RESERVE OF THE PROPERTY OF		NOV :	2 1 2003							
	Handli	ng Charge											
	Haulin	g Charge		and the same of th	Tin takkin kiji kata anda dan dan dan pa n				marks. Constitute has been constituted in				
WERE THE REAL PROPERTY AND ADDRESS OF THE PROPERTY OF THE PROP		onal Cement		47 mai 10 lb 14 de parte monero de la constante de la consta	WE	LL	<u></u>						
	Ce	Tealiz	ers		-/GL	#5100	TAC	\$0,00	ع ہے ز	345	00		
***************************************					— (H.	4		2		4			
				-	Contract and contract of the contract of			4					
		Treat treaty in dentally field a delice in the case of an executive register.											
	1	2	2 3		· · · · · · · · · · · · · · · · · · ·								
	1//ix	ng Kata	4 88.11	2/-010	need	Rit	664	???	M.				
	5400	cy Vale	1018C	1127	15/6-	56-200	1 hu	15.2	P	P.G.			
62mark2 / 1		4	79 T						***************************************				
Bemark?/15h	14/ 450	BBLE H		Reference Cod		Sub Total	The same the same and the same a		<u> 2</u> ,	572	50		
IspLace	L'19.5	BBLS F	130 State	5 11,	<i>Y</i> -	Тах	**************************************			126	05		
icollate	2 Be	SLS Cem				Total	~~~~		2	698	55		
Truck No.	Code	State Mileage	Nebrask	a (Colorado	Wyom	ing	Konner Conse	75	Total Mi	leage		
1204	elemente de la companya de la compa	Pump Truck	16		20_			20					
1011		Bulk Truck	1/6	1.	€ -3		ı		1				

We do not assume any responsibility for any damage or conditions resulting from our services. All pricing is subject to review and revision. Customer or His Agent

6

183599

CEMENTER'S WELL SERVICE, INC. PO BOX 336720 · GREELEY CO 80633 · (970) 353-7299 · FAX (970) 353-7712

Transaction at transaction										
Date ///C _	- (- 3	Well Owner	Gas C	ر می Well	No. # 7.	5	Lease	John the	0,0	
County ho,	10.M	ne State	1175as	~ ~			Field			
Charge to	Charge Code									
Address 4/C	For Office	For Office Use Only								
City. State Hui	Tehis	son Kan	carc E7	501						
Pump Truck No.	2011	Code	Bulk Truck No. 15	13 Code					,	
Type of Job		Í	Depth	Ft. /	6.51	L	То			
Surface		RECEIV	ED m of Surface	Ft.			То			
Plug		KANSAS CORPORATIO	N COMMISSION Tug Landed @ 160	9 Ft. T	Time On 🔿 / ;	10			***************************************	
Production 4	(P)	JUL 3 0°	172004 ded @ 16 4		tine Off	رمريل	DC:-	25110	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Reference No.		CONSERVATION	DIVISION	Qt ₂ .	Meas.	Unit	Price	Amount		
	Pur	np Truck Charge WICHITA,	KS						T	
	Cer	ment Neat								
	Poz	. Mix U 5	0/50	25	Sko			3800	100	
	-Cal	ciu <u>m Chlorida</u>	20 5017	-						
	Gel	7 % Flo-Cele	#Per Sack	NTERED						
	Han	idling Charge	NO	V 4 2002						
	Hau	iling Charge	NO	V 2 1 2003	WEIT					
	Ado	litional Cement			CI	XX	7:0			
11/2		ontalis	· C - S	6	Y: #5	100 A	\$ 26	Jen -		
11	A	FIL She		1	上#		8	100.30		
	127	Tok Down	J.103 PM	901						
		4	000000							
	Mi	ing Rolle 4	BPM:-D	3 dece	nent	Rolle	2681	OM		
	56,	·Coy Vola	1.28 CV.	PX/SK.	SLUCCI	VITI	4.28	PC		
A 41 1	ļ						1			
Cell of wil	ic BA	Is Mult	Tax Reference	e Code	Sub Total			3800	0	
) splace	1/25.5	BBLS KCL	/xtare5 4	19	Tax	***************************************		186	20	
onded p	1411		Disc.)	Total			3986	20	
Truck No	Code	State Milenge	Nebraska	Colorado	Wyomi	ng /	Other	S Total M	lileage	
1704		Pump Truck	16	20			20			
1213		Bulk Truck	16	20			20			

We do not assume any responsibility for any damage or conditions resulting from our services. All pricing is subject to review and revision.