## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33344

Address: 211 W. 14th Street

City/State/Zip: Chanute, KS 66720

Purchaser: Bluestem Pipeline, LLC

Operator Contact Person: Richard Marlin

Phone: (620) 431-9500

Designate Type of Completion:

Wellsite Geologist: Mark Brecheisen

✓ Gas ENHR SIGW

If Workover/Re-entry: Old Well Info as follows:

Operator:

License: 33072

Well Name: \_

\_\_\_\_\_ Deepening

Plug Back\_

\_ \_ Commingled

\_\_ Dual Completion

Name: Quest Cherokee Oilfield Service, LLC

Contractor: Name: Well Refined Drilling Company

\_\_\_\_\_ SWD \_ \_\_\_ SIOW \_\_\_\_\_ Temp. Abd.

Other (Core, WSW, Expl., Cathodic, etc)

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_

Docket No.\_

Docket No.\_

\_\_\_\_Re-perf.

New Well Re-Entry Workover

	API No. 15 - 099-23530-00-00
	County: Labette
	neseSec. 24 _ Twp. 32 _ S. R. 19 _ [✓] East _ West
	1980 feet from S / N (circle one) Line of Section
	810 feet from E / W (circle one) Line of Section
	Footages Calculated from Nearest Outside Section Corner:
	(circle one) NE 😝 NW SW
	Lease Name: Keith Trusts Well #: 24-1
	Field Name: Cherokee Basin CBM
	Producing Formation: Not yet complete
	Elevation: Ground: 908 Kelly Bushing:
	Total Depth: 785' Plug Back Total Depth: 783.94'
	Amount of Surface Pipe Set and Cemented at 21'6" Feet
	Multiple Stage Cementing Collar Used?  ☐Yes ☑No
	If yes, show depth setFeet
	If Alternate II completion, cement circulated from 783.94'
	feet depth to surface w/ 100 sx cmt.
	Drilling Fluid Management Plan ALT#2 LGR 5/10/0 (Data must be collected from the Reserve Pit)  Chloride contentppm Fluid volumebbls
	Dewatering method usedRECEIVED
	Location of fluid disposal if hauled offsite:
	Operator Name: APR 1 1 2005
	Lease Name: License Constitution DIVISION
	Quarter Sec. Twp. S. R. WCHTAS West
	County: Docket No.;
h :	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita,
e 12	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-
3 8	and geologist well report shall be attached with this form. ALL CEMENTING
3.	Submit CP-111 form with all temporarily abandoned wells.
at	e the oil and gas industry have been fully complied with and the statements
	KCC Office Use ONLY
	Letter of Confidentiality Received
	l l
	If Denied, Yes Date:

Other (SWD or Enhr.?) Docket No. 06/02/04 06/03/04 06/30/04 Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells All requirements of the statutes, rules and regulations promulgated to regul herein are complete and correct to the best of my knowledge. Subscribed and sworn to before me this 20 05 \_\_\_ Geologist Report Received \_\_\_\_\_ UIC Distribution

\_\_\_\_ Conv. to Enhr./SWD

Plug Back Total Depth

Operator Name: Que	est Cherokee Oil	field Service, LL		s ivaine	Keith Trusts		Well #: _24-1	I S I I I VII WA SHIIMAAAAAAA I WA WA WAXAA COORAAAAA
Sec24 Twp3	32 S. R. 19	✓ East	st Count	y: Labe	tte			
INSTRUCTIONS: Si tested, time tool oper temperature, fluid red Electric Wireline Log	n and closed, flowin covery, and flow rate	g and shut-in press es if gas to surface t	ures, whether s test, along with	hut-in pre	essure reached	d static level, hyd	rostatic pressure	es, bottom hole
Drill Stem Tests Take		_ Yes ✓I	No	<b></b> ✓L	og Forma	tion (Top), Depth	and Datum	Sample
Samples Sent to Geo	ological Survey	∐Yes ☑I	No	Name			Top Absent	Datum <b>Absen</b> t
Cores Taken	,	☐ Yes 🗸 [			Lenapah Lime Altamont Lime		Absent	Absent
Electric Log Run		✓ Yes 🔲 I	No		nee Lime		120'	+788'
(Submit Copy)				Osw	ego Lime		209'	+699'
List All E. Logs Run:				Verd	digris Lime		368'	+540'
Comp Density	//Neutron			Miss	sissippi Lim	е	730'	+178'
Dual Induction	n							
1-10:00 - 00 - 00 - 00 - 00 - 00 - 00 -								
			SING RECORD	[] No	house.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		ight / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	11"	8-5/8"	24.75#		21'6"	"A"	4sx	
Production	6 3/4"	4 1/2"	10.5#		783.94'	"A"	100sx	n Verintelessensensensensensensen, w Hammanassi , sång de "
							The second is in adjustment to the last of	- Marine the second party core
		ADDITI	ONAL CEMENTI	NG / SQL	JEEZE RECOP	D	and the second s	
Purpose: Perforate	Depth Top Bottom	Type of Cemen	t #Sacks	ks Used Type and Percent Additiv			Percent Additives	
Protect Casing Plug Back TD				-				
Plug Off Zone								The second secon
THE CONTROL OF THE CO							1	
Shots Per Foot		ION RECORD - Bridg Footage of Each Inten		ı		acture, Shot, Ceme Amount and King of A	(ntorial Jane)	d Depth
None	Waiting On Pipe	eline	MANAGEMENT OF THE RESIDENCE OF THE PROPERTY OF		KANSAS CORPORATION COMMISSION			
THE RESIDENCE AND ADDRESS OF THE PERSONNEL PROPERTY.	manufacture of the matter out 1 mars 1 s man	APR 1 1 2005						
annagharininkhi melen menganiramanan menanghiran kalan s	тиндинди. Абай отночей отночения положения отнажавающий уче		Makelindowski society (1997)	ANTONIO TITO MINISTER P				
			F 1990 P 1888 HILLIAN MANAGEMENT SANS	CONSER		CONSERVA	ERVATION DIVISION	
AT HE SEAS OF MANAGEMENT AND ADDRESS OF MANA	a see the statement of the second sec	ни жимпине в принципринцип	The state of the same of the s		1 According to the conference of the conference			OF N A MAN AND AND AND AND AND AND AND AND AND A
TUBING RECORD	Size	Set At	Packer A	At	Liner Run	Yes N	<b>1</b>	
Date of First, Resumer	d Production, SWD or E	Enhr. Producin	ng Method					
Estimated Production	Oil	Bbls. Gas	No.	Flowing			t to said	r (Explain)
Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	PF	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	COMPLETION	*** *** *** ***************************		Production Inte	erval		B N . M. Hallich S, freezestersterstersterstersterstersters e stelle . M Mark ett ett ett ett ett ett ett e
Vented Sold	Used on Lease	Open	L		ually Comp.	Commingled _		

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 420-431-9210 OR 800-467-8676

	MBER 31919	
LOCATION _	Changle	
FOREMAN _	Tidd A. Tindle	

### TREATMENT REPORT

F 54==	Laugranes	1 117501 1 222	T = = = : - : - : - : - : - : - : - : - :	7			and the same of th	
DATE	CUSTOMER #	WELL NAME	FORMATION		TRUCK #	DRIVER	TRUCK #	DRIVER
6-30-04	6628	Keath Trust		*	255	John		
SECTION	TOWNSHIP	RANGE	COUNTY	2	230	John W.		
24	323	196	1.5		157	Herb		
CUSTOMER				į	140	Tim		
Quest Ch.	<i>Prokre LLC</i> RESS							
MAILING ADDR	RESS							
P.O. BOX	100							A CO- CONTROL OF THE
CITY		(2000) (1000) (1000) (1000) (1000) (1000) (1000)		1		ial .		
Fragdist				4		L		<u> </u>
<u>Fenedict</u> STATE	The second secon	ZIP CODE						
Kan sas		66714	,	ı		TYPE OF T	REATMENT	
- BE 75				ţr.	[ ] SURFACE		[ ] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION			,í *	[4] PRODUCTI		[ ] ACID STIM	
	WELL	DATA		.1	SQUEEZE		[ ] ACID SPOT	
HOLE SIZE	103/4	PACKER DEPT	Ή	1	[ ]PLUG & AE		[]FRAC	11110
TOTAL DEPTH	7851	PERFORATION			[ ] PLUG BAC		[ ] FRAC + NIT	BOGEN
		SHOTS/FT			MISP. PUM			HOGEN
CASING SIZE	4/2	OPEN HOLE			[ ]OTHER	"	[ ]	
CASING DEPTH	100 Mises 1	OI EIVIIOEE			[ ]OTTIEN	The state of the s		
CASING WEIGH		TUBING SIZE				PRESSURE L	IMITATIONS	
CASING COND		TUBING DEPTH	-			FRESSORE E	THEORETICAL	INSTRUCTED
OAGING GOND		TUBING WEIGH			SURFACE PIPE		THEORETICAL	INSTRUCTED
		TUBING COND			ANNULUS LONG	CTRING		
TDEATMENT V	11 Par 11/2	<del></del>				- Thing		
TREATMENT V	IA <i>Cement lea</i>	14 143 14	1/6 / 5 0	, ·	TUBING			<u> </u>
INCTRUCTION	DDIOD TO JOB	1	.101	117. 3		, 5,	11 1	1 4
California	PRIOR TO JOB		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100	gel ahead	· VIIN ~ E	<u>bl Aye t</u>	<u>u/12906</u>
2001418 51	1 2	ment until	OVE FE	WIN. 71	USO PHIMP	- pamo p	(vg w/ K	L Lucyer
Special Comments of the Commen		144 5 Jai	nt - Lasin	TITLE				
AUTHO	RIZATION TO PF	ROCEED		IIILE			DA	NTE
			-	P		•		
TIME	STAGE	BBL'S	INJ RATE	PROPPANT	SAND / STAGE	PSI		
AM / PM		PUMPED		PPG			n sapel ng mang nguncias gan ngun ngungunis cana pi mani spisis dalam sala cana mini banansi mani	
						i,	BREAKDOWN	PRESSURE
							DISPLACEMEN	<u> </u>
					CEIVED TRATION COMMISSIO		MIX PRESSUR	
			9		,		MIN PRESSUR	E
				APR	1,1 2005		ISIP	
				ABIAFA	TIGELDING.		15 MIN.	
				WIC	ATION DIVISION HITA, KS		MAX RATE	
							MIN RATE	

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

#### SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer and be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

### WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.



# 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER 25172

LOCATION Chaniste

### **FIELD TICKET**

DATE CUSTOMER ACCT # WELL NAME QTR/QTR	SECTION TWP RGE COUNTY FORMATION 24 325 196 48
CHARGE TO QUEST Cherokee IIC	OWNER
MAILING ADDRESS P.O. BOX 100	OPERATOR
CITY & STATE Benedict, Konsas 66714	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1- well	PUMP CHARGE CEMENT PUMP		639°°
1110	105K	alsonte		2/8 20
1107	1 <sub>5</sub> t	flo-seal		400
1118	25F	Premium gel (2 ahead)		24 80
12150	Igal	KPL " (Internal)	The state of the s	2315
11113	15gal	Sodium silicate		17.720
7777	- Sque	DEALUM SICILLY E		1 1 1
	3			
1				
,				
1123	2360 pal	City water ( bbl)		3864
	7			
		12		
		RECEIVED		
	1	KANSAS CORPORATION CO	MMISSION	
	1	APR 1 1 200	15	
		BLENDING & HANDLING		
5407	43 mi	TON-MILES MINIMUM CONSERVATION DIVIS	MOR	£45°2
		STAND BY TIME WICHITA, KS		77
	×	MILEAGE		
55011	3 hr	WATER TRANSPORTS		25200
5502C	3 hr	VACUUM TRUCKS **		33420
		FRAC SAND		
0		* .	*	,
1126	95 gK	CEMENT OWE (100 <	K total)	113572
	•	ā	SALES TAX	10416
-	/	owe; 5 golsonde; 14 flo-seal)		
Ravin 2790	A A A A A A A A A A A A A A A A A A A	:	ESTIMATED TOTAL	3067.45

CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN _	Todd A Tindle	
CUSTOMER or AGENT (PLEASE PRINT)		DATE	
OOTOWEN OF ACET (I LET IOL I TIME)			