

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1  
September 1999  
Form Must Be Typed

RECEIVED  
07-29-2002  
KCC WICHITA  
ORIGINAL

Operator: License # 6892  
Name: Trich Production, Inc.  
Address: P. O. Box 1408  
City/State/Zip: Longview, Texas 75606  
Purchaser: NCRA  
Operator Contact Person: Ken Fletcher  
Phone: (972) 422-4335  
Contractor: Name: Murfin Drilling Co., Inc.  
License: 30606  
Wellsite Geologist: Terry McLeod

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>6-6-2002</u>	<u>6-13-2002</u>	<u>7-10-2002</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 163-23344-00-00  
County: Rooks  
   - NW - SW - SE - NE Sec. 32 Twp. 10 S. R. 19  East  West  
1050 feet from  S / N (circle one) Line of Section  
136 feet from E /  W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW  SW  
Lease Name: Schoshetom Unit Well #: 1-32  
Field Name: Wildcat  
Producing Formation: Lansing/Kansas City  
Elevation: Ground: 2129 Kelly Bushing: 2134  
Total Depth: 3767 Plug Back Total Depth: 3610  
Amount of Surface Pipe Set and Cemented at 260 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 1533 Feet  
If Alternate II completion, cement circulated from 1533  
feet depth to Surface w/ 180 sx cmt.

**Drilling Fluid Management Plan** Mc11 EH B-B-02  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ East West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_


**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Ken Fletcher  
Title: PRESIDENT ASST. Date: 7-16-02  
Subscribed and sworn to before me this 16<sup>th</sup> day of July, 2002  
Notary Public: W. J. Emerson  
Date Commission Expires: 10-31-05

**KCC Office Use ONLY**

Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution



15-163-23344-00-00

ORIGINAL

Operator Name: Trich Production, Inc. Lease Name: Schoshetom Unit Well #: 1-32

Sec. 32 Twp. 10 S. R. 19 East  West County: Rooks

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes No
Samples Sent to Geological Survey  Yes  No
Cores Taken Yes  No
Electric Log Run  Yes No
List All E. Logs Run:
Compensated Density Neutron Micro
Dual Induction
Sonic

Table with columns: Log Name, Formation (Top), Depth and Datum, Sample Datum. Includes entries for Heebner Sh, Lansing, Base KC, and Arbuckle.

RECEIVED JUL 29 2004 KCC WICHITA

CASING RECORD Table with columns: Purpose of String, Size Hole Drilled, Size Casing Set, Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives.

ADDITIONAL CEMENTING / SQUEEZE RECORD Table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives.

PERFORATION RECORD - Bridge Plugs Set/Type Table with columns: Shots Per Foot, Specify Footage of Each Interval Perforated, Acid, Fracture, Shot, Cement Squeeze Record, Depth.

TUBING RECORD Table with columns: Size, Set At, Packer At, Liner Run.

Table with columns: Date of First, Resumed Production, SWD or Enhr., Producing Method, Estimated Production Per 24 Hours, Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity.

Disposition of Gas METHOD OF COMPLETION Production Interval 3422-3550
Vented Sold  Used on Lease Open Hole  Perf. Dually Comp.  Commingled
Other (Specify)

15-163-23344-00-00 ORIGINAL

Schoshetom #1-32

DST #1: 3412'-55', 30-60-60-60. Rec. 1460' oil, IFP: 58-258#, FFP: 269-506#,  
SIP: 953-942#, HP: 1633-1608#

DST #2: 3451'-97', 30-45-30-45. Rec. 55' OCM, IFP: 15-30#, FFP: 33-41#,  
SIP: 497-460#, HP: 1646-1641#

DST #3: 3531'-3622', 30-60-60-60. Rec. 1080' oil, IFP: 41-177#, FFP: 183-352#,  
SIP 1098-1006#, HP: 1698-1669#

RECEIVED  
JUL 29 2002  
KCC WICHITA

# ALLIED CEMENTING CO., INC.

10650

ORIGINAL

Federal Tax I.D.# ~~22-277000~~

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

15-163-23344-00-00

SERVICE POINT:

R

9:45

DATE <u>6/24/02</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>9:45 A.M.</u>	JOB START	JOB FINISH <u>10:50 A.M.</u>
<u>Schoshetom LEASE</u>	WELL# <u>1-32</u>	LOCATION <u>Ellis N to Co-line</u>		COUNTY <u>Graham</u>	STATE <u>Ks</u>		
OLD OR <u>NEW</u> (Circle one)			<u>4E 1/4 N E 1/4</u>				

CONTRACTOR Murfin

TYPE OF JOB Port Collar

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH \_\_\_\_\_

TUBING SIZE 2 1/2 DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL Port Collar DEPTH 1530'

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 7 3/4 Bbl

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 350 bag 10 label  
1/2 # 162

USED 180SX

COMMON	<u>108</u>	@	<u>6.65</u>	<u>718.20</u>
POZMIX	<u>72</u>	@	<u>3.55</u>	<u>255.60</u>
GEL	<u>9</u>	@	<u>10.00</u>	<u>90.00</u>
CHLORIDE		@		
<u>Floccal</u>	<u>454</u>	@	<u>1.40</u>	<u>635.60</u>
		@		
		@		
		@		
		@		
HANDLING	<u>350</u>	@	<u>1.10</u>	<u>385.00</u>
MILEAGE	<u>44 1/2</u>	@	<u>7.80/mile</u>	<u>350.00</u>

RECEIVED

JUL 27 2002

TOTAL 1861.80

EQUIPMENT

PUMP TRUCK CEMENTER Dan

# 127 HELPER Darin

BULK TRUCK

# 254 DRIVER Shane

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

Tool @ 1530'. Press. csg to 1000psi.  
opened tool. Broke circulation.  
Mixed 180sx cement. Cement circulated.  
Closed tool. Ran 5jts. Washed clean.

KCC WICHITA SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 630.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 25 @ 3.00 75.00

PLUG \_\_\_\_\_ @ \_\_\_\_\_

TOTAL 705.00

CHARGE TO: Trick Prod. Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE \_\_\_\_\_

[Signature]  
PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 10638

Federal Tax I.D.# ~~22-2222~~

ORIGINAL

ATTN TO P.O. BOX 31  
RUSSELL, KANSAS 67665

15-163-23344-00-00

SERVICE POINT: D

DATE <u>10/13/02</u>	SEC. <u>32</u>	TWP. <u>10</u>	RANGE <u>19W</u>	CALLED OUT	ON LOCATION <u>1:45 A.M.</u>	JOB START	JOB FINISH <u>6:45 A.M.</u>
LEASE <u>Schostheib</u> WELL # <u>1-32</u>			LOCATION <u>Yocemento N. to Co. line</u>		COUNTY <u>Woods</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>3 W 1/8 N E T10</u>				

CONTRACTOR Martin #16

TYPE OF JOB Longstring

HOLE SIZE 7 7/8 T.D. 3,220'

CASING SIZE 5 1/2 DEPTH 3,269'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL Port Collar DEPTH 1,529'

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 45.06

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 90 Bbl

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 200 ASC 200 Grel  
500 Grel WFR-2

COMMON	<u>200 ASC</u>	@	<u>8.50</u>	<u>1700.00</u>
POZMIX		@		
GEL	<u>4</u>	@	<u>10.00</u>	<u>40.00</u>
CHLORIDE		@		
WFR-2	<u>500 gals</u>	@	<u>1.00</u>	<u>500.00</u>
		@		
		@		
		@		
HANDLING	<u>200</u>	@	<u>1.10</u>	<u>220.00</u>
MILEAGE	<u>44/SK</u>	@	<u>4.50</u>	<u>200.00</u>
TOTAL				<u>2660.00</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Paul

# 177 HELPER Darin

BULK TRUCK

# 282 DRIVER Calen

BULK TRUCK

# DRIVER

**REMARKS:**

Pumped 500 Grel WFR-2 Mud Sweep.  
Followed w/ 1853x ASC. Displaced  
plug w/ 90 Bbl H<sub>2</sub>O. Released.  
Float Held!

Thank You!

Rathole 183x

**SERVICE**

DEPTH OF JOB				
PUMP TRUCK CHARGE			<u>1130.00</u>	
EXTRA FOOTAGE		@		
MILEAGE	<u>25</u>	@	<u>3.00</u> <u>75.00</u>	
PLUG	<u>5 1/2 TRP</u>	@	<u>50.00</u>	
		@		
		@		
TOTAL				<u>1255.00</u>

CHARGE TO: Trich Prod. Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**FLOAT EQUIPMENT**

<u>5 1/2</u>				
Guide Shoe	<u>1</u>	@	<u>150.00</u>	
AFU Insert	<u>1</u>	@	<u>235.00</u>	
Centralizer	<u>8</u>	@	<u>40.00</u> <u>320.00</u>	
Basket	<u>1</u>	@	<u>142.00</u>	
Port Collar	<u>1</u>	@	<u>1500.00</u>	
Recip. Scratcher	<u>18</u>	@	<u>35.00</u> <u>630.00</u>	
TOTAL				<u>2977.00</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Bill Wynn

Thanks

Bill Wynn  
PRINTED NAME

# ALLIED CEMENTING CO., INC.

6466

ORIGINAL

Federal Tax I.D.# ~~XXXXXXXXXX~~

SHIP TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Russell

15-163-23344-00-00

DATE <u>6-6-02</u>	SEC. <u>32</u>	TWP. <u>10 S</u>	RANGE <u>19W</u>	CALLED OUT <u>5:00am</u>	ON LOCATION <u>6:00pm</u>	JOB START <u>8:45</u>	JOB FINISH <u>9:00pm</u>
LEASE <u>Schostetom</u>	WELL # <u>1-32</u>	LOCATION <u>Yocemento I-70 Exit N. To</u>		COUNTY <u>ROOK'S</u>	STATE <u>KANSAS</u>		
UNIT <u>UNIT</u>		CO. Line <u>2W</u>					
OLD OR NEW (Circle one)							

CONTRACTOR MURFIN DRG. Rig #16

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 261

CASING SIZE 8 5/8 DEPTH 260'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15-20'

PERFS. \_\_\_\_\_

DISPLACEMENT 15 3/4 / BBH

EQUIPMENT \_\_\_\_\_

PUMP TRUCK # 221 CEMENTER Glenn

BULK TRUCK # 160 HELPER Paul

BULK TRUCK # \_\_\_\_\_ DRIVER Jon

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 160 com 29gel  
3% CC

COMMON	<u>160</u>	@	<u>665</u>	<u>1064.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>10.00</u>	<u>30.00</u>
CHLORIDE	<u>5</u>	@	<u>30.00</u>	<u>150.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>160</u>	@	<u>1.10</u>	<u>176.00</u>
MILEAGE	<u>44/SY</u>	@		<u>160.00</u>

TOTAL 1580.00

REMARKS:

SERVICE

Cement CIRCULATED

THANKS

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 520.00

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE 25 @ 3.00 75.00

PLUG 8 5/8 wooden @ \_\_\_\_\_ 45.00

TOTAL 640.00

CHARGE TO: Trich Production Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

@ \_\_\_\_\_

@ \_\_\_\_\_

@ \_\_\_\_\_

@ \_\_\_\_\_

@ \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Bill Wynn Bill Wynn  
PRINTED NAME

THANKS