

TO: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Well Number: 15-163-20180-00-00  
Spot: CNESESE Sec/Twnshp/Rge: 8-9S-19W  
1090 feet from S Section Line, 330 feet from E Section Line  
Lease/Unit Name: MCCLELLAN TWIN Well Number: 2  
County: ROOKS Total Vertical Depth: 3553 feet

Operator License No.: 30742  
Op Name: PALOMINO PETROLEUM, INC.  
Address: 4924 SE 84TH STREET  
NEWTON, KS 67114

Conductor Pipe: Size feet: 3 1/2  
Surface Casing: Size 8.625 feet: 214 w/156 sxs cmt  
Production: Size 5.5 feet: 3524 w/150 sxs cmt  
Liner: Size feet:

Well Type: OIL UIC Docket No: Date/Time to Plug: 12/18/2002 2:30 PM  
Plug Co. License No.: 6901 Plug Co. Name: D S & W WELL SERVICING, INC.  
Proposal Rcvd. from: ED NEMNICH Company: D S & W WELL SERVICING, INC. Phone: (620) 587-3361

Proposed Plugging Method: Ordered out 300 sxs 60/40 pozmix - 10% gel - 100# hulls.  
No pipe recovery.  
No squeeze records. Perforate - Salt 1925' - Anhy. 1500' - Dakota 825'.

Plugging Proposal Received By: HERB DEINES WitnessType: Plugging Operations 100% Witnessed (Complete)  
Date/Time Plugging Completed: 12/18/2002 5:30 PM KCC Agent: RICHARD WILLIAMS

Actual Plugging Report:  
Sanded back to 3285' w/5 sxs cement on top.  
Found tight spot at 1005'. Decided not to pull casing.  
L-K Wireline perforated 2 sp.ft. at 1925' - 1500' - 825'.  
Ran tubing to 2500'.  
Allied pumped 100 sxs 60/40 pozmix - 10% gel with 700# hulls.  
Pulled tubing to 1000'.  
Allied pumped 105 sxs cement with 300# hulls - cement circulated.  
PTOH.  
Squeezed with 50 sxs cement.  
Max. P.S.I. 700#. S.I.P. 400#.  
Hooked up to backside - blew hole in 8 5/8".  
Note: December 20 - 2002  
Welded 8 5/8". Allied pumped 50 sxs with 200# hulls.  
Max. P.S.I. 500#. S.I.P. 200#.  
RECEIVED  
JAN 03 2003  
1-3-03  
KCC WICHITA

Remarks: ALLIED CEMENTING COMPANY.

Plugged through: TBG

District: 04

Signed Richard Williams  
(TECHNICIAN)

INVOICED  
DATE 1-3-03  
INV. NO. 2003061023

Form CP-2/3

DEC 30 2002

KATHOL PETROLEUM, INC. #2 MC CLELLAN 100'N, NE SE SE 8-9-19W  
 WICHITA, KANSAS

Contr. CO TOOLS Cty. ROOKS

Geol. JERRY JESPERSEN Pool MC CLELLAN

E. 2062 KB Cm. 2/10/69 Cp. 4/24/69 TP PMP 94 BOPD, NW/  
 LANS 3396-3456

API 15-163-20, 180

GR 37


SMPTops	Depth	Datum
ANH	1475	+ 587
HEEB	3222	-1160
TOR	3242	-1180
LANS	3264	-1202
BKC	3464	-1402
CONG	3500	-1438
ARB	3523	-1461
RID	3525	-1463
DDTD	3553	-1491

Csg. 8" 214/156 5 1/2" 352 1/2 /150 sx  
 DST 3227-47/75" MISRUN  
 DST 3255-75/75" 15' M, BHP 114-887#/30"  
 FP 31-31#  
 DST 3310-28/75" 105' HOOM, BHP 842-879#/30"  
 FP 23-63#  
 DST 3333-48/75" 1098' WTR/SG OIL, BHP 860-  
 833#/30", FP 45-615#  
 DST 3387-3404/75" 720' GIP, 960' OIL, BHP  
 1055-1050#/30", FP 58-335#  
 DST 3407-27/75" 4' M, BHP 30-30#/30", FP  
 30-30#  
 DST 3448-65/75" 50' VHOOM, BHP 1090-525#/  
 30", FP 25-35#  
 CO & DD 3547 TD, TST 8 GPH, DD 3553, PF  
 3454-56, BP 3500, A 250 MA, 500 REG, SWB  
 LD, SWB 1/2 BOPH, TR AC WTR, (OVER)

INDEPENDENT OIL & GAS SERVICE

KATHOL PETROLEUM, INC. #2 MC CLELLAN 100'N, NE SE SE 8-9-19W

RE-AC 2000, SWB LD, SWB 1 1/4 BOPH, PF 3430-3434, BP 3440, A 250 MA, 700 REG, SWB  
 40 BOPH, OB, PF /3418-22, PLUG @ 3423, SWB 25 BOPH NAT, PF /3396-3400, PLUG @  
 3408, A 1000, SWB & FLO 33 BOPD, PF /3321-24, A 1000, SWB 2 1/4 BOPH, POP