

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-147-30196-00-01
Spot: W2SWNW Sec/Twnshp/Rge: 28-4S-18W
3300 feet from S Section Line, 4620 feet from E Section Line
Lease Name: BREDEMEIER Well #: 2
County: PHILLIPS Total Vertical Depth: 3310 feet

Operator License No.: 31569
Op Name: BACH, JASON DBA BACH OIL PRODUC
Address: PO BOX 723
ALMA, NE 68920

String	Size	Depth (ft)	Pulled (ft)	Comments
PROD	4.5	3310	0	250 SX
SURF	8.625	205	0	140 SX

107.58

Well Type: EOR UIC Docket No: E12731.2 Date/Time to Plug: 11/01/2007 9:00 AM
Plug Co. License No.: 31569 Plug Co. Name: BACH, JASON DBA BACH OIL PRODUCTION
Proposal Rcvd. from: JASON BACH Company: BACH, JASON DBA BACH OIL PRO Phone: (785) 476-5254

Proposed Plugging Method: Ordered 200 sxs 60/40 pozmix - 4% gel - 350# hulls.
Squeeze at 850' with 75 sxs.

Plugging Proposal Received By: HERB DEINES Witness Type: COMPLETE (100%)
Date/Time Plugging Completed: 11/01/2007 3:30 PM KCC Agent: PAT BEDORE

Actual Plugging Report:

Ran tubing to 1540' - pumped 130 sxs 60/40 pozmix - 4% gel with 300# hulls - cement circulated to surface.
Pulled all tubing - pumped 20 sxs 60/40 pozmix - 4% gel with 50# hulls.
S.I.P. 700#.
Pumped 50 sxs 60/40 pozmix - 4% gel down backside.
S.I.P. 200#.

Perfs:

Top	Bot	Thru	Comments
3221	3225		
3065	3068		

INVOICED
DATE 11/30/07
INV. NO. 2008060822

RECEIVED
11 2007
KCC WICHITA

Remarks: ALLIED CEMENTING COMPANY-TICKET #24783.

Plugged through: TBG

District: 04

100

Signed Pat Bedore PART I
(TECHNICIAN)

PA

S-T-R 28-45-18W
 SPOT 150' W-SW NW
 CO PHILLIPS (KS)
 ELEV 1880 KR

128			
●			

4-114 Map No. _____
 OPER JAMES W. HERSHBERGER
WICHITA, KS.
 WELL # 2 BREDEMEIER
 CONTR RED IIGER
 FIELD STONEMAN EXT (LAN OIL)
 I.P. P 128 BOPD (GR 38) + 8% WTR, LAN 3065-3224
(COA) - TEMPORARILY COMPLETED

(KB SPL)
 TOP 2826 - 946
 HB 3026 -1146
 TOR 3049 -1169
 LAN 3064 -1184
 RTD 3320 -1440

MIRT APP 1-26-66 - RAY GOODIN - GEOL.
 - REC OIL IN TOP, TOR & 7 ZONES IN LANSING

RTD 3320, 5" 3310 W/150 SX.
 MICT, PF 12/3221-24, 12/3160-63, 12/3146-49, 12/
 3138-41, 12/3123-26, 12/3065-68 (LAN), NTN, 10,000A, 8
 LD, POP - STATE POT: (2-25-66) P 128 BOPD (GR 38) + 8%
 WTR, LAN 3065-3224 (OA) TEMP COMPLETED (4-19-66)
 (DATA WILL REPORT ADD'L INFO ON DST'S WHEN RELEASED.)

MISC DATA
 GEOLOGICAL RAY GOODIN ELEV 1877 DF SPUD DATE 1-26-66
 FIG 660' FSL X 510' FWL OF NW/4 1875 GR DRLG COMP
 SUPPLY SURF NOT AVAIL 5" 3310 W/150 SX. FR by DATA 1-14-66
 CSG COMP by 4-21-66