

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **WELL COMPLETION FORM**



Form ACO-1 September 1999 Form Must Be Typed

Operator: License #9408	API No. 15 - 063-21623-0000
Name: Trans Pacific Oil Corporation	County: Gove
Address: 100 S. Main, Suite 200	C -N2 - Sec. 28 Twp. 13 S. R. 29 East  West
City/State/Zip: Wichita, KS 67202	feet from S /(N)(circle one) Line of Section
Purchaser: n/a	2640 feet from (E) W (circle one) Line of Section
Operator Contact Person: Glenna E. Lowe	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 316 )	(circle one) (NE) SE NW SW
Contractor: Name:Duke Drilling Co., Inc.	Lease Name: Ottley "C" Well #: 1-28
icense: 5929	Field Name: wildcat
Wellsite Geologist: Mike Kidwell	Producing Formation: n/a
Designate Type of Completion:	Elevation: Ground: 2829' Kelly Bushing: 2838'
New Well Re-Entry Workover	Total Depth: 4575' Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 305 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
f Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	Delline Fluid Monogoment Blon Aver TO Ohi Vila
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  G-5-07
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite: KANSAS CORPORATION COMM
Other (SWD or Enhr.?) Docket No	Operator Name: MAR 3 0 2006
2-25-06 3-08-06 3-08-06	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec. Twp. S. R. CONSERVATEAUDI 1996 No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workd Information of side two of this form will be held confidential for a period of	ith the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-gs and geologist well report shall be attached with this form. ALL CEMENTING

herein are complete and correct to the best of my knowledge.

The second secon				
Signature: Cour Sharp  Title: engineer Date: 3/29/06				
Title: engineer	Date:3/29/06			
Subscribed and sworn to before me this $29^{\text{lh}}$ day of $\frac{1}{2}$ day of $\frac{1}{2}$				
20 06 .	- J			
Notary Public:	a E. Jane			
Date Commission Expires:	GLENNA E. LOWE			

**KCC Office Use ONLY Letter of Confidentiality Received** If Denied, Yes Date: CONFIDENTIAL Geologist Report Received MAR 2 9 2006 **UIC Distribution** KCC

Operator Name: Trans Pacific Oil Corporation Ottley "C" Lease Name: Gove East West County: Sec. INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report. Sample ✓ Log Formation (Top), Depth and Datum No ✓ Yes **Drill Stem Tests Taken** (Attach Additional Sheets) Datum Top Name Samples Sent to Geological Survey ✓ Yes No ✓ No Cores Taken Yes ✓ Yes No Electric Log Run (Submit Copy) List All E. Logs Run: (See Attached List) Compensated Density/Neutron **Dual Induction** Sonic CASING RECORD ✓ New Report all strings set-conductor, surface, intermediate, production, etc. Type and Percent # Sacks Weight Setting Type of Size Casing Size Hole Purpose of String Additives Used Drilled Set (In O.D.) Depth Cement 200 3% cc, 2% gel 23# 305 Surface 8-5/8" common 12-1/4" ADDITIONAL CEMENTING / SQUEEZE RECORD Type and Percent Additives Purpose: Depth #Sacks Used Type of Cement Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone Acid, Fracture, Shot, Cement Squeeze Record PERFORATION RECORD - Bridge Plugs Set/Type Shots Per Foot Depth (Amount and Kind of Material Used) Specify Footage of Each Interval Perforated Packer At Liner Run Set At **TUBING RECORD** Size Yes No No Date of First, Resumerd Production, SWD or Enhr. **Producing Method** Gas Lift Other (Explain) Flowing Pumping Gas-Oil Ratio Gravity **Estimated Production** Oil Bbls. Gas Mcf Water Bbls. Per 24 Hours Disposition of Gas METHOD OF COMPLETION Production Interval Open Hole Dually Comp. Sold Used on Lease Commingled . Vented (If vented, Submit ACO-18.) Other (Specify)

4452' (-1614) +12'

4524' (-1686) +44'

4575

Cherokee Lime

Mississippi

RTD

RECEIVED KANSAS CORPORATION COMMISSION

MAR 3 0 2006

CONSERVATION DIVISION WICHITA, KS

## ALLIED CEMENTING CO., INC. 22500

FederantiD	E.M.	· · · · · ·		
REMIT TO P.O. BOX 31	9 2006	SERV	ICE POINT:	
RUSSELL, KANSAS 67665			nles	o cite
DATE 2-25-06 SEC. TWP. RANGE 29	ALLED OUT	ON LOCATION 4'15 pm	JOB START 5'30pm	JOB FINISH
LEASE Ottley WELL# 1-28. LOCATION Jour	2 45 2/4	w/25	COUNTY	STATE
OLD OR VEW (Circle one)				
			J	
CONTRACTOR Wike Osl #4	OWNER			
TYPE OF JOB Surface				
HOLE SIZE / 2/4 T.D. 305 CASING SIZE 8/8 DEPTH 304	CEMENT	NEDED.		
CASING SIZE 8 S DEPTH 304. TUBING SIZE DEPTH	AMOUNT ORI		10/10	
DRILL PIPE DEPTH		m 3%cc	2/2701	
TOOL DEPTH				
PRES. MAX MINIMUM	COMMON_ &	200 toL	@ 11.00	22000
MEAS. LINE SHOE JOINT	POZMIX		@	·
CEMENT LEFT IN CSG. 15	GEL	A sel	@ /S 00	60,00
PERFS.	CHLORIDE	634	@ 4200	2520
DISPLACEMENT 19	ASC		_@	
EQUIPMENT	RECEIVE	<b>D</b>	_@	
N	WSAS CORPORATION	COMMISSION	_@	
PUMPTRUCK CEMENTER MIKE	MAR 3 0 20	006	_@	
# 224 HELPER Luciphous			_@ @	
BULKTRUCK	CONSERVATION DR WICHITA, KS	VISION	_	
# 357 DRIVER Brandon	101001111111111111111111111111111111111		_	***
BULK TRUCK	***************************************		@	P
# DRIVER	HANDLING_	310peb	@ 170	357.0
	MILEAGE	210467	36	529.20
REMARKS:			TOTAL	3398,2
New 20# 23				
circ 8/8 cs w/res pump		SERVIO	C <b>E</b>	
Mix Cent, deap plus w/ 19 BOX	-			
Cent deal Circ	DEPTH OF JOE	330	4.	
3	PUMP TRUCK			73500
	EXTRA FOOTA	AGE 4	_@_ <i>_60_</i> _	240
Think	MILEAGE	- 36		
/ paras	MANIFOLD		_@	
	The state of the s	VI		
CHARGE TO TO A POLICY OF A CO	-		@	
CHARGE TO: Trans Pacfic Oil Corp.			TOTAL *	0.7.15
STREET			TOTAL	917040
CITYSTATEZIP				
0111 ZII	P	LUG & FLOAT	<b>EQUIPMEN</b>	f T
	818 Topa	2000	@ 5500	SS.00
			@	
To Allied Cementing Co., Inc.				
You are hereby requested to rent cementing equipment				
and furnish cementer and helper to assist owner or			@	
contractor to do work as is listed. The above work was				
done to satisfaction and supervision of owner agent or			TOTAL	550
contractor. I have read & understand the "TERMS AND				
CONDITIONS" listed on the reverse side.	TAX			
	TOTAL CHARG	E		

# ALLIED CEMENTING CO., INC.

REMIT TO	P.O. BOX 31
	RUSSELL, KANSAS 67665

## CONFIDENTIAL

SERVICE	DOTATO
DEIXAICE	PUNI

PRINTED NAME

25306

RUSSELL, KANSAS 67665 MAR 2 S	2	SERVICE POINT:  Ockley
DATE 3-8-06 SEC. TWP. 133 RANGE 29 6 KC	CALLED OUT ON LOCATION OF LOCA	ON JOB START JOB FINISH A
2 p g	ve 45-23/411-55	BIO SUR
CONTRACTOR Duke Drs Co #4  TYPE OF JOB PTA	OWNER Same	
HOLE SIZE 7/8 T.D. 4575	CEMENT	
CASING SIZE DEPTH	AMOUNT ORDERED	190 Sts 6940 Das
TUBING SIZE DEPTH  DRILL PIPE 4/2 Y DEPTH 2225/	6% Cel, 1/4	190 Ste 6940 poz
TOOL		
PRES. MAX DEPTH MINIMUM		75 @ 1100 1050E
MEAS. LINE SHOE JOINT	_ COMMON <u>  114 st</u> _ POZMIX	
CEMENT LEFT IN CSG.	GEL 10 SK	
PERFS.	CHLORIDE	<u> </u>
DISPLACEMENT	ASC	@
EQUIPMENT	Flo-See.   48#	<u>@ 180 86 40</u>
PUMPTRUCK CEMENTER   Ja/+	RECEIVED WSAS CORPORATION COMMISSION	@ @
# 102 HELPER		
BULK TRUCK	MAR 3 0 2006	
# 377 DRIVER FU22Y BULK TRUCK	CONSERVATION DIVISION WICHITA, KS	@ @
# DRIVER		@
	HANDLING 202 S MILEAGE 77 D3	15 @ 170 349.40
REMARKS:	WILLEAGE 17 PS	5K/ milo , 509.04
•		TOTAL 2738.04
25 5Ks 2 2325'	Olam	T/T C/E
100 sks (2) 1325'	SER -	VICE
40 5Ks 3 360'	DEPTH OF JOB	
10 5K3 D 401 15 5K3 Dn R.H.	PUMP TRUCK CHARGE	82500
15 SKs Ton R.H.	EXTRA FOOTAGE	@
Theale You	MILEAGE 36- mile	3 @ 5 ec 180 ec
man 100	MANIFOLD	
CHARGE TO: Trans-Pacific		@
STREET		TOTAL 1005
CITYSTATEZIP		
211	PLUG & FLO	AT EQUIPMENT
	87	~
	1- D.A. Plus	8° 35 <u>00</u>
To Allied Computing Co. I		@
To Allied Cementing Co., Inc.		@
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or		@
contractor to do work as is listed. The above work was		@
done to satisfaction and supervision of owner agent or		TOTAL 2:-00
contractor. I have read & understand the "TERMS AND		TOTAL
CONDITIONS" listed on the reverse side.	TAX	
· · · · · · · · · · · · · · · · · · ·	TOTAL CHARGE	
	DISCOUNT	IF PAID IN 30 DAYS
IGNATURE Tich Wheeler	1 11/	
my wille	tich Wheeler	•