

Operator Name: Quest Cherokee, LLC Lease Name: Varner, Charles H. Well #: 29-1
 Sec. 29 Twp. 27 S. R. 16 East West County: Wilson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

<p>Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i></p> <p>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i></p> <p>List All E. Logs Run:</p> <p>Comp Density/Neutron Dual Induction</p>	<p><input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 70%;">Name</td> <td style="width: 15%;">Top</td> <td style="width: 15%;">Datum</td> </tr> <tr> <td>Lenapah Lime</td> <td>621'</td> <td>+343'</td> </tr> <tr> <td>Altamont Lime</td> <td>650'</td> <td>+314'</td> </tr> <tr> <td>Pawnee Lime</td> <td>761'</td> <td>+203'</td> </tr> <tr> <td>Oswego Lime</td> <td>815'</td> <td>+149'</td> </tr> <tr> <td>Verdigris Lime</td> <td>934 1/2'</td> <td>+29 1/2'</td> </tr> <tr> <td>Mississippi Lime</td> <td>1216'</td> <td>-262'</td> </tr> </table>	Name	Top	Datum	Lenapah Lime	621'	+343'	Altamont Lime	650'	+314'	Pawnee Lime	761'	+203'	Oswego Lime	815'	+149'	Verdigris Lime	934 1/2'	+29 1/2'	Mississippi Lime	1216'	-262'
Name	Top	Datum																				
Lenapah Lime	621'	+343'																				
Altamont Lime	650'	+314'																				
Pawnee Lime	761'	+203'																				
Oswego Lime	815'	+149'																				
Verdigris Lime	934 1/2'	+29 1/2'																				
Mississippi Lime	1216'	-262'																				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8-5/8"	24.75#	20' 8"	"A"	4sx	
Production	6 3/4"	4 1/2"	10.5#	1261	"A"	118sx	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
None	Not yet complete		

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

RECEIVED
 JUN 27 2005
KCC WICHITA

RECEIVED

JUN 27 2005

KCC WICHITA

ORIGINAL

211 W. 14TH STREET, CHANUTE, KS 66720
620-431-9500

TICKET NUMBER

FIELD TICKET REF #

FOREMAN John Mills

TREATMENT REPORT
& FIELD TICKET CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
12-27-2004		UACWPT, L606105, H#29-1	29	275	105	W.L.

FOREMAN / OPERATION	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRUCK HOURS	EMPLOYEE SIGNATURE
John M	6:21	12:15	No	903346	5.25	
Leig G	6:46	12:15	No	903255	4.25	
Samp H	6:52	12:15	No	903206	4.25	
Tim A	6:54	12:15	No	903140	4.25	

? TYPE Long string HOLE SIZE 8 3/4 HOLE DEPTH 1268 CASING SIZE & WEIGHT 4 1/2 / 19.5
 CASING DEPTH 1261 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.9 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 20.4 DISPLACEMENT PSI 400 MIX PSI 200 RATE _____

REMARKS:

Circulate with lost H₂O. Run 2 sks Gel. Run 1 sks Calcium Chloride with a 1.5 BBL pad before going to 15 BBL Dye with 20 gallons Sodium silicate cement until dye returns. Plug pump plug with K.C.L. Water, set floor stop.
By pasture location, Drove all equipment to well site without a problem.

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
	# 903346	Foreman Pickup	
	# 903255	Cement Pump Truck	
	# 903206	Bulk Truck	
	<u>W/out Additives 106 sks</u>	Cement <u>118 sks with Additives</u>	
1110	<u>12 sks</u>	Gilsonite	<u>698.56</u>
1107	<u>1 sks</u>	Flo-Seal	<u>83.40</u>
1118	<u>2 sks</u>	Premium Gel	<u>10.61</u>
1215A	<u>1 gal</u>	KCL	<u>9.12</u>
1111B	<u>20 gal</u>	Sodium Silicate	<u>9.90</u>
1123	<u>6,174 gals</u>	City Water <u>147 BBL</u>	<u>82.00</u>
	# 903140	Transport Truck	<u>35.50</u>
	# 90377	Transport Trailer	
	<u>Hurricane</u>	80 Vac	
	<u>1 sks</u>	Calcium Chloride	<u>16.02</u>