| For KCC Use:    | 1 700  |  |
|-----------------|--------|--|
| Effective Date: | 1-7-08 |  |
| District #      |        |  |
| ecas Dva        | e 🗐 No |  |

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

| Spot Service Spud Date February 15, 2008   | Must be approved by KCC five   | (5) days prior to commencing well   |  |  |  |
|--|--|---|--|--|--|
| OPERATOR: Licenses 33094  OPERATOR: Licenses 33094  12507  | February 15, 2008  | Cont.   |  |  |  |
| 1250   Set from  | Expected Spud Date   |   |  |  |  |
| SECTION   Regular   triegular?   | 33094  | 1250' feet from N / S Line of Section   |  |  |  |
| Most   Locate well on the Section   Fegular   Insegular   Insegu     | OPERATOR: License#   | feet from E / V W Line of Section   |  |  |  |
| County: Haskell Phone: \$60-275-9893 ext. 14  Contract Person. Melissa Initire Phone: \$60-275-9893 ext. 14  Contract Cross. Well Class:  Well Drilled For. Well Class:  Well Drilled For. Well Class:  We | RR. 1 Box 83   | Is SECTION <u>✓</u> RegularIrregular?   |  |  |  |
| Contractors. Licenses 33784  Name_finitidad Drilling Limited Partnership  Well Drilled For:  Well Drilled Fo   | City/State/Zip: Satanta, KS 67870  | (Note: Locate well on the Section Plat on reverse side)   |  |  |  |
| ContractOrial Licensees 33784  | Contact Person Melissa Imler   |   |  |  |  |
| Field Name: _Fandmail   Field Name: _Fandmail   Well Drilling Limited Partnership   Well Drilling Limited Partnership   Well Drilling Limited Partnership   Well Drilling Limited Partnership   Own  | Phone: 620-276-3693 ext. 14  | Lease Name: Groth Well #: C-1   |  |  |  |
| Target Formation(s):   Council Grove   Target Formation(s):   Target Formation(s):   Council Grove   Target Formation(s):   Council G     |  | Field Name: Panoma  |  |  |  |
| Target Formation(s):   Council Grove   Target Formation     | CONTRACTOR: License# 33/64   |   |  |  |  |
| Ground Surface Elevation: 2969 9   Get MSL   Walk Class   Storage   Pool Ext.   Mul Rotary   M     | Name: Trinidad Drining Limited Partnership   | Target Formation(s): Council Grove  |  |  |  |
| Ground Surface Elevation general contents of the pool Ext.   Air Rotary   Air Ro      | Well Drilled For: Well Class: Type Equipment:  |   |  |  |  |
| Gas   Storage   Pool Ext.   Air Rotary   Water willing non-digitize filling.   Public water supply well within one mile:   Season   Pool Ext.   Public water supply well within one mile:   Poeph to bottom of tresh water.   Poeph to Differ of the Surface Pipe Palamed to the sale, water 780′   Surface Pipe by Alternate.   1   2   2   2   2   2   2   2   2   2   |  |   |  |  |  |
| Seasmic:   |  |   |  |  |  |
| Seismic: # of Holes   Other  |  |   |  |  |  |
| Other   Surface Pipe by Alternate:   1   2   2   2   2   2   2   2   2   2   |  | Dobin to Dottom of Moon Market  |  |  |  |
| If OWWO: old well information as follows:  Operator:  Well Name:  Original Completion Date:  Original    |  | Depth to bottom or usable water:  |  |  |  |
| Conductor Pipe required:   No.   |  | Surface Pipe by Allemate. 1 2 2   |  |  |  |
| Projected Total Depth:   |  | Length of Conductor Rine required: N/A  |  |  |  |
| Original Completion Date: Original Total Depth: Water Source-for Drilling Operations: Water Source-for Drilling Operations on Drilling   | ·  | Projected Total Denth: 3100'  |  |  |  |
| Water Sourga- for Drilling Operations:    Water Sourga- for Drilling Operations:   Water Surga- for Drilling Operation Operations:   Water Surga- for Drilling Operation Operation Operations:   Water Surga- for Drillin   |  | Formation at Total Depth: Council Grove   |  |  |  |
| If Yes, true vertical depth::   DWR Permit #: will apply for if needed   |  | Water Source for Drilling Operations:   |  |  |  |
| Note: Apply for Permit with DWB \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \  | Directional, Deviated or Horizontal wellbore? Yes 🗸 No   | ✓ Well Farm Pond Other  |  |  |  |
| Yes   No   | If Yes, true vertical depth:   | DWR Permit #: will apply for if needed  |  |  |  |
| If Yes, proposed zone:    PROBATEO ! Space : Hull-ottps   AFFIDAVIT    The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.   |  |   |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,881-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Paternation of Operator or Agent:  File Completion Form ACO-1 within 120 days of spud date:  File Completion Form ACO-1 within 120 days of spud date:  File Completion Form ACO-1 within 120 days of spud date:  File Completion Form ACO-1 within 120 days of spud date:  File prill Pit Application (form CDP-1) with Intent to Drill;  Submit plugging report (CP-4) after plugging is completed;  Notify appropriate district office 48 hours prior to workover or re-entry;  Notify appropriate district office 48 hours prior to workover or re-entry;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after   | KCC DKT #:   |   |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II comenting must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Part KCC Use ONLY  API # 15 - OSI - 2/779-000  Conductor pipe required  |  | If Yes, proposed zone:  |  |  |  |
| The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II comenting must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Part KCC Use ONLY  API # 15 - OSI - 2/779-000  Conductor pipe required  | POPPATED & SOACED: HULOTON-PANOMA AFF  | IDAVIT  |  |  |  |
| It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 12 - 27 - 07 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 081 - 2/779 - 0000  Approved by:  |  |   |  |  |  |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging;</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 12 - 27 - 07 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - QSI - 2/779 - COCO Approved by: 1-2-08  Title: 1-2-09  Title: 1-2-09  This authorization expires: 1-2-09  (This authorization expires: 1-2-09  (This authorization void if drilling not started within months of approval date.)  Sound that is approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address REGEINED  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION.  Signature of Operator or Agent: 1-2-08  Signature of Operator or Agent: 1-2-08  Signature of Operator or Agent: 1-2-08  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION.   |  |   |  |  |  |
| 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 12 - 27 - 07 Signature of Operator or Agent:  Signature of Operator or Agent:  File Completion Form ACO-1 within 120 days of spud date:  File Completion Form ACO-1 within 120 days of spud date:  File Completion Form ACO-1 within 120 days of spud date:  File Completion Form ACO-1 within 120 days of spud date:  File Completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1 within 120 days of spud date:  File completion Form ACO-1    |  |   |  |  |  |
| 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Pate: 12 - 27 - 07 Signature of Operator or Agent:  File Conductor pipe required  Approved by: 12 - 28  This authorization expires: 1-2-09  (This authorization void if drilling not started within months of approval date.)  Approval date: 1-2-09  (This authorization void if drilling not started within months of approval date.)  Approval date: 1-2-09  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION.  Signature of Operator or Agent: 1-2-09  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION.   | 2. A copy of the approved notice of intent to drill shall be posted on ea  | ch drilling rig;  |  |  |  |
| 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 12 - 27 - 07 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 081 - 2/779 - 0000  Conductor pipe required   | 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set   |   |  |  |  |
| 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: I2 - 27 - 07  | through all unconsolidated materials plus a minimum of 20 feet into t  | ne underlying formation.  district office on plug length and placement is necessary <b>prior to plugging:</b> |  |  |  |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 12 - 27 - 07   | 5. The appropriate district office will be notified before well is either plug   | gged or production casing is cemented in;   |  |  |  |
| I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 12 - 27 - 07 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 081 - 2/779-0000  Conductor pipe required feet Minimum surface pipe required feet per Alt  Approved by: 1 - 2 - 08  This authorization void if drilling not started within months of approval date.)  Sound date:  Agent:  Member to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address REGEIVED  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION:  Signature of Operator or Agent:   | 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.   |   |  |  |  |
| Por KCC Use ONLY   File Drill Pit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-entry;   Submit plugging report (CP-4) after plugging is completed;   Obtain written approval before disposing or injecting salt water.   If this permit has expired (See: authorized expiration date) please check the box below and return to the address RECEIVED   Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION:   | Or pursuant to Appendix "B" - Eastern Kansas surface casing order  | #133,891-C, which applies to the KCC District 3 area, alternate if cementing                                  |  |  |  |
| For KCC Use ONLY  API # 15 - 081-2/779-0000  Conductor pipe required   |  |   |  |  |  |
| For KCC Use ONLY  API # 15 - 081-2/779-0000  Conductor pipe required   | hereby certify that the statements made herein are true and to the best of   | if my knowledge and belief.   |  |  |  |
| For KCC Use ONLY  API # 15 - 081-2/779-0000  Conductor pipe required   | Date: 12 - 27 - 07 Signature of Operator or Agent: 17 Days   | re clonde Title: Comm Winter  |  |  |  |
| For KCC Use ONLY  API # 15 - 081-2/779-0000  Conductor pipe required feet feet per Alt 122  Approved by: 1-2-08  This authorization expires: 1-2-09  (This authorization void if drilling not started within months of approval date.)  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address PEGETVED  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION:  Signature of Operator or Agent:  |  | Pamambar ta:  |  |  |  |
| API # 15 - 081 - 2/779 - 0000  Conductor pipe required   | Ear MCC Upo ONEV   |   |  |  |  |
| Conductor pipe required  | 150 NOC USE CIRCL<br>150 NOC USE |   |  |  |  |
| Minimum surface pipe required 740 feet per Alt 2  Approved by: Livis 1.2-08  This authorization expires: 1-2-09  (This authorization void if drilling not started within months of approval date.)  Solution in the didding in the foliation of the circly.  Solution purpophilate district of the circly.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address RECEIVED  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION:  Solution approval date.   | Alone  | - File acreage attribution plat according to field proration orders;  |  |  |  |
| Approved by: Live 1.2-09  This authorization expires: 1-2-09  (This authorization void if drilling not started within months of approval date.)  Soud date:  Agent:  Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address REGEIVED  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION  Signature of Operator or Agent:   | 7/10   |   |  |  |  |
| Approved by:  This authorization expires:  (This authorization void if drilling not started within months of approval date.)  Soud date:  Agent:  Agent:  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address REGEIVED  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION  Signature of Operator or Agent:   |  | , 35 5 7 1 1 1 1 1 1 1  |  |  |  |
| (This authorization expires: check the box below and return to the address REGENED check the box below and return to the address REGENED Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION:  Sound date: Agent: Signature of Operator or Agent:  | Approved by: [1.2-08]  |   |  |  |  |
| (This authorization void if drilling not started within months of approval date.)  Well Not Drilled - Permit Expire ANSAS CORPORATION COMMISSION  Signature of Operator or Agent:  | This authorization expires.  |   |  |  |  |
| Sput date: Signature of Operator or Agent:   |  |   |  |  |  |
| Date: DEC 3 1 2007   | , –  | Signature of Operator or Agent:   |  |  |  |
|  | Spud dateAgent   | Date: DEC 3 1 2007  |  |  |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 081-21779-0000   | Location of Well: County: Haskell  |
|---|--|
| Operator: Cimarex Energy, Co.   | 1250' feet from VN/ S Line of Section  |
| Lease: Groth  |  |
| Well Number: C-1  | Sec29 Twp28  |
| Field: Panoma   |  |
| Number of Acres attributable to well: 640  QTR / QTR / QTR of acreage: SE NW NW | Is Section:  |
|   | If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)







DEC 3 1 2007

#### In plotting the proposed location of the well, you must show:

- CONSERVATION DIVISION 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, KS 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

| API NUMBER 15- 081-21779-0000  OPERATOR Cimarex Energy Co.  LEASE Groth "C"  WELL NUMBER No. 1  FIELD Panoma  NUMBER OF ACRES ATTRIBUTABLE TO WELL 640  QTR/QTR/QTR OF ACREAGE SE - NW - NW | LOCATION OF WELL: COUNTY Haskell County  1250 feet from south/north line of section 1250 feet from east / west line of section  SECTION SE TWP NW (S) RG NW EW  IS SECTION X REGULAR OF IRREGULAR  IF SECTION IS IRREGULAR, LOCATE WELL FROM NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE NW SE SW  |  |  |  |
|---|--|--|--|--|
| (Show the location of the well and shade attri  | butable acreage for prorated or spaced wells).   |  |  |  |
| (Show the footage to the nearest lease or unit  | boundary line; and show footage to the nearest   |  |  |  |
| common source supply well).   |  |  |  |  |
| (250)   | • • •  |  |  |  |
|   |  |  |  |  |
|   | RECEIVED KANSAS CORPORATION COMMISSION   |  |  |  |
| nen i   | THE REPORT OF THE PROPERTY OF  |  |  |  |
|   | DEC 3 1 2007   |  |  |  |
|   | A TOTAL OF THE STATE OF THE STA |  |  |  |
|   | • • • • • • • • • • • • • • • • • • •  |  |  |  |
|   |  |  |  |  |
|   | EXAMPLE .  |  |  |  |
|   |  |  |  |  |
|   | 1000   |  |  |  |
|   | 1980   |  |  |  |
|   | 10   |  |  |  |
|   |  |  |  |  |
|   | . 3390'  |  |  |  |
|   |  |  |  |  |
|   |  |  |  |  |
|   | SEWARD CO.   |  |  |  |
|   | Production Foreman   |  |  |  |
| The undersigned hereby certifies as   | (title) for  |  |  |  |
| Cimarex Energy Co.  | (Co.), a duly authorized agent, that all   |  |  |  |
| information shown hereon is true and correct t  | o the best of my knowledge and belief, that all  |  |  |  |
| acreage claimed attributable to the well name   | ed herein is held by production from that well to be assigned to the well upon the filing of   |  |  |  |
| this form and the State test, whichever is le   | ster.  |  |  |  |
| ·   |  |  |  |  |
| Signature   Sud   Suderatury  |  |  |  |  |
| Subscribed and sworn to before me on this 27 day of December, 192007  |  |  |  |  |
| Walter all.   |  |  |  |  |
| <u> </u>  | A. MELISSA MALER Public  |  |  |  |
| My Commission expires 11-17-2010  | Notary Public - State of Karness FORM CG-8 (12/94)  My Apot Expires   -   7 - 20   0   |  |  |  |

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Cimarex Energy, Co.   |                      |  | License Number: 33094   |  |
|--|----------------------|--|---|--|
| Operator Address: RR. 1 Box 83 Satanta, KS 67870   |                      |  |   |  |
| Contact Person: Melissa Imler  |                      | Phone Number: ( 620 ) 276 - 3693 ext. 14   |   |  |
| Lease Name & Well No.: Groth C-1   |                      | _  | Pit Location (QQQQ):  |  |
| Type of Pit:   | Pit is:              |  | _SENWNW   |  |
| Emergency Pit Burn Pit   | ✓ Proposed           | Existing   | Sec29Twp28R33 East  |  |
| Settling Pit   | If Existing, date co | onstructed:  | 1250' Feet from 🗸 North / 🗌 South Line of Section   |  |
| Workover Pit Haul-Off Pit  | Pit capacity:        |  | 1250' Feet from East / 🗸 West Line of Section   |  |
| (If WP Supply API No. or Year Drilled)   |                      | (bbis)   | Haskell County  |  |
| Is the pit located in a Sensitive Ground Water   | Area? ☐ Yes 🗸        | No   | Chloride concentration: mg/l  |  |
|  | Artificial Liner?    |  | (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used? |  |
| Is the bottom below ground level?  Ves No  | Yes 🗸                | No   | Gel from drilling mud   |  |
| 7 distribution (all but associate a site).   | O Langeth (fo        | 45   |   |  |
| Pit dimensions (all but working pits): Length (feet) 45  |                      |  |   |  |
| I to the bit to things give a strict and the control of the contro |                      |  | edures for periodic maintenance and determining ncluding any special monitoring.                  |  |
| Distance to nearest water well within one-mile of pit  N/A 994 feet Depth of water well 7/3 feet   |                      | Depth to shallowest fresh water 629 33 3 feet.  Source of information:  measured well owner electric log KDWR                                |   |  |
| Emergency, Settling and Burn Pits ONLY:  |                      | Drilling, Workover and Haul-Off Pits ONLY:   |   |  |
| Producing Formation:   |                      | Type of material utilized in drilling/workover: Drilling mud   |   |  |
| Number of producing wells on lease:  |                      | Number of working pits to be utilized: 0 working, 1 reserve  |   |  |
| Barrels of fluid produced daily:   |                      | Abandonment procedure: Once the pit thoroughly dries it will be  |   |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No   |                      | filled & recontoured to original topography RECEIVED  KANSAS CORPORATION COMMISSION  Drill pits must be closed within 365 days of spud date. |   |  |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  |                      |  |   |  |
| ONSERVATION DIVISION WICHITA, KS  Date  Signature of Applicant or Agent  |                      |  |   |  |
| KCC OFFICE USE ONLY  |                      |  |   |  |
| Date Received: 12/31/07 Permit Number: Permit Date: 12/31/07 Lease Inspection: Yes No  |                      |  |   |  |