For KCC Use:	1 no
Effective Date:	1- 1-08
District #	L,
SGA? Yes	 ✓No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Evacated Sould Date: 01/05/07	Cont Description
Expected Spud Date: 01/03/07 month day year	Spot Description:
•	$\frac{NE}{(\Omega\Omega\Omega\Omega\Omega)} = \frac{SW}{1000} - \frac{NE}{1000} = \frac{SW}{1000} - \frac{SW}{1000} - \frac{SW}{1000} - \frac{SW}{1000} - \frac{SW}{1000} - \frac{SW}{10000} = \frac{SW}{10000} - \frac{SW}{10000} - \frac{SW}{100000} = \frac{SW}{10000000} - \frac{SW}{100000000} = \frac{SW}{1000000000000000000000000000000000000$
OPERATOR: License#	feet from N / X S Line of Section
Name: Prospect Oil & Gas Corporation	1,690 feet from E / W Line of Section
Address 1: PO Box 837	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Russell State: Ks Zip: 67665 + 0837	County: Ness
Contact Person: Brad Hutchison	Lease Name: Jarvis-Schuckman Unit Well #: 1
Phone: 785-483-6266	Field Name: Wildcat
CONTRACTOR: License# 33575	
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 750
⊠Oil	Ground Surface Elevation: 2448feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180
Other:	Depth to bottom of usable water: 1000
	Surface Pipe by Alternate: I XII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200
Operator:	Length of Conductor Pipe (if any): None
·	Projected Total Depth: 4550
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Original Completion Date	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR
KCC DKT #:	
	Will Cores be taken?
	If Yes, proposed zone:
ΔFFI	If Yes, proposed zone:
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION bing of this well will comply with K.S.A. 55 et. seg.
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved police of intent to drill <i>shall be</i> posted on each district of the approved police of intent to drill <i>shall be</i> posted on each district to drill <i>shall be</i> posted on the drill <i>shall be</i> po	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION JAN 0 2 2008 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved police of intent to drill <i>shall be</i> posted on each district of the approved police of intent to drill <i>shall be</i> posted on each district to drill <i>shall be</i> posted on the drill <i>shall be</i> po	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION JAN 0 2 2008 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set of the set of th
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urity. 4. If the well is dry hole, an agreement between the operator and the district	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be sell to sell the sell to the sell t
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urity of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set ITA, KS inderlying formation. It office on plug length and placement is necessary prior to plugging; It or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urity of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be set ITA, KS inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urity of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged that the strict office will be notified before well be cemented from the urity of the appropriate district office will be notified before well be cemented from the urity of the strict office will be notified before well be cemented from the urity of the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be set ITA, KS inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uilled 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be bit hereby certify that the statements made herein are true and correct to the besides.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be set ITA, KS inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. B,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urder. 4. If the well is dry hole, an agreement between the operator and the plugged for the appropriate district office will be notified before well is either plugged for the appropriate district office will be notified before well is either plugged for up unsuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be of the hereby certify that the statements made herein are true and correct to the best that the statements made herein are true and correct to the best half the statements made herein are true and correct to the best half the statements made herein are true and correct to the best half the statements made herein are true and correct to the best half the statements made herein are true and correct to the best half the statements made herein are true and correct to the best half the statements made herein are true and correct to the best half the statements made herein are true and correct to the best half the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made here	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be self. TA, KS inderlying formation. to office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit. 4. If the well is dry hole, an agreement between the operator and the tricks. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be of the left of the statements made herein are true and correct to the best and the statements made herein are true and correct to the best late.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be self. KS inderlying formation. to office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill an amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urder. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged that an ALTERNATE If COMPLETION, production pipe shall be cemented from the operator and the district of the completed within 30 days of the spud date or the well shall be built hereby certify that the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the statements are true and correct to the statements a	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be self. Ks inderlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Managing Partner Title: Managing Partner
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urder. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be of the spud date or the well shall be of the spud date or the well shall be of the spud date.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION Circulating cement to the top; in all cases surface pipe shall be sell to, to ffice on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Hanaging Partner Title: Managing Partner
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill and the set by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the uncompleted within 30 days of the spud date or the well shall be be only the completed within 30 days of the spud date or the well shall be be a large of the spud date or the well shall be set. 2. **Date:** 12/31/07 Signature of Operator or Agent:** 12/31/07 Signature of Operator or Agent:** 12/31/07 Signature of Operator or Agent:** 12/31/07 12/31/07 Signature of Operator or Agent:** 12/31/07 Signature of Operator or Agent:** 12/31/07 12/31/07 Signature of Operator or Agent:** 12/31/07	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be self. KS inderlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. ILLING, LLC Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill and the set by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the uncompleted within 30 days of the spud date or the well shall be be only that the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the statements are true and correct to the statements and the statements are true and correct to the st	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION rilling rig; circulating cement to the top; in all cases surface pipe shall be set. Inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If yes, proposed zone. Remember to: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each driving an amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uright of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the understanding or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be be a likely certify that the statements made herein are true and correct to the besen to be a likely and the statements of the spud date or Agent: Por KCC Use ONLY	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be self. KS inderlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. ILLING, LLC Remember to: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill and the set by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the uncompleted within 30 days of the spud date or the well shall be be only that the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the statements are true and correct to the statements and the statements are true and correct to the st	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION rilling rig; circulating cement to the top; in all cases surface pipe shall be sell TA, KS inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. LLING; LLC Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill and the set by through all unconsolidated materials plus a minimum of 20 feet into the urd. If the well is dry hole, an agreement between the operator and the plugged for the appropriate district office will be notified before well is either plugged for the appropriate district office will be notified before well is either plugged for the appropriate district office will be notified before well is either plugged for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be of the hereby certify that the statements made herein are true and correct to the best plate: 12/31/07	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be self. Ks inderlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Managing Partner Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each driving an amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uright of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the understanding or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be be a likely certify that the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 24 735 - 000 feet Minimum surface pipe required feet Minimum surface pipe required feet per ALT. I Fill Private Approved by: ### 1-2-08	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be self. KS inderlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Managing Partner Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill drill an an anount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uright that the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be bit hereby certify that the statements made herein are true and correct to the best and the statements of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be self. K.S. inderlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Managing Partner Title: Managing Partner Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each driving an amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uright of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the operator of the plugged of the spud date or the well shall be plugged by the completed within 30 days of the spud date or the well shall be plugged to the statements made herein are true and correct to the best of the statements made herein are true and correct to the best operator of Agent: Por KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 2 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be set in K.S. inderlying formation. It office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. B.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Managing Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dried of the approved posted on each dried of the posted on each dried of the unconsolidated materials plus a minimum of 20 feet into the urder of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged by the completed within 30 days of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well sh	RECEIVED KANSAS CORPORATION COMMISSION JAN 0 2 2008 CONSERVATION DIVISION rilling rig; circulating cement to the top; in all cases surface pipe shall be self. KS inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Harby, HC File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 135-24735-0000				
Operator: Prospect Oil & Gas Corporation	Location of Well: County: Ness			
Lease: Jarvis-Schuckman Unit				
Well Number: 1	1,890 feet from 1,690 N / X S Line of Section Feet from E / X W Line of Section E / X W			
Field: Wildcat	Sec. 4 Twp. 17 S. R. 24			
Number of Acres attributable to well:	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

€ 1690'——>> 5570								
				•				
			:			:	:	:
	:		:		į.	:	:	:
			;	:		:	:	:
			•	•	i .	•		:
	l							
		*******			i			
		:	:	;		:	:	:
	:		:			:	:	;
	;		:	:		:	:	:
			•	:	i	:	:	:
			•		i		•	
	١.							
			•	:	l :	:	:	:
				:		:	:	:
		;	:		!		:	
			:	:		:	;	:
		•	•			•		•
						_		
	;		:			:	:	:
			:			:	;	:
	:		:	;		:	:	:
		•	:			:	•	:
			:		11	•	:	•
					¥ ~——.			
	:		:			:	:	:
				•			•	
							:	•
				•			•	•
							,	
		/ .						
	e 11	.an			:			:
		,,,,,					:	:
			· •					•
and the state of t	:		: T				:	:
and the state of t								
620					:			
\$10 1	:		•		:		:	:
018			~		:	:	:	:
	:		- 49			:	:	:
	:			:			:	
	:			:	:		:	;
					!			
	:		: 1	:	! :		:	:
	:			:		;	:	;
.	;				!	:		:
	:		. 1] :			:
			•		i :		:	:

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 0 2 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Prospect Oil & Gas (Corporation		License Number: 6627		
Operator Address: PO Box 837			Russell	Ks 67665	
Contact Person: Brad Hutchison			Phone Number: 785-483-6266		
Lease Name & Well No.: Jarvis-Schucl	kman Unit 1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SW NE SW		
☐ Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit	Proposed If Existing, date c	Existing	Sec. 4 Twp. 17 R. 24		
Workover Pit Haul-Off Pit	Pit capacity:		1,690 Feet from North / X		
(If WP Supply API No. or Year Drilled)	3,000 (bbls)		Ness	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	٠, ١	
is the bottom below ground levei? Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is no Native clay & drilling mud	t used?	
Pit dimensions (all but working pits):	BO Length (for	,	Width (feet) 5 (feet)	N/A: Steel Pits	
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh water 60 feet.		
·		Source of information measurements		og KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling,			over and Haul-Off Pits ONLY:	7	
Producing Formation: Type of materi		erial utilized in drilling/workover: drilling mud			
			umber of working pits to be utilized: 3 bandonment procedure: allow to dry by evaporation and backfill 2		
		Abandonment	when dry	on and backilli	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.	RECEIVED	
I hereby certify that the above state	ements are true and	correct to the bes		ANSAS CORPORATION COMM JAN 0 2 2008	
12/31/07 Date	Wu) ORTLLIM	ignature of Applicant or Agent	CONSERVATION DIVISION WICHITA, KS	
	KCC	OFFICE USE O	NLY Steel Pit RFAC	RFAS RFAS	
Date Received: 1/2/08 Permit Num	nber:	Perm	it Date: 1/2/08 Lease Inspectio	n: Yes No	