

For KCC Use:	KANSA
Effective Date: 01/07/2008	OIL
District #2	
SGA? Yes No	NOTI

AS CORPORATION COMMISSION & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Mı	ist be approved by KCC fit	ve (5) days prior to commencing well		
Expected Spud Date: OPERATOR: License# Name:Vess Oil Corporatio		ay year	1,410 feet from	S. R. ⁵	
City: WICHITA Contact Person: W.R. Hori	State: KS		(Note: Locate well on the Section Plat on County: Butler Lease Name: Pierpoint A Field Name: El Dorado	reverse side) Well #: 127	
CONTRACTOR: License# 32701 Name: C & G Drilling, Inc. Well Drilled For: Well Class: Type Equipment: Oil			Is this a Prorated / Spaced Field? Target Formation(s): Viola Nearest Lease or unit boundary line (in footage): 990 Ground Surface Elevation: 1346 Water well within one-quarter mile: Yes Public water supply well within one mile: Yes Depth to bottom of fresh water: 160 Depth to bottom of usable water: 180		
If OWWO: old well Operator: Well Name: Original Completion Da Directional, Deviated or Ho If Yes, true vertical depth: Bottom Hole Location: KCC DKT #:	~	nal Total Depth:Yes No	Surface Pipe by Alternate:	≀	

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office prior to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

1.124/1907-01	Remember to:	ယ
For KCC Use ONLY API # 15 · 15-015-23762-00-00 Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I III Approved by Rick Hestermann 01/02/2008	 File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or :e-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. 	25
This authorization expires: 01/02/2009 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent:	If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:	X E



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 15-015-23762-00-00			
Operator: Vess Oil Corporation	Location of Well: County: Butler		
Lease: Pierpoint A	1,410	feet from N /	X S Line of Section
Well Number: 127	1,650	feet from E /	W Line of Section
Field: El Dorado	Sec. 33 Twp. 2	5 S. R. 5	X E W
Number of Acres attributable to well: OTR/OTR/QTR/QTR of acreage: S2 - SW - NE - SW	ls Section: X Regul	ar or Irregular	
	If Section is Irregular, Section comer used:	locate well from nearest co	orner boundary. SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



1410 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1015261

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Vess Oil Corporation		License Number: 5030			
Operator Address: 1700 WATERFRONT PKWY BLDG 500		WICHITA KS 67206			
Contact Person: W.R. Horigan			Phone Number: 316-682-1537		
Lease Name & Well No.: Pierpoint A	127	7	Pit Location (QQQQ):		
Type of Pit: Emergency Pit	Artificial Liner?		S2 SW NE SW Sec. 33 Twp. 25 R. 5 East West 1,410 Feet from North / South Line of Section 1,650 Feet from East / West Line of Section Butler County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? rock, clay soil and bentonite mud Width (feet) N/A: Steel Pits 3 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit Depth to shallowest fresh water3feet.			ncluding any special monitoring. Newest fresh water3feet.		
10			Source of information: measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: fresh water & mud Number of working pits to be utilized: 2 Abandonment procedure: Let dry, push in rock and clay, put top soil back on top and compact. Drill pits must be closed within 365 days of spud date.			
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: 01/02/2008 Permit Number: 15-015-23762-00-00 Permit Date: 01/02/2008 Lease Inspection: Yes X No					