For KCC Use: /-13-08 Effective Date: /-13-08 District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-t
October 200*
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

SGA? VYes No NOTICE OF IN Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date: 2 13 08	Spot Description:
monts day year	
33539	3ec. 1897 2. V
OPERATOR: License#	1,980 feet from N / X S Line of Section feet from E / W Line of Section
Name: Cherokee Wells, LLC	teer from Kille / Line of Section
Address 1: P.O. Box 296	ls SECTION. Regular Irregular?
Address 2: City: Fredonia State: KS Zip: 66736 +	(Note: Locate well on the Section Plat on reverse side)
Content Days Tracy Miller	County Wilson
Contact Person. Tracy Miller Phone: 620-378-3650 CONTRACTOR: License# 33072 Name: Well Refined Drilling	Lease Name: Frisbie Well #: A-2 Field Name: Cherokee Basin Coal Gas Area
110016	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling	Target Formation(s). Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660'
Oil Enh Rec Inteld	Ground Surface Elevation: Unknown teet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile.
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water; est. 100'
Other:	Depth to bottom of usable water: est. 200'
	Surface Pipe by Alternate: I I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20' Minimum
Operator:	Length of Conductor Pipe (if any): N/A
Well Name:	Projected Total Depth: 1350'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #
Bottom Hole Location:	(Note: Apply for Permit with DWB
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
AFF	IDAVIT KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plus	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	JAN 0 7 2008
Notify the appropriate district office <i>prior</i> to spudding of well:	
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig: CONSERVATION DIVISION
2. The minimum amount of curface size as an affect below what he make	
 тне ивнинии атточн от surface pipe as specified below snar be set t 	
through all unconsolidated materials plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe shall WE HITA. KS underlying formation.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	by circulating cement to the top; in all cases surface pipe shall be the KS underlying formation. ict office on plug length and placement is necessary prior to plugging;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge	by circulating cement to the top; in all cases surface pipe shall be store. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	by circulating cement to the top; in all cases surface pipe shall be street. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	by circulating cement to the top; in all cases surface pipe shall be strain or underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	oy circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Administrative Assistant
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Administrative Assistant Remember to:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Administrative Assistant Remember to: File Dnill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because of the control of the plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27400-0000	oy circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Administrative Assistant Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Comoletion Form ACC-1 within 120 days of spud date.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the control of the plants. For KCC Use ONLY API # 15 - 205-27400-0000 Conductor pipe required.	by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Administrative Assistant Remember to: File Dnill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because of the complete statements of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2 7 400 - 0000 Conductor pipe required feet per ALT I First	by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Administrative Assistant Remember to: File Dnill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACQ-1 within 120 days of spud date. File acreage attribution plat according to field proration orders:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because of the context of the because of the context of the plants. For KCC Use ONLY API # 15 - 205-27400-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT IFI	oy circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Administrative Assistant Remember to: File Dnill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date. File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2 7 400 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT II I III Approved by: Materials App	oy circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Administrative Assistant Remember to: File Dnill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACQ-1 within 120 days of spud date. File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete statements are true and correct to the because of the complete statements of the plant of the complete statements. For KCC Use ONLY API # 15 - 205 - 2 7 400 - 0000 Conductor pipe required feet Minimum surface pipe required feet Approved by: ##1 - 308 This authorization expires: 1-8-09	oy circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Administrative Assistant Remember to: File Dnill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date. File acreage attribution plat according to field protation orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2 7 400 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT II I III Approved by: Materials App	oy circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Administrative Assistant Title: Administrative Assistant Remember to: File Dnill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date. File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See; authorized expiration date) please check the box below and return to the address below.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because of the complete statements of the plants of the spud date or Agent: For KCC Use ONLY API # 15 - 205 - 2 7 400 - 000 Conductor pipe required feet Minimum surface pipe required feet Approved by: Minimum surface pipe required feet per ALT II III Approved by: Minimum surface pipe required feet per ALT III This authorization expires: 1-8-09	oy circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Administrative Assistant Title: Administrative Assistant Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27900-0000 Operator: Cherokee Wells, LLC	Location of Well: County: Wilson		
Lease: Frisbie	·		
Well Number: A-2	1,980 feet from N / N S Line of Section feet from E F / W Line of Section		
Field: Cherokee Basin Coal Gas Area	Sec. 30 Twp. 27 S. R. 15 E W		
Number of Acres attributable to well: OTR/QTR/QTR of acreage: C NE SE	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

				RECEIVED KANSAS CORPORATION COMMISSIO
· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	JAN 0 7 2008
ļ 			·······	CONSERVATION DIVISION WICHITA, KS
			:	EXAMPLE
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2 600' FEL	1980
:		N K	70	10
			7	3390
	' ' !		800	
			6	SEWARD CO.

${\it NOTE:} \ {\it In all cases locate the spot of the proposed drilling locaton}.$

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identitying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells: CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cherokee Wells, LLC		License Number: 33539		
Operator Address: P.O. Box 296			Fredonia KS 66736	
Contact Person: Tracy Miller		Phone Number: 620-378-3650		
Lease Name & Well No.: Frisbie A-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		CSE	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 30 Twp. 27 R. 15 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		1,980 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water	Area? Yes]No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	t level? Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? Natural Clay & Earth	
Pit dimensions (all but working pits):	30 Length (fe	eet)40	Width (feet) N/A: Steel Pits	
, , , , , , , , , , , , , , , , , , , ,	rom ground level to de	,	6	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
		west fresh water100feet.		
N/A feet Depth of water well feet meas		measi		
		Drilling, Work	over and Haul-Off Pits ONLY: Valuation Valuation	
Producing Formation: Type of materi		ar drinzed in drining/workover.		
		king pits to be utilized:		
Barrels of fluid produced daily: Abandonment		procedure: Remove Fluids, Allow to Dry, Level Surface		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		procedure: Remove Fluids, Allow to Dry, Level Surface be closed within 365 days of spud date. RECEIVER KANSAS CORPORATION		
Thereby delity that the above statements are that all deficit to the bost of my intermedia and believe				
1308 Date		MC	JAN 0 7 2 CONSERVATION LA WICHITA	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 1 7 CS Permit Num	nber:	Perm	it Date: 1/7 (0% Lease Inspection: Yes No	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.