For KCC Use: 1-13-08 Effective Date: 3 District # 3 SGA2 Ves CANO

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: January 12, 2008	Spot Description:
month day year	<u>W/2 - W/2 - NE</u> Sec. <u>31</u> Twp. <u>29</u> S. R. <u>19</u> XE W
33344	(a/a/a/a) 1,400 feet from N / S Line of Section
OPERATOR: License#	2,200 feet from E / W Line of Section
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?
Address 2:	
City: Oklahoma City State: OK Zip: 73102 +	(Note: Locate well on the Section Plat on reverse side) County: Neosho
Contact Person: Richard Marlin	Lease Name: Kramer, John A. Well #: 31-2
Phone: 405-702-7480	Field Name: Cherokee Basin CBM
20027 as another Licensed by KCC	
CONTRACTOR: License#33637 or another Licensed by RCC P Name: Will advise on the ACO-1	
Name: Yviii advise on the 200-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 440
Oil Enh Rec XInfield / Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	
Seismic ; # of Holes Other	Depth to bottom of fresh water: NA /05
Other: Coalbed Methane	Depth to bottom of usable water: 150
The country and well information on fallows.	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1500
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other: Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken?
NOO DRI #.	Will Cores be taken?
	If Yes, proposed zone:
A P.P.	RECEIVED
	RECEIVED KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug	RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	RECEIVED KANSAS CORPORATION COMMISSIO ging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	RECEIVED KANSAS CORPORATION COMMISSIO JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set to the top; and the complex of t
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	RECEIVED KANSAS CORPORATION COMMISSIO JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set with the set office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the appropriate district office will be notified before well is either plugged.	RECEIVED KANSAS CORPORATION COMMISSIO JAN 0 8 2008 CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set to underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION Originally companies to the top; in all cases surface pipe shall be set to surface on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the interval of the approved notice of intent to drill <i>shall be</i> posted on each of the interval of the interval of the state of the state of the interval of the state of the interval of the inte	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION OF CITCULATING COMMISSION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION DIVISION OF CONSERVATION DIVISION OF CONSERVATION DIVISION OF CONSERVATION OF CONSE
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WICHITA KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the standard the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the statements.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the properties of the properties of the plugges of the appropriate district office will be notified before well is either plugges of the number of the properties of the properties of the specific plugges of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged that the statements made herein are true and correct to the best danuary 4, 2008.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WICHITA KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION OF CONSERVATION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best Date: January 4, 2008	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WE W
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through the district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the best Date: Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WE W
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the propriate district office will be notified before well is either plugged 0. If an ALTERNATE II COMPLETION, production pipe shall be cemented 0. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1. hereby certify that the statements made herein are true and correct to the best of the property of the complete of the property of the pro	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WE W
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best Date: January 4, 2008	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION Of circulating cement to the top; in all cases surface pipe shall be set. CONSERVATION DIVISION WE HELD KS Underlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. It is, 891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. Wice President Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best Date: January 4, 2008	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION Of circulating cement to the top; in all cases surface pipe shall be set to set underlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. Wice President Title: Pemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best planuary 4, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27385-000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I Feet	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set so underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best planuary 4, 2008. Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 33 - 2 7 38 5 - COOD Conductor pipe required Minimum surface pipe required Approved by: Minimum surface pipe required	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set y circulating formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best Date: Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMISSIO ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. Wice President Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best planuary 4, 2008. Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 33 - 2 7 38 5 - COOD Conductor pipe required Minimum surface pipe required Approved by: Minimum surface pipe required	RECEIVED KANSAS CORPORATION COMMISSIO Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Vice President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27385-0000		
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho	
Lease: Kramer, John A.	1,400 feet from N / S Line of Section	n
Well Number: 31-2	2,200 feet from X E / W Line of Section	า
Field: Cherokee Basin CBM	Sec. 31 Twp. 29 S. R. 19 X E W	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
QTR/QTR/QTR of acreage: W/2 - W/2 - NE	_	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344		
Operator Address: 210 W. Park Ave., Suite 2750		Oklahoma City OK 73102		
Contact Person: Richard Marlin		Phone Number: 405-702-7480		
Lease Name & Well No.: Kramer, John A. 31-2		Pit Location (QQQQ): ルム らん		
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	<u>W/2 _ W/2 _ NE</u> Sec. 31 _ _{Twp. 29 _ R19}	
Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date or Pit capacity:	onstructed: (bbls)	1,400 Feet from North / South Line of Section 2,200 Feet from East / West Line of Section Neosho County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Air Drilling Well	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 10 (feet) No Pit				
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.	
		ng air drilled with operations lasting approx.		
Distance to nearest water well within one-mile of pit Depth to shallo Source of info				
NAfeet Depth of water well		meası	**	
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled	
			king pits to be utilized:	
1			procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date. RECEIVED		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION COMMISSI				
January 4, 2008 January 4, 2008 Date JAN 0 8 2008 Conservation Division Signature of Applicant or Agent WICHITA, KS				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 1808 Permit Num	nber:	Perm	it Date:	