For KCC Use: /-13-08 Effective Date: /-13-08 District # SGA? Yes Yoo

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Must be approved by KCC five	
Expected Spud Date: 1-15-08	Spot Description:
month day year	W.2 : SW _ SE
32887 /	
OPEHATOR: License#	ieet non s cire of Section
Name: Endeavor Energy Resources, LP	jeet from $X = 7$ W Line of Section
Address 1: PO Box 40	is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Delaware State: OK Zip: 74027 +	County: Labette
Contact Person: Joe Driskill Phone: 918-467-3111	Lease Name: Mark Muller Well #: 6-2
	Field Name: Coffeyville
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling	Target Formation(s): Summit, mulky, squirrel, Weir-Pitt, Bartlesville, Rowe, Riverton
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
	Ground Surface Elevation: 756.0' feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 20
Seismic; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I XII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator: NA	Length of Conductor Pipe (if any): none
Well Name: NA	Projected Total Depth: 1000'
Original Completion Date: NA Original Total Depth: NA	Formation at Total Depth: mississippi
Original Completion Date	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Sarm Pond Other:
If Yes, true vertical depth: NA	DWR Permit #:
Bottom Hole Location: NA	(Note: Apply for Permit with DWR
KCC DKT #: NA	(itate: rippi) to recibility that Diffill
NCC DN 1 #.	
NOC DAT #. TY	Will Cores be taken?
ROC DAT #. TY	Will Cores be taken? Yes No
	Will Cores be taken? Yes No If Yes, proposed zone: RECEIVED
AFFI	Will Cores be taken? If Yes, proposed zone: RECEIVED CANNON TO MAINTAIN TO THE PROPORTION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVED CANNON TO MAINTAIN TO THE PROPORTION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig: CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; conservation division circulating cement to the top; in all cases surface pipe shall belief. KS underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the interval o	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; conservation division circulating cement to the top; in all cases surface pipe shall be is taken to the top; in all cases surface pipe sha
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the incompletion. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge.	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be is it is in the complete of the complet
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the if 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be ShiTA, KS underlying formation. or office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the inten	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be S
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the interval of the interval of the posted on each of the interval of the inte	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall believe TA, KS underlying formation. or office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing slugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the interval of the interval of the posted on each of the interval of the inte	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shall buildent A, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the inten	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall believe TA, KS underlying formation. or office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing slugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the in	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall buildent A, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Operations Superintendent
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of the prior of the state of the state of the intention of the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 Arilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall buildenta, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Operations Superintendent Title: Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall belief. or office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Operations Superintendent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION A circulating cement to the top; in all cases surface pipe shall build. TA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION A circulating cement to the top; in all cases surface pipe shall buildent A, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of the prior of the intention of the set by through all unconsolidated materials plus a minimum of 20 feet into the intention of the in	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 Arilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be is to, KS underlying formation. or office on plug length and placement is necessary prior to plugging; or or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing studged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Operations Superintendent Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CR-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent of the intent of the posted on each of the intent of the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall buildham, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the destrict of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the specific of the specific or Agent: For KCC Use ONLY API # 15 - 099 - 24255 DOOD Conductor pipe required Minimum surface pipe required Approved by: WWW-1-8-08	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall buildenta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the state of the prior of the prior of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the state of the specified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the spud date or the well shall be provided to the statements made herein are true and correct to the best of the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the shall be provided to the spud date or the shall be provided to the shall be provid	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig: CONSERVATION DIVISION A circulating cement to the top; in all cases surface pipe shall be is but
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the prior of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the different of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best of the complete of the prior of	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 Artilling rig: CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall believe to, circulating cement to the top; in all cases surface pipe shall believe to, circulating cement to the top; in all cases surface pipe shall believe to, circulating cement do not office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing brugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Operations Superintendent Title: Operations Superintendent Title: Submit plugging report (CP-4) within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the state of the prior of the prior of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the state of the specified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the spud date or the well shall be provided to the statements made herein are true and correct to the best of the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the shall be provided to the spud date or the shall be provided to the shall be provid	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 7 2008 drilling rig: CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be in the interpretation of

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24255-0000	
Operator: Endeavor Energy Resources, LP	Location of Well: County: Labette
Lease: Mark Muller	660 feet from N / X S Line of Section
Well Number: 6-2	2,310 feet from \times E / \square W Line of Section
Field: Coffeyville	Sec. 6 Twp. 34 S. R. 18 X E W
Number of Acres attributable to well: 160 QTR/QTR/QTR/QTR of acreage: - SW - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Endeavor Energy Resources, LP			License Number: 32887		
Operator Address: PO Box 40			Delaware OK 7402	27	
Contact Person: Joe Driskill		Phone Number: 918-467-3111			
Lease Name & Well No.: Mark Muller 6-2		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>ω</u> 2 <u>Sω</u> _ <u>SE</u>		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 6 Twp. 34 R. 18 East West		
Settling Pit Drilling Pit	If Existing, date o	onstructed:	660 Feet from North / South Line of Secti	on	
Workover Pit Haul-Off Pit	Pit capacity:		2,310 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Labette		
is the pit tocated in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg.	Л	
			(For Emergency Pits and Settling Pits only)	_	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? natural clay / earth		
Pit dimensions (all but working pits):3	0 Length (fe	eet) 10	Width (feet) N/A: Steel Pits		
	om ground level to de	•	· .	İ	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and determining RECEIV	'ED IN COMMIS	
NA		NA			
			JAN 07		
			CONSERVATION WICHITA, I		
·		west fresh waterfeet.			
NA			ource of information: measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of materia		al utilized in drilling/workover: Air	_ 6		
Number of producing wells on lease: Number of worl		of working pits to be utilized:1			
Barrels of fluid produced daily: Abandonment p		procedure: Dewater and backfill	- 1/2		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		pe closed within 365 days of spud date.	- \(\sqrt{\sq}}\ext{\sqrt{\sq}}}}}}}}}} \sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}} \sqrt{\sq}}}}}}}}} \sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}} \sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}} \sqrt{\sqrt{\sqrt{\sq}}}}}}} \end{\sqit{\sqrt{\sqrt{\sq}}}}}}} \end{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}} \e		
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.	8	
		\bigcirc			
1-4-08			english of Applicant or Agent		
Date		1 *	ignature of Applicant or Agent	_	
	KCC	OFFICE USE OI	NLY Stee! Pit RFAC RFAS		
Date Received: 1/7/05 Permit Num	oer:	Permi	t Date: 1/7/08 Lease Inspection: Yes 🔌 No		