For KCC Use: /-/3-08 Effective Date: /-/3-08 District # 3

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: January 12, 2008	Spot Description:
month day year	
33344	1,950 feet from N / X S Line of Section
OPERATOR: License#	1,600 Feet from X E / W Line of Section
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?
Address 2:	_ · _ ·
City: Oklahoma City State: OK Zip: 73102 +	(Note: Locate well on the Section Plat on reverse side) County: Neosho
Contact Person: Richard Marlin	Lease Name: Spieker, Hugo Well #: 4-3
Phone: 405-702-7480	Field Name: Cherokee Basin CBM
CONTRACTOR: License#33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Mali Duillad Farri Mali Olana. Tua Ferrimmant.	Nearest Lease or unit boundary line (in footage): 500
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 972 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water: NA / 100 /
Other: Coalbed Methane	Depth to bottom of usable water: HIA 15D
	Surface Pipe by Alternate: I I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1500
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Xother: Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
	Will Cores be taken? Yes ☒ No
	If Yes, proposed zone:
	If Yes, proposed zone: RECEIVED
AFFI	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISIONS PROCHITA ME
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WICHITA KS y circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION Grilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri-	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of the set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WHICHITA KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of the set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION Grilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the standard	RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION INCLUTE A KS INCLUTE A K
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the s	RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION CONSERVATION DIVISION ACCURATE A KS OF A CONSERVATION DIVISION CONSERVATION DIVISION ACCURATE A KS Underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the Conservation Commission CONSERVATION DIVISION ACCURATE A KS Underlying formation. Conservation Division CONSERVATION DIVISION ACCURATE A KS Underlying formation. Conservation Division Conservation Division ACCURATE A KS Underlying formation. Conservation Division Conservation Division ACCURATE A KS Underlying formation. Conservation Division Conservation Division ACCURATE A KS Underlying formation. Conservation Division Conservation Division ACCURATE A KS Underlying formation. Conservation Division Conservation Division Conservation Division Conservation Division Conservation Division ACCURATE A KS Underlying formation. Conservation Division Conservation Divis
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the distriction of the state of the specified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the best of the statements of the spud date or the statements. Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION INCLUTE A KS INCLUTE A K
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the statements made herein are true and correct to the best planuary 4, 2008 Signature of Operator or Agent: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WICHITA KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ist of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION CONSERVATION DIN
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge If the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed before the well shall be good and the statements made herein are true and correct to the best Date: January 4, 2008	RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WICHITA KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Wice President Title: Vice President Pile Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. Wice President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge in the standard to appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best place. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27380-000 Conductor pipe required Minimum surface pipe required Approved by: Feet Minimum surface pipe required Lead of the feet per ALT. I	RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best planuary 4, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 33 - 2 7 380-000 Conductor pipe required Minimum surface pipe required Approved by: Material Parameters and eventual plugged feet per ALT. It is authorization expires: This authorization expires:	RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION ACCURATA KS Or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge in the standard to appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best place. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27380-000 Conductor pipe required Minimum surface pipe required Approved by: Feet Minimum surface pipe required Lead of the feet per ALT. I	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; dro or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. 16 Vice President Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best planuary 4, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 33 - 2 7 380-000 Conductor pipe required Minimum surface pipe required Approved by: Material Parameters and eventual plugged feet per ALT. It is authorization expires: This authorization expires:	RECEIVED KANSAS CORPORATION COMMISSION gling of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 It of my knowledge and belief. Wice President Title: Vice President Title: Pile Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27380-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Spieker, Hugo	1,950 feet from N / N S Line of Section
Well Number: 4-3	1,600 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 4 Twp. 29 S. R. 18 E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1950

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Ave., Suite 2750 Oklahoma City OK 73102			
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Spieker, Hugo 4-3		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NW</u> _ <u>SE</u> _
Emergency Pit Burn Pit	Proposed	Existing	Sec. 4 Twp. 29 R. 18 East West
Settling Pit Drilling Pit	If Existing, date constructed:		Feet fromNorth / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1,600 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Air Drilling Well
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits			
Depth fr	rom ground level to de	eepest point:	10 (feet) No Pit
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.		•	
Well is being air drilled. Well is being 3 days		ng air drilled with operations lasting approx.	
			<u></u>
		owest fresh waterfeet.	
NA feet Depth of water well feet meas		ured well owner electric log KDWR	
		Drilling, Work	rover and Haut-Off Pits ONLY:
Producing Formation:		Type of materi	al utilized in drilling/workover: Air Drilled rking pits to be utilized:1
· · · ·		rking pits to be utilized:1	
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date RECEIVED	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. JAN 0 8 2008			
January 4, 2008 January 4, 2008 Date CONSERVATION DIVISION WICHITA, KS Signature of Applicant or Agent			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 1808 Permit Number: Permit Date: (/8/08 Lease Inspection: Yes KNo			