For KCC Use:	1-13-08
Effective Date: _	7 1000
District #	
SGA? Yes	s ☑No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

lamanuto 2000	
Expected Spud Date: January 12, 2008 month day year	Spot Description:
	- N/2 - NE - SW Sec. 1 Twp. 29 S. R. 18 XE W
OPERATOR: License#	feet from N / S Line of Section
Name: Quest Cherokee, LLC	Teet from LE / W Line of Section
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?
Address 2: City: Oklahoma City State: OK Zip: 73102 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho Lease Name: Triplett, C.W. Well #: 1-2
Phone: 405-702-7480	Field Name: Cherokee Basin CBM
CONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Mall Class Ton Favingant	Nearest Lease or unit boundary line (in footage): 332
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 945 feet MSL
Oil Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100
Other: Coalbed Methane	Depth to bottom of usable water: 150
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe (if any);
Well Name:	Projected Total Depth: 1500 Cherokee Coals
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other: Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:
	If Yes, proposed zone:RECEIVED
AFFI	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED KANSAS CORPORATION COMMIS Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set CHITA. KS underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	RECEIVED RANSAS CORPORATION COMMIS Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be self-CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	RECEIVED RANSAS CORPORATION COMMIS Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be setCHITA. KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the well shall	RECEIVED KANSAS CORPORATION COMMIS aging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVED KANSAS CORPORATION COMMIS aging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be self-CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the post of the spud case of the spud to the best of the post of the spud case of the spud to the post of the post of the spud case of the spu	RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be setCHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 STORY OF TRESIDENT
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of the set by through all unconsolidated materials plus a minimum of 20 feet into the standard of the set of the standard of the set of th	RECEIVED KANSAS CORPORATION COMMIS aging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be self-CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface of th	RECEIVED KANSAS CORPORATION COMMIS Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be self-CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the beautiful to the complete of the complete of the placed of the spud date. Signature of Operator or Agent: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMIS liging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Lest of my knowledge and belief. Wice President Title: Vice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of sould date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the because. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27377-0000	RECEIVED KANSAS CORPORATION COMMIS Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be self-CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the because. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27377-0000 Conductor pipe required	RECEIVED KANSAS CORPORATION COMMIS aging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be self-CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard plus and the district office will be notified before well is either plugge. 3. The appropriate district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the because. 5. January 4, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27377-0000 Conductor pipe required None feet Minimum surface pipe required feet per ALT. I	RECEIVED KANSAS CORPORATION COMMIS aging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be self-CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard plus and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the because of the plate of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27377-000 Conductor pipe required Minimum surface pipe required Approved by: Materials Approved by: Materials Approved by: Materials Approved by: Materials Approved feet per ALT.	RECEIVED KANSAS CORPORATION COMMIS aging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be self-CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Pile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be planted by that the statements made herein are true and correct to the between the correct to the between the operator of Agent: For KCC Use ONLY API # 15 - 133 - 27377-0000 Conductor pipe required Minimum surface pipe required Approved by: MINIMUM Surface pipe required Approved by	RECEIVED KANSAS CORPORATION COMMIS aging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be self-CHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the beautiful beaut	RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be shiftCHITA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 File acreage attribution plat according to field proration orders; 19 Notify appropriate district office 48 hours prior to workover or re-entry; 20 Submit plugging report (CP-4) after plugging is completed (within 60 days); 21 Obtain written approval before disposing or injecting salt water. 22 If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be planted by that the statements made herein are true and correct to the between the correct to the between the operator of Agent: For KCC Use ONLY API # 15 - 133 - 27377-0000 Conductor pipe required Minimum surface pipe required Approved by: MINIMUM Surface pipe required Approved by	RECEIVED KANSAS CORPORATION COMMIS Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 drilling rig; CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. JAN 0 8 2008 CONSERVATION DIVISION CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMIS CONSERVATION COMMIS CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMIS Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMIS CONSERVATION COMMIS CONSERVATION DIVISION Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMIS CONSERVATION COMMIS Iging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMIS CONSERVATION COMMIS CONSERVATION DIVISION CONSERVATION CONSERVATION CONSERVATION CONSERVATION CONSERVATION CO


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27377-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Triplett, C.W.	2,310 feet from N / X S Line of Section
Well Number: 1-2	2,150 feet from E / W Line of Section
Field: Cherokee Basin CBM	Sec. 1 Twp. 29 S. R. 18 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections atc
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC			License Number: 33344	
Operator Address: 210 W. Park Ave., Suite 2750			Oklahoma City OK 73102	
Contact Person: Richard Marlin			Phone Number: 405-702-7480	
Lease Name & Well No.: Triplett, C.W. 1-2			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No	Pit is: Proposed If Existing, date concept and the concept a	onstructed: (bbls) No	Sec. 1 Twp. 29 R. 18 East West 2,310 Feet from North / South Line of Section 2,150 Feet from East / West Line of Section Neosho County Chloride concentration:mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Air Drilling Well	
Depth from ground level to deepest point:			Width (feet) N/A: Steel Pits No Pit In adures for periodic maintenance and determining including any special monitoring. In air drilled with operations lasting approx.	
Distance to nearest water well within one-mile of pit NA feet Depth of water well feet Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:		Depth to shallowest fresh water		
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No I hereby certify that the above statements are true and contains the pit is a spilled fluids to flow into the pit?		Drill pits must	be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISS	
January 4, 2008 Date CONSERVATION DIVISION Signature of Applicant or Agent WICHITA, KS KCC OFFICE USE ONLY Steel Pit RFAC RFAS Date Received: 18 08 Permit Number: Permit Date: 18 08 Lease Inspection: Yes No				