## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

Form C-1

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five	
Expected Spud Date: 115/08	Spot Description:
month day year	C - NW - NW - NW Sec. 19 Twp. 28 S. R. 14 XE W
33539	(200-020) 330 feet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Name: Cherokee Wells, LLC	Is SECTION. Regular Irregular?
Address 1: P.O. Box 296	15 SECTION: The guide in a guiding in
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City Fredonia State KS Zip: 66736 +	County: Wilson
Contact Person: Tracy Miller	Lease Name: Shields Well #: A-1
Phone: 620-378-3650	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling	
Name:	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
Oil Enh Rec Nitield Mud Rotary	Ground Surface Elevation: Unknown 965 teet MSL
	Water well within one-quarter mile: Yes XNo
	Public water supply well within one mile.
Disposal Wildcat Cable	Depth to bottom of fresh water: est. 100'
Seismic ; # of Holes Other	Depth to bottom of usable water: est. 200'
Other.	Surface Pipe by Alternate.
If OWWO old well information as follows.	Surface Pipe by Arternate. 40' Minimum
B OVVVVO fold well information as rollows.	Length of Surface Pipe Planned to be set: 40' Minimum
Operator:	Length of Conductor Pipe (if any): N/A
Well Name:	Projected Total Depth: 1350'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	
KCC DKT #:	Will Cores be taken?
KCC DKT #:	
	Will Cores be taken?  If Yes, proposed zone:  RECEIVED
AFF	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plus	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plugits agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> it	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall where the K.S.A. KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shallwheren, Ke
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall here.  Le underlying formation.  ict office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> it through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall the LATA, KS  to underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> it through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall the IFTA. KS  a underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> it through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall the IFTA. KS  a underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> in through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall her art A. Ke  a underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in:  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> it through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the both the statements of the spud date or the well shall be the statements.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall here.  In the complete on plug tength and placement is necessary prior to plugging;  ed or production casing is cemented in:  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and befier.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> it through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugging. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the both the statements of the spud date or the well shall be the statements.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall her art A. Ke  a underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in:  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the destrict of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the be-	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shallwheleff K.K.  underlying formation. ict office on plug length and placement is necessary prior to plugging; ed of production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Administrative Assistant
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the botate:    Completed	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall here.  In the complete on plug tength and placement is necessary prior to plugging;  ed or production casing is cemented in:  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and befier.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boater.  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall hereta, KS  a underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Administrative Assistant  Title:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed Date:    Signature of Operator or Agent:   Signature of Operator or A	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall the Infl. Ks.  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Administrative Assistant  File Completion Form ACO-1 within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct to the both that the statements made herein are true and correct	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shallwheren. Ke underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Administrative Assistant  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration orders.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boate:    Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shallwheleff K.K.  underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Administrative Assistant  Title:  File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or re-entry:
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boundate:    Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION by circulating cement to the top; in ail cases surface pipe shallwhelent, Ke underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  Title:  Submit plugging report (CP-4) with Intent to Drill; File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boundate:    Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION by circulating cement to the top; in ail cases surface pipe shallwhelent, Ks underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in:  if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  Title:  Submit plugging report (CP-4) with Intent to Drill;  File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Ootain written approval before disposing or injeuting saft water.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boate:    Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shallweinth, Ks  anderlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Administrative Assistant  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Ootain written approval before disposing or injecting saft water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the production pipe shall be ceremented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statement of the spud date or the well shall be 1 hereby certify the spud date or the well shall be 1 hereby certify the statement of the spud date or the spud date or the well shall be 1 hereby certified before the statement of the spud date or the spud date or the spud date or the spud date or the spud da	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION by circulating cement to the top; in ail cases surface pipe shallwhelent, Ks underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in:  if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  Title:  Submit plugging report (CP-4) with Intent to Drill;  File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Ootain written approval before disposing or injeuting saft water.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate:    Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shallweinth, Ks  anderlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Administrative Assistant  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Ootain written approval before disposing or injecting saft water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the production pipe shall be ceremented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both that the statement of the spud date or the well shall be 1 hereby certify that the statement of the spud date or the well shall be 1 hereby certify the spud date or the well shall be 1 hereby certify the statement of the spud date or the spud date or the well shall be 1 hereby certified before the statement of the spud date or the spud date or the spud date or the spud date or the spud da	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JAN 0 9 2008  drilling rig:  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall helpfi, Ke  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in: If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Administrative Assistant  Title:  Remember to:  File Drill Pix Application (form CDP-1) with Intent to Drill:  File Completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or re-entry:  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Octain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27410-0000		
Operator: Cherokee Wells, LLC	Location of Well: County: Wilson	
Lease: Shields	feet from N / S Line of Section	
Weli Number: A-1	330 feet from E / X W Line of Section	
Field: Cherokee Basin Coal Gas Area	Sec. 19 Twp. 28 S. R. 14 X E W	
Number of Acres attributable to well:  QTB/QTB/QTR/QTR of acreage: C NW NW NW	Is Section: Regular or Intregular	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

#### PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	カロドル						
330'		reto	7	*******	44),,,,,,	44448484	.,,,,,,,,
	- 7 Y		<b>\</b>	*******	******	*******	
		· · · · · · · · · · · · · · · · · · ·					
						*******	
	******	*********			*******	******	******
							,

RECEIVED KANSAS CORPORATION COMMISSION

JAN 0 9 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cherokee Wells, LLC		License Number: 33539			
Operator Address: P.O. Box 296			Fredonia	KS 66736	
Contact Person: Tracy Miller			Phone Number: 620-378-3650		
Lease Name & Well No.: Shields	A-1	1	Pit Location (QQQQ):		
Type of Pit:	Pit is:		C NW NW NW		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 19 Twp. 28 R. 14	East West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:	330 Feet from North /	South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East /	West Line of Section	
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	- 1	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not Natural Clay & Earth	used?	
Pit dimensions (all but working pits):	30 Length (fe	eet) 40	Width (feet)	N/A: Steel Pits	
Depth fi	rom ground level to de	eepest point:	6 (feet)	No Pit	
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh water 100 feet.	V.	
N/A feet Depth of water well	feet	Source of informeasu			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation: Type of mater		Type of materia	terial utilized in drilling/workover: Fresh Water		
' ~		f working pits to be utilized:			
Barrels of fluid produced daily: Abandonment		nment procedure: Remove Fluids, Allow to Dry, Level Surface			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.  RECEIVED			
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	ANSAS CORPORATION COM	
Date		- Mi	ignature of Applicant or Agent	JAN 0 9 2008 CONSERVATION DIVISION WICHITA, KS	
	КСС	OFFICE USE O	NLY Steel Pit RFAC	RFAS	
Date Received: 1/9/08 Permit Num			it Date: 1/9/08 Lease Inspection		