For KCC Use:	1-15-08
Effective Date: _	1 13-08
District #	<u>3</u>
SGA? Yes	□No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
32116	- NE SE - NE Sec. 26 Twp. 17 S. R. 21 ⊠E W (∂/∆/√√√√) 3,455 test from N / N S. Line of Section
OPERATOR: License#	COLITION LITTLE COLORS
Name: R.T. Enterprises of Kansas, Inc.	leet from ME / W Line of Section
Address 1: 1207 N. 1st Street East	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Louisburg State: KS Zip: 66053 +	County: Miami
Contact Person: Lori Driskell Phone: 913-406-4236	Lease Name. Burris Well #- 11
	Field Name: Paola-Rantoul
CONTRACTOR: License# 33715	Is this a Prorated / Spaced Field?
Name: Town Oilfield Service, Inc.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 200
	Ground Surface Elevation:feet MSL
⊠Oil Enh Rec ⊠Infield	Water well within one-quarter mile:
Gas Storage Pool Ext. X Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
	Depth to bottom of fresh water: 100
Seismic ; # of Holes Other	Depth to bottom of usable water: 200
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
_	Length of Conductor Pipe (if any): None
Operator:	Projected Total Depth: 600'
Well Name:	Formation at Total Depth: Squirrel
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	Will Cores be taken?
——————————————————————————————————————	
	— — —
	If Yes, proposed zone:
AFFU	If Yes, proposed zone:
	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugg	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
	DAVIT ping of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMMISSION:
The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ping of this well will comply with K.S.A. 55 et. seq. JAN 10 2008
The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ping of this well will comply with K.S.A. 55 et. seq. JAN 10 2008
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: PAVIT Significant of this well will comply with K.S.A. 55 et. seq. PAN 10 2008 Trilling rig; Conservation Division Conservation Division Shall be will sure to
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials.	DAVIT ping of this well will comply with K.S.A. 55 et. seq. Conservation Division and Cases surface pipe Shall be With H.A. KS
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district	DAVIT ping of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION and production of the top; in all cases surface pipe Shall Device
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented the set of the se	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be with HTA, KS and office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	DAVIT ping of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented the set of the se	DAVIT ping of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	PAVIT ping of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	PANT ping of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION pricing formation. It office on plug length and placement is necessary prior to plugging; form below any usable water to surface within 120 DAYS of spud date. 18,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	PAVIT ping of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be with HITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; die or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the best Date: 5. Signature of Operator or Agent: 6. For KCC Use ONLY	DAVIT ping of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be witchta, KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION DIVISION AND 10 2008 CONSERVATION DIVISION AND HELD AND SHALL
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the best Date: 5. Signature of Operator or Agent: 6. For KCC Use ONLY	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be witchtta, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dior production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual pluge. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY A 1000-	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be witchtta, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dior production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be point in the positive that the statements made herein are true and correct to the best Date: 1/8/08	PANT ping of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be with HITA, KS inderlying formation. d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual pluge. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: Notify the appropriate	RECEIVED KANSAS CORPORATION COMMISSION JAN 10 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be with HTA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; form below any usable water to surface within 120 DAYS of spud date. B,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual pluge. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: Notify the appropriate	PANT ping of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be with HTA, KS inderlying formation. Inderlying formation. In or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best posterior. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28 5 5 5 - 0 000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I IIII Approved by: MINIMUM SURFACE PROVED TO SURFACE PROVED T	PAVIT ping of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 rilling rig; recirculating cement to the top; in all cases surface pipe shall be WICHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pluge. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: Notify the appropriate	PANT ping of this well will comply with K.S.A. 55 et. seq. JAN 1 0 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be witchita, KS underlying formation. It office on plug length and placement is necessary prior to plugging; di or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual pluge. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best patern. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28 5555 - 0000 Conductor pipe required	PAVIT Sing of this well will comply with K.S.A. 55 et. seq. JAN 1 0 2008 rilling rig; Conservation Division Inderlying formation. It office on plug length and placement is necessary prior to plugging; It or production casing is cemented in; It office wany usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual pluge. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best patern. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28 5555 - 0000 Conductor pipe required	PANT ping of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be wild-HITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; di or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121 - 285 55 - 0000 Operator: R.T. Enterprises of Kansas, Inc.	Location of Well: County: Miami
Lease: Burris Well Number: 11 Field: Paola-Rantoul	3,455 feet from 285 N / X S Line of Section Sec. 26 Twp. 17 S. R. 21 X E W Line of Section
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: R.T. Enterprises	of Kansas, Inc		License Number: 32116	
Operator Address: 1207 N. 1st S			Louisburg KS 66053	
Contact Person: Lori Driskell			Phone Number: 913-406-4236	
Lease Name & Well No.: Burris	11		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE SE NE	
□ Emergency Pit □ Burn Pit □ Settling Pit □ Workover Pit □ Haul-Off Pit	Proposed Existing If Existing, date constructed: Pit capacity:		Sec. 26 Twp. 17 R. 21 East West 3,455 Feet from North / South Line of Section 285 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	100	(bbls)	Miami County	
Is the pit located in a Sensitive Ground Water Area? Yes You			Chloride concentration:mg/l	
is the bottom below ground level? Yes No	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Pits not lined unless not holding Fluid	
Pit dimensions (all but working pits):	8 Length (fe	eet) 12	Width (feet) N/A: Steel Pits	
Depth f	rom ground level to de		- 1	
Distance to nearest water well within one-mile	e of pit		west fresh water25feet	
3779 feet Depth of water well 150 feet		Source of information: measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water		
Number of producing wells on lease:		Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment (procedure: Pits filled as soon as well is completed	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	pe closed within 365 days of spud date.	
I hereby certify that the above state	ments are true and c	correct to the best		
1/8/08 Date		Si	Surskell JAN 10 2008 conservation DIV So	
	ксс с	OFFICE USE ON	ILY Steel Pit RFAC RFAS	
Date Received: L LO OR Permit Num	oer:	Permit	Date: Lease Inspection: Yes X No	