Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL e approved by KCC five (5) days prior to commence

must be approved by KCC tive	(·, · · · , · · , · · · · · · · · · · ·
Expected Spud Date: 01 20 08	Spot Description: SW INE
month day year	NE SW SW Sec. 28 Twp. 22 S. R. 33 ☐ E WW
30535	(ararara) 990 feet from N / S Line of Section
OPERATOR: License#	990 feet from E / X W Line of Section
Address 1: 12950 E. 13th Street North	Is SECTION: Regular Irregular?
Address 2:	·
City: Wichita State: KS Zip: 67230 +	(Note: Locate well on the Section Plat on reverse side) County: Finney
Contact Person: Stan Mitchell	Lease Name: Damme Well #: B-3
Phone: 620-272-3988	Field Name: Damme
CONTRACTOR: License#_33793	Is this a Prorated / Spaced Field?
Name: H2 Drilling LLC	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 990'
⊠Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary ✓	Ground Surface Elevation: 2892' feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 250° 230
Other:	Depth to bottom of usable water: 1100'
If OWWO: old well information as follows:	Surface Pipe by Alternate:
Operator:	Length of Conductor Pipe (if any):
Well Name: Original Total Depth:	Formation at Total Depth: Mississippian
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	₩ell Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location: KCC DKT #:	Note: Apply for Permit with DWR X
	——————————————————————————————————————
	Will Cores be taken?
	Will Cores be taken?
PRORATED & SPACED: HUBOTON.	If Yes, proposed zone:
PRORATEO & SPACEO: HULOTON.	If Yes, proposed zone: RECEIVED
PROPATEO SPACEO: HULOTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: IDAVIT RECEIVED
PRORATEO & SPACEO: HULOTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: IDAVIT RECEIVED
PROPATEO 3 SPACEO: HULOTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAVIT IDAVIT
PROPATEO SPACEO: HULDTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: IDAVIT RECEIVED KANSAS CORPORATION COMMISSION JAN 1 0 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be seen.
PRODUCTION: AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAVIT IGHT ANSAS CORPORATION COMMISSION JAN 10 2008 Identifying rig; In all cases surface pipe Small Cases Small Case Pipe Small Cases Small Cases Small Cases Small Cases Small Case Small Cases Small Cases Small Cases Small Case Small Cas
PRODUCTION: AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMMISSION JAN 10 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be
PRODUCTED 3 SPACEO: HULDTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the summer amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	IDAVIT ging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMMISSION JAN 10 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be sha
PRODUCTED 3 SPACEO: HULDTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT ging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMMISSION JAN 1 0 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be sh
PRORATEO 3 SPACEO: HULOTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the state	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMMISSION JAN 10 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall by the shall by the shall by the shall be sha
PRORATEO 3 SPACEO: HULDTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distric 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the be	IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. IDAVIT IDA
PRORATEO 3 SPACEO: HULOTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the beside.	IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. IDAVIT IDA
PRORATEO 3 SPACEO: HULDTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distric 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the be	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAN 10 2008
PRORATEO 3 SPACEO: HULOTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the beside.	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAN 10 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAN 10 2008
PRODUCTION 3 SPACEO: HULDTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: 1 hereby certify that the statements made herein are true and correct to the beside of the plate. Signature of Operator or Agent: For KCC Use ONLY API #15 - OSS - 21960-DDOO	IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 Identifying rig; Identifying formation. Identification casing is cemented in: Inform below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office in the completion of the completion form ACO-1 within 120 days of spud date: In all cases, NOTIFY district of the completion form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the standard plus and the distriction of the dis	IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. JAN 10 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall register to underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in: If you have any usable water to surface within 120 DAYS of spud date. If you have any usable water to surface within 120 DAYS of spud date. If you have a policy to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If you have a policy to the KCC District office in the plugged of the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing. If you have a policy to the prior to any cementing to the prior to any cementing. If you have a policy to the prior to any cementing to the prior to any cementing.
PRORATEO 3 SPACEO: HULDTON. AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the because at the statements of the placed of the spud date or the well shall be plate: 1/9/2008	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAN 10 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the distriction of the well is dry hole, an agreement between the operator and the distriction of the well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best and the statements of the operator of Agent: Interest to the content of	IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. IDAN 10 2008 IDAN 10 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the because 1/9/2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSS - 21960 - 2000 Conductor pipe required	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAN 10 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the distriction of the well is dry hole, an agreement between the operator and the distriction of the well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best and the statements of the operator of Agent: Interest to the content of	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAN 10 2008 Identifying rig; In y circulating cement to the top; in all cases surface pipe shall by complying formation. In office on plug length and placement is necessary prior to plugging; In or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. If rom below any usable water to surface within 120 DAYS of spud date. If rom below any usable water to surface within 120 DAYS of spud date. If rom below any usable water to surface within 120 DAYS of spud date. If rom below any usable water to surface within 120 DAYS of spud date. If the completion form ACO-1 within 120 days of spud date; If ele Completion Form ACO-1 within 120 days of spud date; If eacreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the because 1/9/2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSS - 21960 - 2000 Conductor pipe required	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT IDA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

APINO. 15 - 055-21960-000	
Operator: Hartman Oil Co., Inc.	Location of Well: County: Finney
Lease: Damme	
Well Number: B-3	990 feet from N / X S Line of Section 990 feet from E / X W Line of Section
Field: Damme	Sec. 28 Twp. 22 S. R. 33 E W
Number of Acres attributable to well:	Is Section: 🔀 Regular or 🔲 Irregular
QTR/QTR/QTR/QTR of acreage: SW - SW - NE	is Section. Thegular of Timegular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

			 RECEIVED KANSAS CORPORATION COMMISSION
			JAN 10 2008 PAICHTALAS EXAMPLE : !
	3	28	10 1980
990'0	0 ′	MNCY COL	3390' SEWARD CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Hartman Oil Co., Inc.		License Number: 30535			
Operator Address: 12950 E. 13th Street North		Wichita	KS 67230		
Contact Person: Stan Mitchell		Phone Number: 620-272-3988			
Lease Name & Well No.: Damme	B-	3	Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SW SW NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 28 Twp. 22 R. 33 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		990 Feet from North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		990 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	70	(bbls)	Finney	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:		
			(For Emergency Pits and Set	tling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? Earthen berm		
و السام	70			1	
Pit dimensions (all but working pits).	rom ground level to de		Width (feet) 5 (feet)	I N/A: Steel Pits No Pit	
			edures for periodic maintenance and dete		
l ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		ncluding any special monitoring.	arrinning		
				S	
				2	
				<u>رې</u>	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water180feet.	2/2		
ļ		west fresh water 100 feet. Intermation: ured X well owner electric log KDWR Kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: drilling mud/chemical			
Emergency, Settling and Burn Pits ONLY: Drilling, Work		over and Haul-Off Pits ONLY:			
Producing Formation: Type of materia		al utilized in drilling/workover: drilling mud/chemical			
		rking pits to be utilized:1			
Barrels of fluid produced daily: Abandonment (procedure: empty fluid-fluid kept 2 level to dry out, close v			
Does the slope from the tank battery allow all flow into the pit? Yes No	I spilled fluids to	Drill pits must I	be closed within 365 days of spud date.		
RECEIVED.					
I hereby certify that the above state	ements are true and (correct to the bes	LOI MY Knowledge and belief.	NSAS CORPORATION COMMISSION	
01/09/08 (1ksley Lansen JAN 10 2008)					
Date Signature of Applicant or Agent CONSERVATION DIVISION WICHITA KE					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 1 to or Permit Number: Permit Date: 1/10 Or Lease Inspection: Yes Ix No					
Date Received. 1. (** 4 Femilia Num	IDG1	Fenn	it Date. 1010s Lease hispection	JII. L TES LE INO	