For KCC Use:	1. 14.00
Effective Date:	1-17-08
District #/	
	[ •/] » (.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

	TENT TO DRILL All blanks must be Filled (5) days prior to commencing well
Expected Spud Date: February 15 2008  month day year  OPERATOR: License# Name: Cimarex Energy Co. Address 1: RR. 1 Box 83	Spot Description:
Address 2:  City: Satanta State: KS Zip: 67870 +	(Note: Locate well on the Section Plat on reverse side) County: Haskell County
Contact Person: Melissa Imler Phone: 620-276-3693 ext. 14	Lease Name: Converse Well #: No. 1-3 Field Name: Panoma
CONTRACTOR: License# 33784 / Name: Trinidad Drilling Limited Partnership	Is this a Prorated / Spaced Field?  Target Formation(s); Hugoton / Council Grove
Well Drilled For: Well Class: Type Equipment:  Oil Enh Rec Infield Mud Rotary  Gas Disposal Wildcat Cable  Seismic; # of Holes Other  Other:	Nearest Lease or unit boundary line (in footage): 1250'  Ground Surface Elevation: 2940' feet MSL  Water well within one-quarter mile: Yes No  Public water supply well within one mile: Yes No  Depth to bottom of fresh water: 780 880
If OWWO: old well information as follows:	Surface Pipe by Alternate: I   I   II   II   Length of Surface Pipe Planned to be set: 740'
Operator:	Length of Conductor Pipe (if any): NA  Projected Total Depth:3100'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Council Grove
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:	Water Source for Drilling Operations:  Well Farm Pond Other:  DWR Permit #: Will apply if needed
Bottom Hole Location:	(Note: Apply for Permit with DWR
	(Material Physics of Constitution 2011)
KCC DKT #:	Will Cores be taken?
Ω , σ , ι , Δ	Will Cores be taken? Yes No If Yes, proposed zone:  RECEIVED
PRORATED & SPACED: HUNDTON-PANOMA AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  RECEIVED
PRORATED & SPACED: HUNDTON-PAROMA AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  RECEIVED  JAN 1 1 2000
PRORNTED & SPACEO: HUNDTON-PAROMA AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to  through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  RECEIVED  RECEIVED  JAN 1 1 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; is do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. is 3,891-C, which applies to the KCC District 3 area, alternate II cementing
PRORNTED & SPACEO: HUNDTON-PAROMA  AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  1 hereby certify that the statements made herein are true and correct to the be-	RECEIVED  JAN 1 1 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
PRORNTED & SPACED: HUNDING-PAROMA  AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  JAN 1 1 2000  Controllating rig;  Y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging;  Inform below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In the control of
PRORNTED & SPACEO: HUNDTON-PAROMA  AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  1 hereby certify that the statements made herein are true and correct to the be-	RECEIVED  JAN 1 1 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 081-21784-0000	
Operator: Cimarex Energy Co.	Location of Well: County: Haskell County
Lease: Converse	1,250 feet from N / X S Line of Section
Well Number: No. 1-3	1,250 feet from E / W Line of Section
Field: Panoma	Sec. <u>17 Twp. 28 S. R. 33</u> E X W
Number of Acres attributable to well: 640  QTR/QTR/QTR/QTR of acreage: NE _ SW _ SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

i ` '	:	:	:		:	:	:
	:	;	:		:	:	:
-	:	:			:	:	:
	:	:	:		:	:	:
	•	•			•	•	•
	******						
1 1							
					:	:	:
V. 1	: -		:	i	:		
	:		:		:		:
į ,	. "	•		ļ		-	•
				********	• • • • • • •		
100	:		:	1	:	•	•
ļ .	. ''				•		-
1							
					•		
i '						:	
			*******				
						:	
		:					
	:	:	:		:		:
	:						
	: <sub>1</sub>		:		:		
<del></del>							
				:			
. :					:		
l :				, ;	;		
		*******	*********				
		:		i :	:	: :	
		: :		i :	:		
	*			:			
	-						
1250	•	:		:	:	: :	
				:		: :	
		: ;		:	:	:	
,30							
	1			l .			
	1750						

RECEIVED
JAN 1 1 2008
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

OPERATOR Cimarex Energy Co.  LEASE Converse  WELL NUMBER No. 1-3  FIELD Panoma  NUMBER OF ACRES ATTRIBUTARIE TO WELL 640  QTR/QTR/QTR OF ACREAGE NE - SW - SW  (Show the location of the well and shade attributed to the second shade attributed to the	LOCATION OF WELL: COUNTY Haskel County  1250 feet from south/north line of section 1250 feet from east / west line of section  SECTION TWP 28 (S) RG 33 E/W  IS SECTION REGULAR OF IRREGULAR  IF SECTION IS IRREGULAR, LOCATE WELL FROM NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE NW SE SW ributable acreage for prorated or spaced wells).
(Show the footage to the nearest lease or uni common source supply well).	t boundary line; and show footage to the nearest
	RECEIVED JAN 1 1 2008
	KCC WICHITA
7,50	EXAMPLE
The undersigned hereby certifies as	SEWARD CO.  Production Foreman (title) for
acreage claimed attributable to the well nam	i/ 1

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cimarex Energy Co.		License Number: 33094					
Operator Address: RR. 1 Box 83			Satanta	KS 67870			
Contact Person: Melissa Imler			Phone Number: 620-276-36	93 ext. 14			
Lease Name & Well No.: Converse No. 1-3			Pit Location (QQQQ):				
Type of Pit:	Pit is:	<del></del>	NE_SW_SW	ļ			
☐ Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit	Proposed  If Existing, date of	Existing constructed:	Sec. 17 Twp. 28 R. 33				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1,250 Feet from North / South Line of Section 1,250 Feet from East / West Line of Section Haskell County County				
Is the pit located in a Sensitive Ground Water		<b></b> ₹v°	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not Gel from drilling mud	ot used?			
Pit dimensions (all but working pits):7	Dength (for	,	Width (feet)	N/A: Steel Pits			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.							
Distance to nearest water well within one-mile		Source of inform					
Emergency, Settling and Burn Pits ONLY:	130 feet	Drilling Works	red well owner electric I	og LATKDWR			
Producing Formation:			I utilized in drilling/workover: Drilling Mu	ıq (			
		rking pits to be utilized:1					
			procedure: Once the pit thoroughly dries it will be				
Does the slope from the tank battery allow all spilled fluids to		Drill pits must b	filled & recontoured to ori				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
JAN 1 1 2008  1-8-08 Date  Signature of Applicant or Agent  KCC WICHITA							
	KCC C	OFFICE USE ON	LY Aprol 2pi RFAC	RFAS			
Date Received: \(\(\lambda\) o Permit Number	er:	Permit	Date: \ \ / ιι \ oδ Lease Inspection	n: Yes XNo			