

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	January	29	2008	Spot Description:	
	month	day	year	SE _ NW _ NE _ NE Sec. 7 Twp. 18 S. R. 22 E	W
ODEDATOD: Lineare	5144 V			(Q/Q/Q/Q) 395 feet from N / S Line of Sect	
OPERATOR: License# Name: Mull Drilling Compar	ny, Inc.			978 feet from E E / W Line of Sect	ion
Address 1: P.O. Box 2758		•		Is SECTION: Regular Irregular?	
Address 2: 221 N. Main, Suit	te #300			(Note: Locate well on the Section Plat on reverse side)	
City: Wichita	State: KS	Zip: 67201	+ <u>2</u> <u>7</u> <u>5</u> <u>8</u>	County: Ness	
Contact Person: Mark Shre	eve			Lease Name: MLT Well #: 2-7	
Phone: 316-264-6366 Ext. 1	/			Field Name: Wildcat	
CONTRACTOR: License#_	33575			Is this a Prorated / Spaced Field?	٧o
Name: WW Drilling, LLC				Target Formation(s): Cherokee Sand	
Well Drilled For:	Well Class:	Type Fo	quipment:	Nearest Lease or unit boundary line (in footage): 395'	
			ud Rotary	Ground Surface Elevation: 2240.3 feet M	
Oil Enh P			r Rotary	Water well within one-quarter mile:	
Dispo	·	<u></u>	able	Public water supply well within one mile:	No
Seismic ; # o	<u></u>	Ш°	1010	Depth to bottom of fresh water: 180'	
Other:				Depth to bottom of usable water:	
				Surface Pipe by Alternate: I I I I	
if OWWO: old well	information as follows:			Length of Surface Pipe Planned to be set: 200'	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth: 4400'	
Original Completion Da	ate: Orig	jinal Total De	epth:	Formation at Total Depth: Mississippian /	
				Water Source for Drilling Operations:	
Directional, Deviated or Ho			Yes No	Well Farm Pond Other: Contractor will apply	
If Yes, true vertical depth: Bottom Hole Location:				DWR Permit #:	
KCC DKT #:				(Note: Apply for Permit with DWR 🔀)	
				14 M	B.1
NOO DIG 11.				Will Cores be taken?	No
NOO DIN 11.				Will Cores be taken? Yes X	No ——
			ΔF6	If Yes, proposed zone:	
				If Yes, proposed zone: RECI	 EIVED
The undersigned hereby a	affirms that the drillin	g, completic	on and eventual plu	If Yes, proposed zone: FIDAVIT RECI agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR	EIVED ATION COMM
The undersigned hereby a	affirms that the drillin ving minimum require	g, completio	on and eventual plu be met:	If Yes, proposed zone: FIDAVIT RECI agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR	EIVED ATION COMM
The undersigned hereby a lt is agreed that the follow	affirms that the drillin ring minimum require ate district office prio	g, completio ments will b i r to spuddin	on and eventual plu be met: ng of well;	If Yes, proposed zone: FIDAVIT RECI agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1	 EIVED
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro	affirms that the drillin ving minimum require ate district office prio oved notice of intent t	g, completio ments will b o r to spuddin o drill shall	on and eventual plu be met: ng of well; be posted on each	If Yes, proposed zone: FIDAVIT RECI agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 by drilling rig; by circulating cement to the top; in all cases surface pipe shall be seenself.	EIVED ATION COMM 5 2008 TION DIVISIO
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconsc	affirms that the drillin ving minimum require ate district office prio oved notice of intent t unt of surface pipe as olidated materials plu	g, completic ments will b r to spuddin o drill shall s specified b s a minimur	on and eventual plu be met: ng of well; be posted on each pelow shall be set m of 20 feet into the	If Yes, proposed zone: FIDAVIT RECI agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 by drilling rig; by circulating cement to the top; in all cases surface pipe shall be seenselved and the	EIVED ATION COMM
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all uncons 4. If the well is dry hol	affirms that the drillin ving minimum require ate district office prio oved notice of intent t unt of surface pipe as olidated materials plu le, an agreement bet	g, completic ments will b or to spuddin o drill shall s specified b s a minimur ween the op	on and eventual plu be met: ng of well; be posted on each pelow shall be set m of 20 feet into the perator and the dist	If Yes, proposed zone: FIDAVIT RECI Augging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be seenselved e underlying formation. WICH trict office on plug length and placement is necessary prior to plugging;	EIVED ATION COMM 5 2008 TION DIVISIO
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dis	affirms that the drillin ving minimum require ate district office prio oved notice of intent t unt of surface pipe as olidated materials plu le, an agreement bet strict office will be not	g, completion ments will be to spudding of drill shall se specified be sea minimur ween the op	on and eventual plube met: ng of well; be posted on each pelow shall be set of 20 feet into the perator and the dist well is either plugg	If Yes, proposed zone: FIDAVIT ARECI Agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be seens ERVA e underlying formation. WICH trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;	EIVED ATION COMM 5 2008 TION DIVISIO
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I	affirms that the drillin ving minimum require ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plude, an agreement beto strict office will be not a COMPLETION, pro	g, completion ments will be a few of the second of the sec	on and eventual pluse met: ag of well; be posted on each below shall be set or of 20 feet into the berator and the dist well is either plugges shall be cemente	If Yes, proposed zone: FIDAVIT ARECI Augging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be seensERVA e underlying formation. WICH trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.	EIVED ATION COMM 5 2008 TION DIVISIO
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE i Or pursuant to App	affirms that the drillin ving minimum require ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plule, an agreement bethetict office will be not to COMPLETION, propendix "B" - Eastern K	g, completic ments will b or to spuddin o drill shall os a minima se a minima ween the op iffied before duction pipe (ansas surfa	on and eventual pluse met: ng of well; be posted on each pelow shall be set or of 20 feet into the perator and the dist well is either plugg e shall be cemente ace casing order #1	If Yes, proposed zone: FIDAVIT RECI ugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be seenSERVA e underlying formation. Wich trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing	EIVED ATION COMM 5 2008 TION DIVISIO
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconse 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate deserving the completed	affirms that the drillin ving minimum require ate district office prio oved notice of intent to unt of surface pipe as olidated materials plude, an agreement beto strict office will be not to COMPLETION, propendix "B" - Eastern Koll within 30 days of the	g, completion ments will be to spudding of drill shall see specified be seen the opified before duction pipe fansas surfacts spud date	on and eventual pluse met: ng of well; be posted on each pelow shall be set on of 20 feet into the operator and the dist well is either plugge shall be cemente ace casing order #1 or the well shall be	FIDAVIT RECI Augging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; By circulating cement to the top; in all cases surface pipe shall be seensERVA By underlying formation. Wick By the underlying formation. Wick By the underlying formation. Wick By the underlying formation of the top; in all cases surface pipe shall be seensERVA By the underlying formation. Wick By the underlying formation of the underlying formation of the underlying formation. Wick By the underlying formation of the underlying formation of the underlying formation. Wick By the underlying formation of the underlying formation of the underlying formation of the underlying formation.	EIVED ATION COMM 5 2008 TION DIVISIO
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE is Or pursuant to Appropriate dis It hereby certify that the st	affirms that the drillin ving minimum require ate district office prio oved notice of intent to unt of surface pipe as olidated materials plude, an agreement beto strict office will be not to COMPLETION, propendix "B" - Eastern Koll within 30 days of the	g, completion ments will be to spudding of drill shall see specified be seen the opified before duction pipe fansas surfacts spud date	on and eventual pluse met: ng of well; be posted on each pelow shall be set on of 20 feet into the operator and the dist well is either plugge shall be cemente ace casing order #1 or the well shall be	FIDAVIT RECI Ansas Corpor JAN 1 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be seens with e underlying formation. Wich trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.	EIVED ATION COMM 5 2008 TION DIVISIO
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE is Or pursuant to Appropriate dis It hereby certify that the st	affirms that the drillin ving minimum require ate district office prio oved notice of intent to unt of surface pipe as olidated materials plude, an agreement beto strict office will be not to COMPLETION, propendix "B" - Eastern Koll within 30 days of the	g, completion ments will be to spudding of drill shall as specified be as a minimur ween the opinified before duction pipe fansas surface spud date ain are true a	on and eventual pluse met: ng of well; be posted on each pelow shall be set on of 20 feet into the period and the dist well is either pluggers shall be cemented ace casing order #1 or the well shall be and correct to the beand correct to the beand or the set of	FIDAVIT RECI Augging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; By circulating cement to the top; in all cases surface pipe shall be seensERVA By underlying formation. Wick By the underlying formation. Wick By the underlying formation. Wick By the underlying formation of the top; in all cases surface pipe shall be seensERVA By the underlying formation. Wick By the underlying formation of the underlying formation of the underlying formation. Wick By the underlying formation of the underlying formation of the underlying formation. Wick By the underlying formation of the underlying formation of the underlying formation of the underlying formation.	EIVED ATION COMM 5 2008 TION DIVISIO
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconse 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate deserving the completed	affirms that the drillin ving minimum require ate district office <i>prio</i> oved notice of intent tunt of surface pipe as olidated materials plule, an agreement bet strict office will be not 11 COMPLETION, propendix "B" - Eastern Klatements made here	g, completion ments will be to spudding of drill shall as specified be as a minimur ween the opinified before duction pipe fansas surface spud date ain are true a	on and eventual pluse met: ng of well; be posted on each pelow shall be set on of 20 feet into the period and the dist well is either pluggers shall be cemented ace casing order #1 or the well shall be and correct to the beand correct to the beand or the set of	FIDAVIT RECI Augging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; By circulating cement to the top; in all cases surface pipe shall be seens ERVA e underlying formation. With trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of the fundamental belief. President/COO Title:	EIVED ATION COMM 5 2008 TION DIVISIO
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE is Or pursuant to Appropriate dis It hereby certify that the st	affirms that the drillin ving minimum require ate district office <i>prio</i> oved notice of intent tunt of surface pipe as olidated materials plule, an agreement bet strict office will be not 11 COMPLETION, propendix "B" - Eastern Klatements made here	g, completion ments will be to spudding of drill shall as specified be as a minimur ween the opinified before duction pipe fansas surface spud date ain are true a	on and eventual pluse met: ng of well; be posted on each pelow shall be set on of 20 feet into the period and the dist well is either pluggers shall be cemented ace casing order #1 or the well shall be and correct to the beand correct to the beand or the set of	If Yes, proposed zone: FIDAVIT RECI Augging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be seensERVA with the underlying formation. With the drifting on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. President/COO Remember to:	EIVED ATION COMM 5 2008 TION DIVISIO HITA, KS
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed I hereby certify that the st Date: 1/14/08 For KCC Use ONLY	affirms that the drillin ving minimum require ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plude, an agreement betwict office will be not to the completion of the latements made here signature of Opendix "B" - Eastern K and within 30 days of the latements made here	g, completion ments will be to spudding of drill shall as specified be a minimur ween the opified before duction pipe (ansas surfate spud date and are true a specified or A	on and eventual pluse met: ng of well; be posted on each pelow shall be set on of 20 feet into the period and the dist well is either pluggers shall be cemented ace casing order #1 or the well shall be and correct to the beand correct to the beand or the set of	FIDAVIT RECI Augging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; By circulating cement to the top; in all cases surface pipe shall be seens ERVA e underlying formation. With trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of the fundamental belief. President/COO Title:	EIVED ATION COMM 5 2008 TION DIVISIO HITA, KS
The undersigned hereby at it is agreed that the follow 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amount through all unconstant 4. If the well is dry holds. The appropriate dis 6. If an ALTERNATE 1 Or pursuant to Appropriate be completed 1 hereby certify that the stant 1/14/08 For KCC Use ONLY API # 15 - //3 5 - 4	affirms that the drillin ving minimum require ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plude, an agreement betwint office will be not to the completion of the latements made here signature of O	g, completion ments will be to spudding of drill shall as specified be as a minimur ween the opilified before duction pipe (ansas surfate spud date win are true as perator or A	on and eventual pluse met: Ing of well; Ing of well well well well well well well wel	If Yes, proposed zone: FIDAVIT RECI Augging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be seensERVA e underlying formation. Wich trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. President/COO Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	EIVED ATION COMM 5 2008 TION DIVISIO HITA, KS
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 1 hereby certify that the st Date: 1/14/08 For KCC Use ONLY	affirms that the drillin ving minimum require ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plude, an agreement bete strict office will be not all COMPLETION, propendix "B" - Eastern Kolwithin 30 days of the latements made here Signature of O	g, completion ments will be to spudding of drill shall as specified be as a minimur ween the opitified before duction pipe (ansas surfate) as pud date win are true as perator or A	on and eventual pluse met: Ing of well; Ing of well well well well well well well wel	FIDAVIT RECI Agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; By circulating cement to the top; in all cases surface pipe shall be seens SERVA By circulating cement to the top; in all cases surface pipe shall be seens SERVA By circulating cement to the top; in all cases surface pipe shall be seens SERVA By circulating cement to the top; in all cases surface pipe shall be seens SERVA By circulating cement to the top; in all cases surface pipe shall be seens SERVA By circulating cement to the top; in all cases surface pipe shall be seens SERVA By circulating cement to the top; in all cases surface pipe shall be seens SERVA By circulating rig; By circulating ri	EIVED ATION COMM 5 2008 TION DIVISIO HITA, KS
The undersigned hereby at it is agreed that the follow 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amount through all unconsed. If the well is dry holds. The appropriate dise. If an ALTERNATE is Or pursuant to Appropriate be completed. I hereby certify that the standard in t	affirms that the drillin ving minimum require ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plude, an agreement betwint office will be not to the completion of the latements made here signature of O	g, completion ments will be to spudding of drill shall as specified be as a minimur ween the opitified before duction pipe (ansas surfate) as pud date win are true as perator or A	on and eventual pluse met: Ing of well; Ing of well well well well well well well wel	FIDAVIT RECI Agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPOR JAN 1 In drilling rig; By circulating cement to the top; in all cases surface pipe shall be seenservate underlying formation. With trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. President/COO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	EIVED ATION COMM 5 2008 TION DIVISION HITA, KS
The undersigned hereby at it is agreed that the follow 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amount through all unconsed. If the well is dry holds. The appropriate dise. If an ALTERNATE is Or pursuant to Appropriate be completed. I hereby certify that the standard in t	affirms that the drilling minimum require ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plule, an agreement bet strict office will be not all COMPLETION, propendix "B" - Eastern K within 30 days of the latements made here Signature of O	g, completion ments will be to spudding of drill shall as specified be as a minimur ween the opitified before duction pipe (ansas surfate) as pud date win are true as perator or A	on and eventual pluse met: Ing of well; Ing of well well well well well well well wel	FIDAVIT RECI Ansas Corpor JAN 1 In drilling rig; by circulating cement to the top; in all cases surface pipe shall be seens enderlying formation. Wich trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. President/COO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	EIVED ATION COMM 5 2008 TION DIVISIO HITA, KS
The undersigned hereby at it is agreed that the follow 1. Notify the appropria 2. A copy of the approduction of the approduction of the approduction of the approduction of the appropriate dis 4. If the well is dry holds 5. The appropriate dis 6. If an ALTERNATE is Or pursuant to Approduct of the appropriate of the	affirms that the drilling minimum require ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plute, an agreement bete strict office will be not all COMPLETION, propendix "B" - Eastern K within 30 days of the latements made here Signature of Open Completed Signature of Open Complete Signature of	g, completion ments will be to spudding of drill shall is specified be so a minimur ween the opidicion pipe (ansas surface spud date in are true as perator or A	on and eventual pluse met: Ing of well; Ing of 20 feet into the district of the district of the district of the well is early or the well shall be and correct to the base of the well shall be and the well shall be a	FIDAVIT Agging of this well will comply with K.S.A. 55 et. seq. FIDAVIT Agging of this well will comply with K.S.A. 55 et. seq. FIDAVIT And drilling rig; By circulating cement to the top; in all cases surface pipe shall be seens SERVA e underlying formation. Wilch trict office on plug length and placement is necessary prior to plugging; Ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. President/COO Title: President/COO Title: President/COO Title: Submit plugging report (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	EIVED ATION COMM 5 2008 TION DIVISION HITA, KS
The undersigned hereby at it is agreed that the follow 1. Notify the appropria 2. A copy of the approduction of the approduction of the approduction of the approduction of the appropriate distriction of the appropria	affirms that the drilling minimum require ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plute, an agreement bete strict office will be not all COMPLETION, propendix "B" - Eastern K within 30 days of the latements made here Signature of Open Completed Signature of Open Complete Signature of	g, completion ments will be to spudding of drill shall is specified be so a minimur ween the opidicion pipe (ansas surface spud date in are true as perator or A	on and eventual pluse met: Ing of well; Ing of 20 feet into the district of the district of the district of the well is early or the well shall be and correct to the base of the well shall be and the well shall be a	FIDAVIT RECI Ansas Corpor JAN 1 In drilling rig; By circulating cement to the top; in all cases surface pipe shall be seens end of the seens of	EIVED ATION COMM 5 2008 TION DIVISIO HITA, KS
The undersigned hereby at it is agreed that the follow 1. Notify the appropria 2. A copy of the approduction of the approduction of the approduction of the approduction of the appropriate dis 4. If the well is dry holds 5. The appropriate dis 6. If an ALTERNATE is Or pursuant to Approduct of the appropriate of the	affirms that the drillin ving minimum require ate district office <i>prio</i> oved notice of intent tunt of surface pipe as olidated materials plude, an agreement betstrict office will be not to the complete of	g, completion ments will be to spudding of drill shall is specified be so a minimur ween the opidicion pipe (ansas surface spud date in are true as perator or A	on and eventual pluse met: Ing of well; Ing of 20 feet into the district of the district of the district of the well is early or the well shall be and correct to the base of the well shall be and the well shall be a	FIDAVIT Agging of this well will comply with K.S.A. 55 et. seq. FIDAVIT Agging of this well will comply with K.S.A. 55 et. seq. FIDAVIT And drilling rig; By circulating cement to the top; in all cases surface pipe shall be seens SERVA e underlying formation. Wilch trict office on plug length and placement is necessary prior to plugging; Ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. President/COO Title: President/COO Title: President/COO Title: Submit plugging report (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	EIVED ATION COMM 5 2008 TION DIVISION HITA, KS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 135-24739-0000	
Operator: Mull Drilling Company, Inc.	Location of Well: County: Ness
Lease: MLT	395 feet from N / S Line of Section
Well Number: 2-7	978 feet from X E / W Line of Section
Field:	Sec. 7 Twp. 18 S. R. 22 E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE - NW - NE - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

:					FNL	
:		 		*******	36° 97	8 FEL
:	•••••	 	•••••	••••		
	•••••	 				
			7			
:		 				
	•••••	 		•••••		·····

RECEIVED KANSAS CORPORATION COMMISSION

JAN 15 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SION

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Mull Drilling Compan	y, Inc.	License Number: 5144				
Operator Address: P.O. Box 2758		221 N	I. Main, Suite #300 Wichita KS 67201			
Contact Person: Mark Shreve			Phone Number: 316-264-6366 Ext. 13			
Lease Name & Well No.: MLT	2-7	7	Pit Location (QQQQ):			
Type of Pit:	Pit is:	JOHN.	SE NW NE NE			
Emergency Pit Burn Pit	Proposed Existing		Sec7Twp18R22East X West			
Settling Pit Drilling Pit	If Existing, date constructed: ———————————————————————————————————		978 Feet from North / South Line of Section Feet from East / West Line of Section			
Workover Pit Haul-Off Pit						
(If WP Supply API No. or Year Drilled)		(bbls)	Ness County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l			
Le the hottom holour record love!?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
is the bottom below ground level? Yes No	Yes X	No	Drilling Mud			
Pit dimensions (all but working pits):	BO Length (fe	eet) 80	Width (feet) N/A: Steel Pits			
i	rom ground level to de		4 (feet) No Pit			
If the pit is lined give a brief description of the			edures for periodic maintenance and determining			
material, thickness and installation procedure	ə .	liner integrity, i	including any special monitoring.			
Distance to nearest water well within one-mil	e of pit	Depth to shall	owest fresh water t Ofeet.			
		Source of info	rmation:			
Emergency, Settling and Burn Pits ONLY: Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Drilling Mud				
Number of producing wells on lease:			al utilized in drilling/workover: Drilling Mud rking pits to be utilized: 3			
Barrels of fluid produced daily:		Abandonment	procedure: Allow to evaporate and backfill with			
Does the slope from the tank battery allow all	l spilled fluids to		original soil.			
flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMIS			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
		1	JAN 15 2008			
1/14/08 Date			Signature of Applicant or Agent			
Date						
	KCC	OFFICE USE C	NLY Steel Pit RFAC RFAS			
Date Received: \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	nber:	Pern	nit Date: 1/15 os Lease Inspection: Yes KNo			