## 

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: January 19, 2008	Spot Description:	<u></u>
month day year	<u>SW - SW Sec. 9 Twp. 29 S. R. 19</u>	Πw
33344	(2/2/2/0) 660 feet from N / X S Line of	
OPERATOR: License#	700 feet from E / X W Line of	
Name: Quest Cherokee, LLC Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?	50011011
	<del></del>	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho	<del></del>
Phone: 405-702-7480	Lease Name: Vitt Farms Trust Well #: 9-2 Field Name: Cherokee Basin CBM	<del></del>
	Told Harry.	
		No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	<del></del>
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	
Oil Enh Rec XInfield Mud Rotary		et MSL
Gas Storage Pool Ext. Air Rotary		<b>X</b> № <b>/</b>
Disposal Wildcat Cable		<b>X</b> No
Seismic ; # of Holes Other	Depth to bottom of fresh water:	
Other: Coalbed Methane	Depth to bottom of usable water:	
	Surface Pipe by Alternate: III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1300	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	····
/	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:		<b>⊠</b> No
	Will Cores be taken?	ZX  110
	Will Cores be taken?  If Yes, proposed zone:	
	If Yes, proposed zone:	
	<del></del>	 ≣D
	If Yes, proposed zone:  RECEIVE  IDAVIT  CANSAS CORPORATION	 ≣D
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  RECEIVE  IDAVIT  ANSAS CORPORATION  Iging of this well will comply with K.S.A. 55 et. seq.	ED I COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVE  IDAVIT  CANSAS CORPORATION	ED I COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each to the drill <i>shall be</i> posted on the drill <i>shall be</i> posted	If Yes, proposed zone:  RECEIVE  RECEIVE  ANSAS CORPORATION  JAN 15 2  drilling rig;	ED I COMMISSION 1008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVE  RECEIVE  ANSAS CORPORATION  JAN 15 2  drilling rig;	ED I COMMISSION 1008 DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  RECEIVE  IDAVIT  GANSAS CORPORATION  Iging of this well will comply with K.S.A. 55 et. seq.  JAN 152  drilling rig;  In circulating cement to the top; in all cases surface pipe shall be	ED I COMMISSION 1008 DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri	RECEIVE ANSAS CORPORATION CANSAS CORPORATION Grilling rig; Circulating cement to the top; in all cases surface pipe shall be shall be underlying formation. ict office on plug length and placement is necessary prior to plugging;	ED I COMMISSION 1008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	RECEIVEDAVIT  GANSAS CORPORATION  IDAVIT  GANSAS CORPORATION  IDAVIT  GANSAS CORPORATION  IDAVIT  GANSAS CORPORATION  IDAVIT  JAN 15 2  IDAVIT  GANSAS CORPORATION  IDAVIT  JAN 15 2  IDAVIT	ED I COMMISSION 1008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	RECEIVE  IDAVIT  GANSAS CORPORATION  Iging of this well will comply with K.S.A. 55 et. seq.  JAN 152  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be shall b	ED I COMMISSION 1008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVEDAVIT  GANSAS CORPORATION  Iging of this well will comply with K.S.A. 55 et. seq.  JAN 15 2  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be	ED I COMMISSION 1008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be greatly appeared.	RECEIVEDAVIT  ANSAS CORPORATION  Iging of this well will comply with K.S.A. 55 et. seq.  JAN 15 2  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be SMTA, we underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED I COMMISSION 1008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the plugges.	RECEIVEDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  JAN 152  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be sent underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED I COMMISSION 1008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the besides.	RECEIVEDAVIT  ANSAS CORPORATION  Iging of this well will comply with K.S.A. 55 et. seq.  JAN 15 2  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be SMTA, we underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED I COMMISSION 1008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	RECEIVEDAVIT  ANSAS CORPORATION  Iging of this well will comply with K.S.A. 55 et. seq.  JAN 152  drilling rig:  y circulating cement to the top; in all cases surface pipe shall be set of ince on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 est of my knowledge and belief.  16 Vice President	ED I COMMISSION 1008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the beautiful to the statements of the operator of Agent:    January 14, 2008	RECEIVEDAVIT  Grilling rig:  y circulating cement to the top; in all cases surface pipe shall be shall	ED I COMMISSION 1008 DIVISION IS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best bate:    January 14, 2008	RECEIVED ANSAS CORPORATION (ANSAS CORPORATION aging of this well will comply with K.S.A. 55 et. seq.  JAN 15 2  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set of munderlying formation.  ict office on plug length and placement is necessary prior to plugging;  of or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  **Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	ED I COMMISSION 1008 DIVISION IS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best Date:    January 14, 2008	RECEIVEDAVIT  Grilling rig:  y circulating cement to the top; in all cases surface pipe shall be shall	ED I COMMISSION 1008 DIVISION IS
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	RECEIVEDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  JAN 152  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set of plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge, and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;	ED I COMMISSION 1008 DIVISION IS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the conductor pipe required	RECEIVEDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  JAN 152  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be sha	ED COMMISSION (1008)
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the contract to the between the operator or Agent:    Signature of Operator or Agent:	RECEIVEDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  JAN 15 2  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be sh	ED I COMMISSION I
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best plantary 14, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 1/3 3 - 2 7390 ODD  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	IDAVIT  Gardilling rig;  y circulating cement to the top; in all cases surface pipe shall be	ED COMMISSION (1008)
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of the state	RECEIVEDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  JAN 15 2  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be sh	ED COMMISSION (1008)
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unconsolidated materials plus a minimum of 20 feet into the set of through all unco	RECEIVEDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  JAN 15 2  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be sh	ED COMMISSION (1008)
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements of Operator or Agent:    For KCC Use ONLY	RECEIVEDAVIT  Griging of this well will comply with K.S.A. 55 et. seq.  JAN 152  drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge, and belief.  Wice President  Title:  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 day).  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ED COMMISSION (1008)

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27390-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Vitt Farms Trust	660 feet from N / X S Line of Section
Well Number: 9-2	700 feet from E / X W Line of Section
Field: Cherokee Basin CBM	Sec. 9 Twp. 29 S. R. 19 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

								:
		:		:			:	
				•		•	•	:
		•	•	:		:	:	:
							;	•
						•		
		•	•	•		•	•	٠ ا
			********	*******		* * * * * * * * *		
		•				•		: 1
		•	•	:		:	:	:
			:	•		•		•
			•	•		•	•	: 1
		•	•	•		•	•	'
			_					
		;	:					٠ ا
		•	•	•	1	:	•	: 1
		:	•	:		:	:	
				•		•		: 1
		:	•	:	1	:	:	: 1
		:	:	;		;	:	•
		-			i			
					i			
				•		•		• ;
		•	•	:	i	:	:	;
		:	:	:		•	•	•
				•		:	•	: 1
		:	•	: -	_	:	:	: !
		:		• (	3	•		•
		•	•	٠ .	7	•	•	•
			<del>,                                      </del>					
-	, –	: •		;			:	•
	r .	•	•	!	•		:	:
	l.	:		:			:	•
	7	:		•		•		•
		•	/	•			•	:
	i	: 1	!				:	.
	l		<b>\</b>					'
			(					
	1		1					
	8	•	ξ ,			•	!	:
		:	1	:		:	:	:
	l.	;	}			•		•
	13	•		<u>.</u>	1	:	:	:
	y	:	1	:		:	:	
	D		7			•		•
	ĭ		l		1			
			1			*******		
	A.		(					
	1	:	,	:		;	:	:
	7		1		ì	•		
	Ī		4	•	Ì	:	:	:
1	l	:	7	:	l	:	:	•
	l		<b>}</b>			•		<u>:</u>
1	į	:	1	:		:	:	;
<b>a</b>		· 🔺	)		1			
11		• • • •	(	1	********			
700}	l	Γ.	J		i			
1 40	1			:	į	:	:	:
	I	: 1	1	:	i	;	:	
- 1	F	:	1		I	•	•	:
1	l	: 1	1	:	I	:	:	:
(	1	: 1	3	:		•		•
		•	4	•	I	:	•	:
		<u></u>	7	•		•	•	
	~~~~							
		-11	Innete the		ha arana		a locator	

RECEIVED KANSAS CORPORATION COMMISSION

JAN 15 2008

CONSERVATION DIVISION WICHITA, KS



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

0			Liegnes Number: 20044			
Operator Name: Quest Cherokee, LLC		License Number: 33344				
Operator Address: 210 W. Park Ave., Suite 2750		Oklahoma City OK 73102				
Contact Person: Richard Marlin		Phone Number: 405-702-7480				
Lease Name & Well No.: Vitt Farms T	Lease Name & Well No.: Vitt Farms Trust 9-2		Pit Location (QQQQ):			
Type of Pit:	Pit is:		62 - E2 - SW - SW			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 9 Twp. 29 R. 19 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit			700 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Neosho			
			County			
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
X Yes No	Yes X	No	Air Drilling Well			
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet) N/A: Steel Pits			
Depth fi	rom ground level to de	eepest point:	10 (feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.			
·		Well is beir	eing air drilled with operations lasting approx.			
_		3 days				
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh water / / feet / (a) // /			
NA feet Depth of water wellfeet			Source of information:  measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	al utilized in drilling/workover: Air Drilled			
			material utilized in drilling/workover: Air Drilled  of working pits to be utilized: 1  ment procedure: Air Dry, Back fill and cover.			
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back fill and cover.			
Does the slope from the tank battery allow all flow into the pit? Yes No	l spilled fluids to	Drill pits must	be closed within 365 days of spud date. RECEIVED			
I hereby certify that the above state	ements are true and o	correct to the bes	KANSAS CORPORATION COMA			
		7	JAN 15 2008			
January 14, 2008	*	han	Marlin CONSERVATION DIVISION			
Date		S	Signature of Applicant or Agent WICHITA, KS			
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS			
Date Received: 1/15/53 Permit Num	nber:	Perm	if Date: 1/15/08 Lease Inspection: Yes No			