For KCC Use: Effective Date: /-21-08 District # 2 SGA? V Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Sould Date: 01-07-2008	Cont Description. C 1909 1909 191-245-1109-
Expected Spud Date: 01-07-2008 month day year	Spot Description: CNW NW 18-29s-0w-
4706	€ - C - NW - NW Sec. 18 Twp. 29 S. R. 6 E W (0/0/0/0) 660 Feet from VN (S. Line of Section
OPERATOR: License#	leet from Min / S time of Section
Name: Messenger Petroleum, Inc. Address 1: 525 S. Main	660 feet from ☐ E / ☒ W Line of Section Is SECTION: ☐ Regular ☐ Irregular?
	is SECTION: Megular Infregular?
Address 2: State: KS Zip: 67068 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person; Jon F. Messenger	County: Kingman
Phone: 620-532-5400	Lease Name: Jimmy Well #: 1
CONTRACTOR: License# 5142	Field Name: K-3 (ex+)
Name: Sterling Drilling Co.	Is this a Prorated / Spaced Field?
Name.	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660'
Oil Finh Rec Infield Mud Rotary	Ground Surface Elevation: 1580' (estimated) feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 120'
Other:	Depth to bottom of usable water: 180'
If OWWO: old well information as follows:	Surface Pipe by Alternate:
	Length of Surface Pipe Planned to be set: 200' min
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 4300'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Brown of the Court	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #: applying for permit
KCC DKT #:	(Note: Apply for Permit with DWR 🔀)
NOO DICT #.	Will Cores be taken?
	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling completion and eventual pulls	IDAVIT RECEIVED gging of this well will comply with K.S.A. 55 et. set SANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	aging of this well will comply with Krown to Straed.
· · · · · · · · · · · · · · · · · · ·	
4. Statify the appropriate district affine pulsaria annulation of coll.	JAN N 4 2000
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill shall be noted on each 	JAN 0 4 2008
	drilling rig; by circulating cement to the top; in all cases surface pipe stall All Seb livision
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr 	drilling rig; by circulating cement to the top; in all cases surface pipe shall steed visiting to the top; in all cases surface pipe shall steed visiting to the top; in all cases surface pipe shall steed visiting to the top in the
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 	drilling rig; by circulating cement to the top; in all cases surface pipe shall steed by its is a underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	drilling rig; by circulating cement to the top; in all cases surface pipe shalf steed VISICAL underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig; by circulating cement to the top; in all cases surface pipe shall steed it is underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top; in all cases surface pipe shall ALCAEDIVISIONAL underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the statements. 	drilling rig; by circulating cement to the top; in all cases surface pipe shall steed IVISION UNCHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beside. 	drilling rig; by circulating cement to the top; in all cases surface pipe shall a seed in the top; in all cases surface pipe shall a seed in the top; in all cases surface pipe shall a seed in the top; in all cases surface pipe shall a seed in the top; in all cases and placement is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beside. 	drilling rig; by circulating cement to the top; in all cases surface pipe shark to the both in all cases surface pipe shark to the both in all cases surface pipe shark to the both in all cases surface pipe shark to the both in all cases surface pipe shark to surface within the both in the both in all cases, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. The both is set of my knowledge and belief. President
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the statements of Operator or Agent: 	drilling rig; by circulating cement to the top; in all cases surface pipe sharf ALC SEDIVISIONAL underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Remember to:
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be determined to the complete date of the complete days of the spud date or the well shall be determined to the complete days of the spud date or the well shall be determined to the complete days of the spud date or the well shall be determined to the complete days of the spud date or the well shall be determined to the complete days of the spud date or the well shall be determined to the days of the spud date or the well shall be determined to the complete days of the spud date or the complete days of the spud days of the spud date or the days of the spud day	drilling rig; by circulating cement to the top; in all cases surface pipe sharf ALCAEDIVISIONAL underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the statements of Operator or Agent: For KCC Use ONLY API # 15 - 095 - 22132-0000	drilling rig; by circulating cement to the top; in all cases surface pipe share sections. In complete the complete share section of the complete share shar
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best between the complete of the position of the complete of the complete of the position of the position of the complete of the complete of the complete of the position of the complete of th	drilling rig; by circulating cement to the top; in all cases surface pipe shart ALCOMONISM underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best posterior of the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best posterior of the correct to the best posterior of the correct to the best posterior of the correct to the posterior pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shart to the top; in all cases surface pipe shart to the top; in all cases surface pipe shart to the top; in all cases surface pipe shart to the top; in all cases surface pipe shart to the top; underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. Bay,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Fitle: President Fitle: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best posterior of the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best posterior of the correct to the best posterior of the correct to the best posterior of the correct to the posterior pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe share ALCOMINIST A underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best between the product of the statements of Operator or Agent: 12-31-2007	drilling rig; by circulating cement to the top; in all cases surface pipe shart Acceptivistical underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best posterior of the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best posterior of the correct to the best posterior of the correct to the best posterior of the correct to the posterior pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe share ALCOMONISM underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements of Operator or Agent: 12-31-2007	drilling rig; by circulating cement to the top; in all cases surface pipe share to the top; in all cases surface pipe share to the top; in all cases surface pipe share to the top; in all cases surface pipe share to the top; in all cases surface pipe share to the top; in all cases are prior to plugging; and or production casing is cemented in; if rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. President Fitle: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: "" "" "" "" "" "" "" "" ""
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements of Operator or Agent: 12-31-2007	drilling rig; by circulating cement to the top; in all cases surface pipe shart to the top; by circulating cement to the top; in all cases surface pipe shart to the top; by circulating cement to the top; in all cases surface pipe shart to the top; underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. By any and the top the top to the top to the top the top top top to the top

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 095-22132-0000			
Operator: Messenger Petroleum, Inc.	Location of Well: County: Kingman		
Lease: Jimmy	660 feet from N / S Line of Section		
Well Number: 1	660 feet from E / X W Line of Section		
Field: K-3	Sec. <u>18 Twp. 29 S. R. 6</u> E X W		
Number of Acres attributable to well: QTR/QTR/QTR of acreage: C _ C _ NW _ NW	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				,				
	:	!	:		:	:	660	'
	:		:		:	:		١,
	:	· · · · · · · · · · · · · · · · · · · ·	· 		:		Ď	ا هــــــــــــــــــــــــــــــــــــ
RECEIVED KANSAS CORPORATION COMMIS		:			•	:		660
* A	:	:						
JAN 0 4 2008		:	:		:	:	:	
ONSERVATION DIVISION WICHITALKS					 :	 !	:	
EXAMPLE								
	-			<i>3</i> —	1.			
					• •		:	
							:	
1980		·					` !	
10								
3390'		· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · · ·		
							:	
						·	•	
		:	;	:			;	
CEWADD CO							:	
SEWARD CO.							:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Messenger Petroleum, Inc.			License Number: 4706			
Operator Address: 525 S. M		Kingman KS 67068				
Contact Person: Jon F. Messe	nger	Phone Number:	620-532-5400			
Lease Name & Well No.: Jimmy	1	Pit Location (QQQQ):				
Type of Pit:	Pit is:			_ <u>NW</u> _		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 18 Twp. 29 R.	6 East West		
Settling Pit Drilling Pit	If Existing, date c	onstructed:	660 Feet from	North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from	East / West Line of Section		
(If WP Supply API No. or Year Drilled)	4,500	(bbls)	Kingman	County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency of How is the pit lined if a plast	Pits and Settling Pits only)		
Yes No	Yes X	No	natural clays & bent			
Pit dimensions (all but working pits):	0 Length (fe	eet) 80	Width (feet)	N/A: Steel Pits		
	om ground level to de	eepest point:	3 (feet)	No Pit		
If the pit is lined give a brief description of the		1	dures for periodic maintenance	<u> </u>		
material, thickness and installation procedure	•	iner integrity, ir	ncluding any special monitoring	RECEIVED KANSAS CORPORATION COMMISSION		
				JAN 0 4 2008		
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water 31	CONSERVATION DIVISION WICHITA, KS		
1050feet Depth of water well	70 _{feet}	mation: red well owner	lelectric log KDWR			
Emergency, Settling and Burn Pits ONLY:	1001		over and Haul-Off Pits ONLY	<u> </u>		
Producing Formation:		_	pe of material utilized in drilling/workover: fresh water			
Number of producing wells on lease:		king pits to be utilized:				
Barrels of fluid produced daily:		procedure: settlement, h	aul off free fluids, let			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must			dry, backfill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
12-31-2007 for de la Casserage						
Date		/ Si	gnature of Applicant or Agent			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 1/4/05 Permit Number: Permit Date: 1/15/08 Lease Inspection: K Yes No						



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

January 15, 2008

Mr. Jon F. Messenger Messenger Petroleum, Inc. 525 S Main Kingman, KS 67068

Re:

Drilling Pit Application Jimmy Lease Well No. 1 NW/4 Sec. 18-29S-06W Kingman County, Kansas

Dear Mr. Messenger:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and <u>all pits</u> must be lined with bentonite. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: File