For KCC Use:	. 20 - 5
Effective Date:	1-22-08
District #	3
0040	[₹] _{Na} :

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

- 1 - 2 - AB	
Expected Spud Date: 2 2 08	Spot Description:
month day year	SE - NE - SE - NW Sec. 5 Twp. 17 S. A. 21 XE W
rara : /	(a/a/a/a) 3460 feet from N / XX S Line of Section
OPERATOR: License# 5353	
Name: Bloomer Well Service	is SECTION: X Regular Irregular?
Address 1:Box_ 40	is SECTION: [X] Regular:
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Rantoul State: KS Zip: 66079+	County: Franklin
Contact Person: Don Bloomer	Lease Name: Good-Fisher Well #: 9
Phone: 785-878-3497	Field Name:Paola-Rantoul
CONTRACTOR: License# 6142	Is this a Prorated / Spaced Field?
Name: Town Oil Company, Inc.	Target Formation(s): Squirre1
	Nearest Lease or unit boundary line (in footage):185 '
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: teet MSL
X Oil Enh Rec X Infield Mud Rotary	
Gas Storage Pool Ext. X Air Rotary	
Disposal Wildcat Cable	
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water: 250
	Surface Pipe by Alternate: XIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirre1
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes X No
AFF The undersigned hereby affirms that the drilling, completion and eventual plus	IDAVIT
	KANSAS CORPORATION COLUMNICAL
It is agreed that the following minimum requirements will be met:	TOWNS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig: JAN 16 2008
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1" must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set conservation Division ict office on plug length and placement is necessary prioMolphagaing; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33.891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set conservation. CONSERVATION DIVISION in the construction of the conservation o
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1" must be completed within 30 days of the spud date or the well shall be	drilling rig; DAN 1 6 2008 by circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION ict office on plug length and placement is necessary prioMidiating; ed of production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of if an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the bound of the position of the spud date of the shall be statements made herein are true and correct to the bound of the spud date of the spud date of the shall be specified by the statements made herein are true and correct to the bound of the spud date of the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prioMolphagaing; ed of production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title Agent
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the bound of the spud date. Signature of Operator or Agent: Por KCC Use ONLY	drilling rig; JAN 16 2008 by circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION ict office on plug length and placement is necessary prioMolphingging; ed of production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of if an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the bound of the position of the spud date of the shall be statements made herein are true and correct to the bound of the spud date of the spud date of the shall be specified by the statements made herein are true and correct to the bound of the spud date of the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION ict office on plug length and placement is necessary prioMG placement; ed of production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C; which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be camented Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: 1-14-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS 9 - 25 28 9-0000	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION ict office on plug length and placement is necessary prioMolphagging; ed of production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the boundary of the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be conducted by the spud date or the well shall be shall be shall be conducted by the spud date or the well shall be shall be shall be shall be conducted by the shall be sh	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION ict office on plug length and placement is necessary prioMGlatagaing; ed of production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Bet of my knowledge and belief. Title Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix 'B' - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the spud between the conference of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25 289 - OOOO Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary priol/Molettagging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33.891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the list of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix 'B' - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the bound of the conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary priol/Molattagging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33.891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statements is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for pursuant to Appendix 'B' - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the boundary of the spud date or the well shall be conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION ict office on plug length and placement is necessary prioMolphaguing; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33.891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Bet of my knowledge and belief. Title Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix 'B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the beginning to the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25 289 - OOOO Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION ict office on plug length and placement is necessary prioMolphaguing; and of production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged: In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be camented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boundary of the spud date of the spud date or the well shall be conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION ict office on plug length and placement is necessary prioMolphagging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged: In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be camented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boundary of the spud date of the spud date or the well shall be conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION ict office on plug length and placement is necessary prioMGlattagaing; ed of production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged: In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25289-0000	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from N / S Line of Section feet from E / W Line of Section
Field:	SecTwpS. R E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
· -	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Bloomer Well Service		License Number: 5353		
Operator Address: Box 40 Rantoul, Kansas 66079				
Contact Person: Don Bloomer		Phone Number: 785-878-3497		
Lease Name & Well No.: Good-Fisher #9		Pit Location (QQQQ):		
Type of Pit: Pit is:		SENESENW_		
Emergency Pit Burn Pit X Proposed	Existing	Sec. 5 Twp. 17 R. 21 X East West		
Settling Pit		3460 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity:				
100	(bbls)	Franklin County		
Is the pit located in a Sensitive Ground Water Area? Yes X No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
		How is the pit lined if a plastic liner is not used?		
		Pits not lined unless not holding fluid		
Pit dimensions (all but working pits):8 Length (fe	eet)12	Width (feet) N/A: Steel Pits		
Depth from ground level to de	eepest point:	5 (feet) No Pit		
		edures for periodic maintenance and determining ncluding any special monitoring.		
		KANSAS CORPORATION COMMISSIO		
		JAN 16 2008		
		CONSERVATION DIVISION		
Distance to nearest water well within one-mile of pit Depth to shallo Source of info		west fresh water 12 feet. WICHITA KS		
5 250 feet Depth of water well 50 feet		uredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation: Type of materi		al utilized in drilling/workover: <u>fresh water</u>		
·		king pits to be utilized: 2		
		procedure: Pits filled as soon as well		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
1-14-08 Roberta Jawn				
Date Signature of Applicant of Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 1/16/08 Permit Number: Permit Date: 1/16/08 Lease Inspection: Yes No				