For KCC Use:	1-22-08
Effective Date:	7-22-08
District &	<u>5</u>
SGA? Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (
Expected Spud Date: 3-10-2008	Spot Description: ME-1/4	-
month day year	SE SE SW NE Sec. 10 Two. 23 S. R. 19 X E	W
33941 /	(GIPGIO) 2,985 Feet from N / X S Line of Sect	
UPERAICH: Licenser	1,595 feet from X E / W Line of Sect	
Name: J & M Production Address 1: 2098 West Virginia Rd	is SECTION: Regular Irregular?	
Address 2: 2100 West Virginia Rd		
City: Colony State: KS Zip: 66015 +	(Note: Locate well on the Section Plat on reverse side) County: Anderson	
Contact Person: Matt Bowen	Lease Name: Rogers Well #: 14	
Phone: 316-644-8325	Field Name: Colony-Welda	
CONTRACTOR: License# 33,947 33977	Is this a Prorated / Spaced Field?	en-
Name: E.K.Energy, LLC	Target Formation(s): Squirrel	
	Nearest Lease or unit boundary line (in footage): 165	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: unk feet M	SL.
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	-
Disposal Wildcat Cathle	Depth to bottom of fresh water:	
Seismic ; # of Holes Other	Depth to bottom of usable water: Depth to bottom of usable water:	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40	
Operator: NA	Length of Conductor Pipe (if any): na	
	Projected Total Depth: 800'	
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: 750 570 [rel	
Original Completion Date. Original Total Deptili.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Fond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:	No
KCC DKT #:		
	If Yes, proposed zone:	ED
	If Yes, proposed zone: RECEIV DAVIT KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq.	ED COMMISSIO
AFFI	If Yes, proposed zone: RECEIV DAVIT KANSAS CORPORATION	ED COMMISSIO
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIV DAVIT KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. JAN 17	ED N COMMISSIO 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	If Yes, proposed zone: RECEIV DAVIT Ging of this well will comply with K.S.A. 55 et. seq. JAN 17 2 CONSERVATION	ED N COMMISSIO 2008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIV DAVIT KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. JAN 17 (CONSERVATION y circulating cement to the top; in all cases surface pipe shall be sell/CHITA.	ED N COMMISSIO 2008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the or	If Yes, proposed zone: RECEIV DAVIT KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. JAN 17 (CONSERVATION y circulating cement to the top; in all cases surface pipe shall be selfichita, lunderlying formation.	ED N COMMISSIO 2008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district	If Yes, proposed zone: RECEIV RANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. JAN 17 (CONSERVATION or circulating cement to the top; in all cases surface pipe shall be self-ICHITA, bunderlying formation. ct office on plug length and placement is necessary prior to plugging;	ED N COMMISSIO 2008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: RECEIV RANSAS CORPORATION Grilling rig: CONSERVATION y circulating cement to the top; in all cases surface pipe shall be selfichita, lunderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	ED N COMMISSIO 2008 DIVISION
AFFI: The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13:	If Yes, proposed zone: RECEIV RANSAS CORPORATION Grilling rig; CONSERVATION y circulating cement to the top; in all cases surface pipe shall be selfichital, inderlying formation, ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	ED N COMMISSIO 2008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office that the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.	RECEIV DAVIT Grilling rig: CONSERVATION or circulating cement to the top; in all cases surface pipe shall be selfichita, lunderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.	ED N COMMISSIO 2008 DIVISION
AFFI: The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the distriction of the surface propriate distriction of the properties of the surface of the properties of the plugges. 5. The appropriate district office will be notified before well is either plugges. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13:	RECEIV DAVIT Grilling rig: CONSERVATION or circulating cement to the top; in all cases surface pipe shall be selfichita, lunderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.	ED N COMMISSIO 2008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the information amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.	RECEIV DAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 17 drilling rig; conservation y circulating cement to the top; in all cases surface pipe shall be selfichita, underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED N COMMISSIO 2008 DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the information amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.	RECEIV DAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 17 drilling rig; conservation y circulating cement to the top; in all cases surface pipe shall be selfichita, underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED N COMMISSIO 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	RECEIV DAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 17 drilling rig; conservation y circulating cement to the top; in all cases surface pipe shall be selfichita, underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED N COMMISSIO 2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be appropriate district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be public. I hereby certify that the statements made herein are true and correct to the feet. Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: RECEIV RANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. JAN 17 drilling rig; CONSERVATION y circulating cement to the top; in all cases surface pipe shall be selfichita, junderlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill;	ED N COMMISSIO 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	RECEIV DAVIT Grilling rig; Conservation drilling rig; circulating cement to the top; in all cases surface pipe shall be selfichtta, underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of machine deplies. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Orill; File Completion Form ACO-1 within 120 days of spud date;	ED COMMISSION COMMISSION CS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	If Yes, proposed zone: RECEIV RECEIV KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. JAN 17 drilling rig; CONSERVATION y circulating cement to the top; in all cases surface pipe shall be self-CHITA, underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of many mowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage altribution plat according to field proration orders;	ED N COMMISSIO 2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be appropriate district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the permanent of the provided by the statements of the provided by the statements of the provided by the statement of the	If Yes, proposed zone: RECEIV RANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. JAN 17 drilling rig; CONSERVATION y circulating cement to the top; in all cases surface pipe shall be selfichtta, underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of machine and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage altribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ED COMMISSION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be appropriate district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided. I hereby certify that the statements made herein are true and correct to the feet. Date: For KCC Use ONLY API #15 - OO3 - 24480 COOO Conductor pipe required	RECEIV DAVIT Grilling rig; Conservation drilling rig; Conservation Conservation	ED COMMISSION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the original to the surface of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the permanent of the provided of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the	RECEIV DAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 17 drilling rig; CONSERVATION go circulating cement to the top; in all cases surface pipe shall be selfichtta, underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my mowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage altribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	ED COMMISSION COMMISSION CS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of th	RECEIV DAVIT Grilling rig; Conservation drilling rig; Conservation Conservation	ED COMMISSION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the original to the surface of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the permanent of the provided of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the	RECEIV DAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 17 drilling rig: conservation y circulating cement to the top; in all cases surface pipe shall be selfichtta, inderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my howledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage altribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ED COMMISSION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of th	RECEIV DAVIT ging of this well will comply with K.S.A. 55 et. seq. JAN 17 drilling rig; CONSERVATION griculating cement to the top; in all cases surface pipe shall be selfichtta, underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of mannowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage altribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ED COMMISSION COMMISSI


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 003-24480-0000	
Operator: J & M Production	Location of Well: County: Anderson
Lease: Rogers	2.965 test from N / K S Line of Section
Well Number: 14	1,595 feet from X E / W Line of Section
Field: Colony-Welda	Sec. 10 Twp. 23 S. R. 19
Number of Acres attributable to well: OTP/OTP/OTP/OTP of corong: SE SE SW NE	Is Section: X Regular orfrregular
OTR/OTR/OTR/OTR of acreage: SE _ SE _ SW _ NE	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			Liganos Number 22044	
Operator Name: J & M Production			License Number: 33941	
Operator Address: 2098 West Vi	irginia Rd	2100	West Virginia Rd Colony KS 66015	
Contact Person: Matt Bowen			Phone Number: 316-644-8325	
Lease Name & Well No.: Rogers	14		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE SE SW NE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 10 Twp. 23 R. 19 K East West	
Settling Pit	If Existing, date constructed:		2,965 Feet from North / X South Line of Section	
Workover Pit Haul-Off Pit			1,595 Feet from X East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 210 (bbls)		Anderson	
Is the pit located in a Sensitive Ground Water	(000)		Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	12 Length (fe	set) 8	Width (feet) N/A: Steel Pits	
, , ,	rom ground level to de	sepest point:	5 (feet) No Pit	
)			edures for periodic maintenance and determining notuding any special monitoring.	
Source of		Source of infor	opth to shallowest fresh waterfeet. urce of information: electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
		Type of materia	Type of material utilized in drilling/workover: native mud	
1		Number of wor	Number of working pits to be utilized:2	
Barrels of fluid produced daily:		Abandonment	procedure: evaporate/backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits n		Drill pits must	be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISS	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. JAN 1 7 2008 CONSERVATION DIVISION DI PROPRIMI DI PRO				
Date		S	ignature of Applicant or Agent WICHITA, NS	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 17 08 Permit Number: Permit Date: 1/17 08 Lease Inspection: Yes KNo				