

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

YORKSHI SONO LIZIE	Spot ✓ East
expected Spud Date January 25, 2008 month day year	SW . NE Sec. 32 Twp. 30 S. R. 14 West
22265	2140feet from V N / S Line of Section
PERATOR: License# 33365	1853 feet from / E / W Line of Section
lame: Layne Energy Operating, LLC ddress: 1900 Shawnee Mission Parkway	Is SECTION ✓ RegularIrregular?
ddress: Mission Woods KS 66205	
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Timothy H. Wright	County: Wilson Lease Name: Beemer Well # 7-32
Phone: 913-748-3960	Lease Name: Beemer Well # 7-32
CONTRACTOR: License# 33606	Field Name: Cherokee Basin Coal
ONTRACTOH: License# 55555 lame: Thornton Air	Is this a Prorated / Spaced Field?
ame: Thornton All	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 500'
	Ground Surface Elevation: 896' feet MSL
	Water well within one-quarter mile: Yes ✓ No ✓
	Public water supply well within one mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'
Seismic;# of Holes Other	Depth to bottom of usable water; 200'
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: None
•	Projected Total Depth: 1500'
Well Name:Original Total Depth:	Formation at Total Depth: Mississippian /
Original Completion DateOriginal lotal Depth	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
CCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	RECEIVED
AFF	IDAVIT KANSAS CORPORATION COM
	lugging of this well will comply with K.S.A. 55 et. seq.
he undersigned hereby affirms that the drilling, completion and eventual pl	olugging of this well will comply with K.S.A. 55 et. seq. JAN 1 8 2008
he undersigned hereby affirms that the drilling, completion and eventual place tis agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	JAN 1 8 2008 ach drilling rig; CONSERVATION DIVISK
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	JAN 1 8 2008 ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be shall
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an information of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	JAN 182008 ach drilling rig; conservation divise et by circulating cement to the top; in all cases surface pipe shaW的HKK KS the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the fifthe well is dry hole, an agreement between the operator and the drivents.	JAN 182008 ach drilling rig; conservation divise et by circulating cement to the top; in all cases surface pipe shaw的语文长S the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the fifth the well is dry hole, an agreement between the operator and the description. 5. The appropriate district office will be notified before well is either pluging.	JAN 18 2008 ach drilling rig; conservation divise et by circulating cement to the top; in all cases surface pipe shall take KS the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the time of the second	ach drilling rig; conservation divise et by circulating cement to the top; in all cases surface pipe shall take KS the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the three thr	ach drilling rig; conservation divise et by circulating cement to the top; in all cases surface pipe shall take to the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the second of	ach drilling rig; conservation division of the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. It is a specific to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the defense of the second of	ach drilling rig; conservation division of the top; in all cases surface pipe shall be shall
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the statement of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the statement of the specified before well is either plug of the specified before well is either plug of the specified before to the specified before the specified before well is either plug of the specified before the specified before well is either plug of the specified before the specified before well shall be completed within 30 days of the spud date or the well shall be the specified before the	ach drilling rig; conservation division of the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. It is a specific to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the statement of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the statement of the specified before well is either plug of the specified before well is either plug of the specified before to the specified before the specified before well is either plug of the specified before the specified before well is either plug of the specified before the specified before well shall be completed within 30 days of the spud date or the well shall be the specified before the	ach drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surface pipe shall take KS the underlying formation. Considering the shall take the underlying formation. Conservation of the top; in all cases surface pipe shall take KS the underlying formation. Conservation district office on plug length and placement is necessary prior to plugging; To gged or production casing is cemented in; Let drom below any usable water to surface within 120 days of spud date. The shall take the
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the drill state of the drill shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: January 18, 2008	ach drilling rig; conservation division of the top; in all cases surface pipe shawforth KS the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. The shades of the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drift of the appropriate district office will be notified before well is either plug of the analysis of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the statements made herein are true and to the best of the complete of the statements of the complete of the spud date. Signature of Operator or Agent: Date: January 18, 2008 Signature of Operator or Agent:	ach drilling rig; conservation division of the top; in all cases surface pipe shawibilities is the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the drift of the well is dry hole, an agreement between the operator and the drift of the well is either plug of the second of the second of the well is either plug of the second of the well is either plug of the second of the well is either plug of the second of the well is either plug of the second of the well shall hereby certify that the statements made herein are true and to the best of the certification. Signature of Operator or Agent: **Date: **January 18, 2008** Signature of Operator or Agent: **January 18, 2008** **Ear KCC Use ONLY**	ach drilling rig; conservation division of the top; in all cases surface pipe shawbelling KS the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the dropport of the second of the second of the well is either plug to the second of the second of the well is either plug to the second of the well is either plug to the second of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of the well shall be certified. For KCC Use ONLY API # 15 - 205 - 274/7-000	ach drilling rig; conservation division between the top; in all cases surface pipe shall between the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Femember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the drope of the specified before well is either plug to the specified before we	ach drilling rig; conservation division all cases surface pipe shall to the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the defense of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plate. For KCC Use ONLY API # 15 - 205 - 274/7-000 Conductor pipe required feet Minimum surface pipe required feet per Alt.	Ach drilling rig; conservation division of the top; in all cases surface pipe shall belief to the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II comenting be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and	Ach drilling rig; conservation division of the top; in all cases surface pipe shall belief to the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II comenting be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen of the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plug feet statements are true and to the best of the plug feet per Alt. For KCC Use ONLY API # 15 - 205 - 274/7-000 Conductor pipe required	Ach drilling rig; conservation division of the top; in all cases surface pipe shawbelling KS the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an experiment of the approved notice of intent to drill <i>shall be</i> posted on each an experiment of the drilling and the search of the well is dry hole, an agreement between the operator and the drilling and the drilling and the drilling and the drilling and the search of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the places of the spud date or the well shall be placed by the spud date or the spud date or the well shall be placed by the spud date or the spud date or the shal	And 18 2008 ach drilling rig; conservation division of the top; in all cases surface pipe shall belief to the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. It may be plugged and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drop of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plant of the statements and the feet minimum surface pipe required feet feet Minimum surface pipe required feet feet feet per Alt. For KCC Use ONLY API # 15 - 205 - 274/7-000 Conductor pipe required feet feet feet feet per Alt. Approved by: First the state of the feet per Alt. This authorization expires: 1-18-09 (This authorization void if drilling not started within 6 months of approval date.)	Ach drilling rig; conservation division of the top; in all cases surface pipe shall be shall
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an experiment of the approved notice of intent to drill <i>shall be</i> posted on each an experiment of the drilling and the search of the well is dry hole, an agreement between the operator and the drilling and the drilling and the drilling and the drilling and the search of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the places of the spud date or the well shall be placed by the spud date or the spud date or the well shall be placed by the spud date or the spud date or the shal	And 18 2008 ach drilling rig; conservation division of the top; in all cases surface pipe shall belief to the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. It may be plugged and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-274/7-0000	Location of Well: County: Wilson
Operator: Layne Energy Operating, LLC	2140feet from ✓ N / S Line of Section
Lease: Beemer	feet from
Well Number: 7-32	Sec. 32 Twp. 30 S. R. 14 VEast West
Field: Cherokee Basin Coal	
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

		21.40	
	·		
	· · · · · · · · · · · · · · · · · · ·		1853,
, ,		-	
,			

RECEIVED KANSAS CORPORATION COMMISSION

JAN 18 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365			
Operator Address: 1900 Shawne	e Mission	Parkway,	Mission Woods, KS 66205		
Contact Person: Timothy H. Wright		Phone Number: (913) 748 - 3960			
Lease Name & Well No.: Beemer 7-			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW</u> _ <u>NE</u>		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 32 Twp. 30 R. 14 🗸 East 🗌	West	
Settling Pit	If Existing, date c	onstructed:	2140 Feet from 🗸 North / 🗌 South Line	of Section	
Workover Pit Haul-Off Pit	Pit capacity:			of Section	
(If WP Supply API No. or Year Drilled)	Fit Capacity.	(bbls)	Wilson	County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration:(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used? Self-Sealing	-	
Pit dimensions (all but working pits):3	60' Length (fe	eet) 20'	Width (feet) N/A: Steel	Pits	
	om ground level to de		(feet)		
				15.2	
· · · · · · · · · · · · · · · · · · ·		Depth to shallo Source of infor	west fresh waterfeet.	205-274/7	
none feet Depth of water well	feet			KDWR 3	
Emergency, Settling and Burn Pits ONLY		Drilling, Work	over and Haul-Off Pits ONLY:	7	
Producing Formation: Type of mate		Type of materia	arial utilized in drilling/workover. Fresh Water Mud		
		rking pits to be utilized: TWO			
Barrels of fluid produced daily:					
Does the slope from the tank battery allow all spilled fluids to		and restore Drill pits must	pe closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and			RECEIVED ORPORATION COI	
January 18, 2008		1	JA JA	AN 182008	
Date		7	ignature of Applicant or Agent CON	SERVATION DIVIS	
	КСС	OFFICE USE O	NLY		
Date Received: 1/18/08 Permit Num	nber:	Perm	it Date: 1/18/05 Lease Inspection: Yes	√ No	