For KCC Use: SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	2 ·	
Expected Spud Date January 18, 2008	A # C) A B) A 31 14	ast
		est
PERATOR: License# 33365	100(1011)	
lame. Layne Energy Operating, LLC	leet from / V VV Line of Section	
Address: 1900 Shawnee Mission Parkway	Is SECTION Regular Irregular?	
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Timothy H. Wright	County: Montgomery	
Phone: 913-748-3960	Lease Name: McGinnis Well #: 5-4	
	Field Name: Cherokee Basin Coal	
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	Nο
lame: Thornton Air	Target Formation(s): Cherokee Coals	1
	Nearest Lease or unit boundary: 477'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 896' feet M	ASI
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓	-
Gas Storage Pool Ext. Air Rotary		-
OWWO Disposal Wildcat Cable	Public water supply well within one mile: ☐ Yes ☐ Yes ☐ Y	JANO
Seismic; # of Holes Other		
Other	Depth to bottom of usable water: 175'	
	Surface Pipe by Alternate: 1 2 20	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1500' Mississippian	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	
Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	در
(CC DKT #:	Will Cores be taken? Yes ✓	No
	If Yes, proposed zone:	
	(
	RECEIV	ED
	IDAVIT RECEIV	ED N COMI
he undersigned hereby affirms that the drilling, completion and eventual pl	RECEIVION RECEIVION IN THE RECEIVION IN	N COM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	RECEIVION RECEIVION IN THE RECEIVION IN	N COM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	RECEIVING RECEIV	N COM
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVING RECEIV	ч соми 2008
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	IDAVIT RECEIVI lugging of this well will comply with K.S.A. 55 et. seq. **ANSAS CORPORATION JAN 18 ch drilling rig; by circulating cement to the top; in all cases surface pipe **Ansas corporation CONSERVATION The second control of the second cases surface pipe **Ansas corporation CONSERVATION The second control of the second cases surface pipe **Ansas corporation CONSERVATION The second control of the second cases surface pipe **Ansas corporation CONSERVATION The second control of the second case surface pipe **Ansas corporation CONSERVATION The second control of the second case surface pipe **Ansas corporation The second control of the second case surface pipe **Ansas corporation The second control of the second case surface pipe **Ansas corporation The second control of the second control of the second case surface pipe **Ansas corporation The second control of the second control of the second case surface pipe **Ansas corporation The second control of the second case surface pipe **Ansas corporation The second control of the second case surface pipe **Ansas corporation The second control of the second case surface pipe **Ansas corporation The second control of the second case surface pipe **Ansas corporation The second control of the second case surface pipe **Ansas corporation The second control of the second case surface pipe **Ansas corporation The second case surface pipe **Ansas corporatio	ч соми 2008
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT RECEIVITY RECEIVITY RECEIVITY RECEIVITY RECEIVITY RECEIVITY RECEIVITY RECEIVITY RANSAS CORPORATION JAN 18 Charles of the drilling rig; Part by circulating cement to the top; in all cases surface pipe shall be and the underlying formation.	N COMI 2008 DIVISK KS
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plus	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION JAN 18 ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;	N COMI 2008 DIVISK KS
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the continuous forms of the second of the s	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION JAN 18 ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. district office on plug length and placement is necessary prior to plugging god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.	n comi 2008 Divisk ks g;
he undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION JAN 18 ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be shall be set by circulating cement to the top; in all cases surface pipe shall be sh	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION JAN 18 ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. district office on plug length and placement is necessary prior to plugging god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shall be	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION Land the sequence of the	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constitution of the set of th	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shall be	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be underlying formation. district office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface of the well is dry hole, an agreement between the operator and the description of the surface of t	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Land 18 Ch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall provide the underlying formation. Listrict office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to:	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear and the drill shall be posted on ear and the drill shall unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the drill shall be completed to a strength of the state of the state of the spuddate or the well is earned to a present to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall hereby certify that the statements made herein are true and to the best of the control of the statements and the drill shall be completed. Signature of Operator or Agent: For KCC Use ONLY	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shall provide the underlying formation. district office on plug length and placement is necessary prior to plugging god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the spudding of the spudding of the spudding order must be completed within 30 days of the spuddate or the well shall hereby certify that the statements made herein are true and to the best of the control of the spudding of the spuddate or the well shall hereby certify that the statements made herein are true and to the best of the spudding of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall provide the underlying formation. district office on plug length and placement is necessary prior to plugging good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the constant of the statements made herein are true and to the best of the constant of the statements of the constant of the description of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the constant of the statements of the constant of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the constant of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified before well is a specified to the spud date or the well shall hereby certified before well is a specified b	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shall provide the underlying formation. district office on plug length and placement is necessary prior to plugging god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface of the surface and the description of the surface and the description of the surface of the su	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Land 18 Ch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; Led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the drop of the second of the well is either plug of the second of the well is either plug of the second of the well is either plug of the spud date of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud of the spud of the well shall be certified. For KCC Use ONLY API # 15 - 12 5 3 1 5 2 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Land 18 Ch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; Led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the state of the second	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; per by circulating cement to the top; in all cases surface pipe shall provide the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the district office will be notified before well is either plug of a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plant of the plant of Operator or Agent: Date: January 18, 2008	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; pt by circulating cement to the top; in all cases surface pipe shall provide the underlying formation. district office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the state of the second	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall provide the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; by circulating cement to the top; in all cases surface pipe shall provide the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	n comi 2008 Divisk ks g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION JAN 18 ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall provide the underlying formation. district office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	n comi 2008 Divisk ks g;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 31 525-0000	Location of Well: County: Montgomery
Operator: Layne Energy Operating, LLC	1440 feet from V N / S Line of Section
Lease: McGinnis	1225 feet from ☐ E / ✓ W Line of Section
Well Number: 5-4 Field: Cherokee Basin Coal	Sec. 4 Twp. 31 S. R. 14 ✓ East Wes
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.
·	Section corner used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	1440'	
12251		
	· · · · · · · · · · · · · · · · · · ·	
:	· · · · · · · · · · · · · · · · · · ·	

RECEIVED KANSAS CORPORATION COMMISS

JAN 18 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365		
Operator Address: 1900 Shawne	e Mission	Parkway,	Mission Woods, KS 66205	
Contact Person: Timothy H. Wright		Phone Number: (913) 748 - 3960		
Lease Name & Well No.: McGinnis 5-4		Pit Location (QQQQ):		
Type of Pit:			<u>SW</u> . <u>NW</u>	
Emergency Pit Burn Pit	✓ Proposed		Sec. 4 Twp. 31 R. 14 ✓ East	West
Settling Pit	If Existing, date constructed:		1440 Feet from 🗸 North / 🗌 South Line	e of Section
Workover Pit Haul-Off Pit	Dit consoits:		1225 Feet from East / V West Line	e of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Montgomery	County
Is the pit located in a Sensitive Ground Water	Area? Yes Z		Chloride concentration:	
Ta the pit located in a definitive clouds video	, ded:		(For Emergency Pits and Settling Pits only)	• 1
Is the bottom below ground level? Yes No	!		How is the pit lined if a plastic liner is not used?	
			Self-Sealing	
The difficulties (all bac from any pito).	O' Length (fe		Width (feet) N/A: Stee	el Pits
Depth fr	om ground level to de	eepest point: 3	(feet)	
material, thickness and installation procedure		illier integrity, ii	ncluding any special monitoring.	
Distance to nearest water well within one-mile	e of pit		west fresh waterfeet.	
nonefeet Depth of water well	feet	Source of infor	mation: redwell owner electric log	KDWR S
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	9
Producing Formation:		1	al utilized in drilling/workover: Fresh Water Mud	
Number of producing wells on lease:		ľ	king pits to be utilized: Two	
Barrels of fluid produced daily:			procedure: Let evaporate until dry, then backfi	<u>" </u>
Does the slope from the tank pattery allow all spilled fluids to		and restore		
		Drill pits must l	be closed within 365 days of spud date.	CEIVED
I hereby certify that the above state	ements are true and o	correct to the bes		PORATION COMM
January 18, 2008		2	JAN JAN	1 8 2008
Date		§		RVATION DIVISION VICHITA, KS
	KCC	OFFICE USE O		
j t				
Date Received: 18 05 Permit Num	ber:	Perm	it Date: () (© C	K No