# For KCC Use:

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spild Date: January 28, 2008	??R'S & D?\N/ A!	
Expected Spud Date:	Spot Description: 226'S & 93'W of	
	C <u>S/2</u> <u>S/2</u> <u>SW</u> Sec. <u>34</u> Twp. <u>5</u> S. R. <u>23</u>	
OPERATOR: License# 4767	104 Teet from \( \text{N} \ / \( \text{X} \) S I	
Name: Ritchie Exploration, Inc.	1,227 feet from E / X W L	ine of Section
Address 1: PO 783188	ls SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Wichita State: KS Zip: 67278 + 3188	County: Norton	
Contact Person: Justin Clegg	Lease Name: Wyrll-Circle Well #:	1
Phone: 316-691-9500	Lease Name: VVeil #:	<u>·</u>
	Field Name: Norham	<b>7.</b> [57]
CONTRACTOR: License#_KLN 33575		_Yes ⊠No
Name: WW Drilling, LLC	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 556'	
X Oil	Ground Surface Elevation: 2330	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes X No.
Disposal Wildcat Cable	Public water supply well within one mile:	_Yes ⊠No
Seismic: # of Holes Other	Depth to bottom of fresh water: 150	
Other:	Depth to bottom of usable water: //60	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Occuptors	Length of Conductor Pipe (if any): None	*****
Operator:	Projected Total Depth; 4050'	
Well Name:  Original Completion Date:  Original Total Depth:	Formation at Total Depth: Arbuckle	· · · · · · · · · · · · · · · · · · ·
Original Completion Date: Original Total Deptin.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X	
If Yes, true vertical depth:	•	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR	
KCC DKT #:		Yes No
	<del>-</del>	RECEIVED
		RECEIVED REPORATION COMMISSION
Dil i bas Leases w/ pooling clauses attached AFF	MANAGOO	ti Oldinon dominidan
	IDAV/IT	
• • • •	IDAVIT	N 1 2 2002
The undersigned hereby affirms that the drilling, completion and eventual plug		N 182008
• • • •	gging of this well will comply with K.S.A. 55 et. seq.	.,
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	gging of this well will comply with K.S.A. 55 et. seq.  CONS.	ERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	gging of this well will comply with K.S.A. 55 et. seq.  ONSidrilling rig;	ERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b	ging of this well will comply with K.S.A. 55 et. seq.  CONSI  drilling rig; y circulating cement to the top; in all cases surface pipe shall be s	ERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	oging of this well will comply with K.S.A. 55 et. seq.  CONSidrilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation.	ERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	ging of this well will comply with K.S.A. 55 et. seq.  CONSI drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug.	ERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Iging of this well will comply with K.S.A. 55 et. seq.  CONSIDERATE STATES AND STATES AN	ERVATION DIVISION MICHITA, KS met ging; date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Iging of this well will comply with K.S.A. 55 et. seq.  CONSIDERATE STATES AND STATES AN	ERVATION DIVISION WICHITA, KS  eet ging; date. nenting
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges.	Iging of this well will comply with K.S.A. 55 et. seq.  CONSIDERATE STATES AND STATES AN	ERVATION DIVISION WICHITA, KS  eet ging; date. nenting
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to pluged or production casing is cemented in; from below any usable water to surface within 120 DAYS of spude 13,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement	ERVATION DIVISION WICHITA, KS  eet ging; date. nenting
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the spud date.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud 133,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement ast of my knowledge and belief.	ERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to pluged or production casing is cemented in; from below any usable water to surface within 120 DAYS of spude 13,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement	ERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be become the completed within 30 days of the spud date or the well shall be become the completed within 30 days of the spud date or the well shall be set to the become the completed within 30 days of the spud date or the well shall be set to the become the complete that the statements made herein are true and correct to the become the complete that the statements made herein are true and correct to the become the complete that the statements made herein are true and correct to the become the complete that the statements made herein are true and correct to the become the complete that the statements made herein are true and correct to the become the complete that the statements made herein are true and correct to the become the correct	drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  CIS Speciali	ERVATION DIVISION WICHITA, KS set ging; date. nenting ing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an another and the same and the sa	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  CIS Speciali Remember to:	ERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed bate:    January 18, 2008   Signature of Operator or Agent:   For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud; 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  GIS Speciali  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;	ERVATION DIVISION WICHITA, KS wet ging; date. nenting ing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statement of the spud date or the well shall be 1 hereby certified the spud date or the spud date or the spud date or	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  GIS Speciali  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ERVATION DIVISION WICHITA, KS set ging; date. nenting ing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent:    Date: January 18, 2008   Signature of Operator or Agent:   For KCC Use ONLY   API # 15 - 137-20475-0000   Tourism Indiana	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud; 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  GIS Speciali  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;	ERVATION DIVISION MICHITA, KS  pet ging; date. henting ing.  St
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be Date:    January 18, 2008   Signature of Operator or Agent:   Signature of Operator or Agent:   Signature of Operator or Agent   Signature of Operator or Agent	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud; 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.    GIS Speciali   Remember to:   File Drill Pit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;	ERVATION DIVISION WICHITA, KS  set ging; date. nenting ing.  St
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be completed Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certified before the spud date or the well shall be 1 hereby certified before well is either and the district of the spud date or the well shall be 1 hereby certified before the complete of the spud date or the well shall be 1 hereby certified before the complete of th	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug; of or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud; 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.    GIS Speciali   Remember to:   File Drill Pit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-	ERVATION DIVISION MICHITA, KS  pet ging; date. henting ing.  St
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the operator or Agent:    Date: January 18, 2008   Signature of Operator or Agent:   For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug; of or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud; 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.    GIS Speciali   Remember to:   File Drill Pit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;   Notify appropriate district office 48 hours prior to workover or re-c. Submit plugging report (CP-4) after plugging is completed (within	ERVATION DIVISION MICHITA, KS  met  ging;  date. henting ing.  St  A  pentry; h 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certified before well is a shall be comented to the spud date or the spud date	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plugical or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spuding 133,891-C, which applies to the KCC District 3 area, alternate il cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title:  GIS Speciali  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed (within Obtain written approval before disposing or injecting salt water.	ERVATION DIVISION MICHITA, KS  met  ging;  date. henting ing.  St  A  pentry; h 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the operator or Agent:    Date: January 18, 2008   Signature of Operator or Agent:   For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plugical or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spuding 133,891-C, which applies to the KCC District 3 area, alternate il cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title:  GIS Speciali  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed (within Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ERVATION DIVISION MICHITA, KS  pet  ging; date. henting ing.  St  A  Pentry; h 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the context of the spud date or the well shall be 1 hereby certified before well is a shall be comented to the spud date or the spud date	drilling rig; y circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plug; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud; 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.    GIS Speciali	ERVATION DIVISION MICHITA, KS  set ging; date. henting ing.  St  A  Final Property; hentry; he 60 days);


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 137-20475-0000			
Operator: Ritchie Exploration, Inc.	Location of Well: County: Norton		
Lease: Wyrill-Circle	104 feet from N / N S Line of Section		
Well Number: 1	1,227 feet from E / W Line of Section		
Field: Norham	Sec. <u>34</u> Twp. <u>5</u> S, R, <u>23</u> E 🔀 W		
Number of Acres attributable to well:  QTR/QTR/QTR of acreage: C S/2 - S/2 - SW	Is Section: Regular or Irregular		
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

JAN 18 2008

CONSERVATION DIVISION WICHITA, KS



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Ritchie Exploration, Inc.		License Number: 4767		
Operator Address: PO 783188			Wichita	KS 67278
Contact Person: Justin Clegg		Phone Number: 316-691-9500		
Lease Name & Well No.: Wyrill-Circle 1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		226'S 93W S/2 S/2 SW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 Twp. 5 R. 23 East West	
Settling Pit	If Existing, date constructed:		Feet from North / X South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit canacity:		1,227   Feet from East /	West Line of Section
(II VVF Supply AFT No. of teal Dilled)	10,686	(bbls)	Norton	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l	
Is the bottom below ground level? Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	Cottonseed Hulls / AquaGel	
Pit dimensions (all but working pits):	00 Length (fe	eet) 100	Width (feet)	N/A: Steel Pits
Depth fr	om ground level to de	eepest point:	6 (feet)	] No Pit
If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining				
material, thickness and installation procedure.		ncluding any special monitoring.		
				$\approx$
		west fresh water	73	
Source of infor		easured well owner electric log KDWR		
		over and Haul-Off Pits ONLY:		
		rial utilized in drilling/workover: Fresh / Chemical Mud		
Number of producing wells on lease: Number of worl		nber of working pits to be utilized:3		
Barrels of fluid produced daily:  Abandonment procedure: Backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		be closed within 365 days of spud date. RECEIVED  KANSAS CORPORATION COMMISSION		
hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
		1	1 01	JAN 18 2008
January 18, 2008		$\sqrt{\epsilon}$	ignorities of Application Application	CONSERVATION DIVISION WICHITA, KS
Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	ber:	Permi	it Date: া   হ   এছ Lease Inspecti	on: Yes \No