For KCC Use: Effective Date: District # SGA2 Vee VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: February 1, 2008	Spot Description:
month day year	E/2 SW SW NW Sec. 21 Twp. 17 S. R. 13 EXW
33699 -	(0/0/0/0) 2,310 feet from N / S Line of Section
OPERATOR: License#	feet from ☐ E / ☒ W Line of Section
Address 1: 3711 Maplewood Ave, Suite 201	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita Falls State: TX Zip: 76308 +	County: Barton
Contact Person: Hal Gill	Lease Name: Soderstrom Well #: 6
Phone: 940.691.9157 ext 113	Field Name: Trapp (Multipay)
CONTRACTOR: License# Must be 1 icensed by KCC	Is this a Prorated / Spaced Field?
Name: Unknown at this time Advise on Aco-1	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'
	Ground Surface Elevation: 1,955 feet MSL
☐ Enh Rec	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water: 400
	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 900'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 3600'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes X No
KCC DKT #:	
	If Yes, proposed zone: RECEIVED
ACCI	KANSAS CORPORATION COMP. RECEIVED
	IDAVIT KANSAS CORPORATION COMM
The undersigned hereby affirms that the drilling, completion and eventual plug	gaing of this work wall comply with JAN 52 4- 2013
It is agreed that the following minimum requirements will be met:	JAN 14 2008
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 	CONSERVATION DIRECT
A copy of the approved house of little to drift shall be posted on each of the shall be set by The minimum amount of surface pipe as specified below shall be set by	drilling rig; CONSERVATION DIVISE: CONSERVATION DIVISE: Structurating cement to the top; in all cases surface pipe shall be WICHITA , KS
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.
4 If the well is dry hole, an agreement between the operator and the distri	ict office on plug length and placement is necessary prior to plugging;
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	from below any usable water to surface within 120 DAYS of soud date.
6. If an ALTERNATE II COMPLETION, production pipe shall be certificated. Or purpose to Appendix "R" - Fastero Kansas surface casing order #13	3,891-C, which applies to the KCC District 3 area, alternate II comenting
must be completed within 30 days of the spud date or the well shall be	plugged./In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and correct to the be	
11000	1 The State of the Constant
Date: /-/0-00 Signature of Operator or Agent: // //	Title: My I Keep
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
ADI# 15. 009-25/14-0000	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required / feet	- File acreage attribution plat according to field proration orders;
Conductor pipe required	 Notify appropriate district office 48 hours prior to workover or re-entry;
	Submit alumaing report (CP-4) after plugging is completed (within 60 days):
1 11 1/100	- Submit plugging report (CP-4) after plugging is completed (within 60 days);
Approved by: [wt 1-3408]	- Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
This authorization expires: 1-24-09	- Submit plugging report (CP-4) after plugging is completed (within 60 days);
1 21/09	 Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
This authorization expires: 1-24-09	- Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-25/69-0000	
Operator:T-N-T ENGINEERING, INC.	Location of Well: County: Barton
Lease: Soderstrom	2,310 feet from N / S Line of Section
Well Number: 6	340 feet from E / X W Line of Section
Field: Trapp (Multipay)	Sec. 21 Twp. 17 S. R. 13 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: E/2 - SW - SW - NW	Is Section: Regular or Ππegular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: T-N-T ENGINEERING, INC.		License Number: 33699					
Operator Address: 3711 Maplewoo	od Ave, Suite	201	Wic	hita Falls	TX	76308	
Contact Person: Rick Popp		Phone Number: 620.786.5514					
Lease Name & Well No.: Soderstrom 6		Pit Location (QQQQ):					
Type of Pit:	Pit is:		E2 SW SW NW				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 21 Twp. 17 R. 13 East West				
Settling Pit Drilling Pit	If Existing, date constructed:		2,310 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		340 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	2,500	(bbls)	Barton	County			
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? Yes No	Artificial Liner? How is the pit lined if a plastic liner is not used? Yes No						
Pit dimensions (all but working pits):	60 Length (fe	et) 60	Width (feet)	N/	A: Steel	Pits	
Depth from ground level to deepest point: 3 (feet) No Pit							
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.							
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		llowest fresh water					
1560			sured well owner electric log KDWR kover and Haul-Off Pits ONLY: rial utilized in drilling/workover: Chemical mud orking pits to be utilized: 3				
Emergency, Settling and Burn Pits ONLY: Drilling, Work		rkover and Haul-Off Pits ONLY:					
Producing Formation: Type of materia			rial utilized in drilling/workover: Chemical mud				
Number of producing wells on lease: Number of working pits to be utilized:3			ale aut e				
Barrels of fluid produced daily: Abandonment procedure: Monitor until dry, then break out and back fill.				and C			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be			be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMIS				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
JAN 2 4 2008 1-18-07 Date Conservation Date Signature of Applicant or Agent							
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\							