## 

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Specified Spud Date:   month   day   year   month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   day   year     month   month   day   year     month   year   ye	
OPERATOR: License# Name: Kepley Well Service, LLC (Mike Kepley)  Address 1: 19245 Ford Road  Address 2: (I): Chambe Contact Person. Mike Kepley Phone: \$20-431-8945  CONTRACTOR: License# State: KS Zip: 66720 + County. Neosho Contact Person. Mike Kepley Phone: \$20-431-8945  CONTRACTOR: License# State: KS Zip: 66720 + County. Neosho Contact Person. Mike Kepley Phone: \$20-431-8945  CONTRACTOR: License# State: KS Zip: 66720 + County. Neosho It is a Prorated / Spaced Field? Target Formation(s): Bartlesville Aprace Howard Infield Aprace Host Studies Infield Infield Aprace Host Studies Inf	
OPEHAROH: Licenses   307   feet from   E     W Line of Section   Address 2:   19245 Ford Road   SECTION:   Regular   Irregular?   Address 2:   (Note: Locate well on the Section Plat on reverse side)   Contact Person: Milke Kepley   Well #:   Phone: \$20431-8945   Section Plat on reverse side)   Contact Person: Milke Kepley   Well #:   Phone: \$20431-8945   Section Plat on reverse side)   Contact Person: Milke Kepley   Well #:   Phone: \$20431-8945   Well #:   Phone: \$20431-8945   Section Plat on reverse side)   Country: Neosho   Co	- - - -
Address 1: 19245 Ford Road  Address 2:	- - - -
Address 2: (Note: Locate well on the Section Plat on reverse side)  City: Chanute State: KS Zip: 66720 + County: Neosib: Contact Person: Mike Kepley Phone: 620-431-8945  CONTRACTOR: Licenses33374  CONTRACTOR: Licenses33374  CONTRACTOR: Licenses	-
Country: Neosho Contact Person: Mike Kepley Contact Person: Mike Kepley Contact Person: Mike Kepley ContractOrs: License# 33374  Name: L & S Well Service, LLC  Well Drilled Fo: Well Class: Type Equipment: City Gaz British a Prorated / Spaced Field? Target Formation(s): Bartlesville As Storage	-
Contact Person: Mike Kepley   Coulse Name: Lesses   33374   Loase Name: Kepley   Weil #: 1	-
Phone: \$620-431-8945  CONTRACTOR: Licensell, 33374  Name: L & S Well Service, LLC  Well Drilled For: Well Class: Type Equipment: Infield Mud Rotary Air Rotary Pool Ext. Molecular Service Pool Ext. Molecular Service Pool Ext. Molecular Service Pool Ext. Molecular Poo	-
CONTRACTOR: License# 33374	-
Name: L & S Well Bervice, LLC  Well Drilled For: Well Class: Type Equipment:    Case	-
Nearest Lease or unit boundary line (in footage): 1/2 Mile   Ground Surface Elevation:   Ground Surface Ploe Plant in the Ground Surface Ploe Plant in the Surface Plo	2
Ground Surface Elevation:	2
Ground Surface Elevation:  Ground Surface Elevation:  Ground Surface Elevation:  Ground Surface Elevation:  Water well within one mile:  Disposal Disposal Disposal  Disposal  Disposal  Other  Other:  Other:  Other:  Other:  Other:  Other:  Original Completion as follows:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Water Source for Ditling Operations:  Water Source Fig. 4 and Ditling Operations:  Water Source for Ditling Operations:  Water Source for Ditling Operations:  Water Source Fig. 4 and Ditling Opera	2
Water well within one-quarter mile: Disposal Dis	
Seismic   # of Holes Other   Other   Depth to bottom of fresh water: 15FT   Depth to bottom of susable water: 15FT   Depth to bottom of usable water: 15FT   Depth t	-
Depth to bottom of fresh water: 15F1	<del>-</del> - -
Other:	- - -
Surface Pipe by Alternate: \[ \] \[	-
Length of Surface Pipe Planned to be set:    Coperator:	-
Operator:	_
Well Name: Original Completion Date: Original Completion Date: Original Completion Date: Original Total Depth: Formation at Total Depth:  Water Source for Drilling Operations: Water So	
Original Completion Date:Original Total Depth:Formation at Total Depth:Bartlesville	_
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Well   Farm Pond   Other: Air	_
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;	
If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  RECEIVED  **ANSAS CORPORATION COM**  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;	
Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;	-
Will Cores be taken?  If Yes, proposed zone:  RECEIVED  **ANSAS CORPORATION COM**  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;	ست
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;	1
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;	•
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;	MISSI
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> </ol>	j
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> </ol>	
<ol> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> </ol>	OM.
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.	
I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief	
Will de Ouman	
Date: 1-25-08 Signature of Operator or Agent: Title: OWILE!	
Remember to:	_
	- เง
For KCC Use ONLY  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	_ ယ ယ
API # 15 - 133 - 21378 Completion Form According to field proration orders;	- ນ ນ
Conductor pipe required	
Minimum surface pipe required teet per ALT   Submit plugging report (CP-4) after plugging is completed (within 60 days);	33 27
Approved by: 1-28-08 - Obtain written approval before disposing or injecting salt water.	
ון און און און און און און און און און א	27 1
check the pox below and return to the address below.	27 1
(This authorization void if drilling not started within 12 months of approval date.)  Well Not Drilled - Permit Expired Date:	27 1
Signature of Operator or Agent:	27 1
Spud date: Agent:	27 1

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133- 27392-000			
Operator: Kepley Well Service, LLC (Mike Kepley)	Location of Well: County: Nec	osho	
Lease: Kepley	986	_ feet from N / X S Line of Section	
Well Number: 1	807 Sec. 33 Twp. 27	_ feet from N / N S Line of Section feet from E F / W Line of Section	
Field: Kepley	Sec. 33 Twp. 27	S. R. 18 X E W	
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:  SW4 - SE4 - NE4	Is Section: Regular or	Irregular	
NW-SE-SE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Kepley Well Service,	LLC (Mike Keple	ey)	License Number: 33749	
Operator Address: 19245 Ford Roa	ad		Chanute KS 667	
Contact Person: Mike Kepley		Phone Number: 620-431-8945		
Lease Name & Well No.: Kepley 1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		\$W4 <u>SE4</u> . <u>NE4</u>	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 33 Twp. 27 R. 18 East West	
Settling Pit	If Existing, date of	onstructed:	986 Feet from North / South Line of Sect	
Workover Pit Haul-Off Pit	Pit capacity:		807   East / West Line of Sect	
(If WP Supply API No. or Year Drilled)	80	(bbls)	Neosho Cou	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	Clay	
Pit dimensions (all but working pits):	5 Length (fe	eet) 15	Width (feet)N/A: Steel Pits	
	om ground level to de	•		
material, thickness and installation procedure	<b>).</b>	liner integrity, ii	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		west fresh water		
50 5 7 feet Depth of water well 91 feet meast				
Emergency, Settling and Burn Pits ONLY: Drilling, Works Producing Formation: Type of material		over and Haul-Off Pits ONLY:		
		al utilized in drilling/workover: Drill Cuttings		
		king pits to be utilized:1		
Barrels of fluid produced daily: Abandonment		procedure: Fill in		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		pe closed within 365 days of spud date.		
I hereby certify that the above state	ments are true and c	correct to the best	t of my knowledge and belief.	
		11-1	JAN 2 8 200	
		11 11 11	1 1/2	
1-25-08		Miles	CONSERVATION DIV	
1-25-08 Date	#104.70-00-30-00-00-00-00-00-00-00-00-00-00-00	Mrles	CONSERVATION DIV Ignature of Applicant or Agent WICHITA, KS	
-	KCC	OFFICE USE OF	ignature of Applicant or Agent WICHITA, KS	