

ORIGINAL

SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

API NO. 15- 163-23,128 -00-06

County Rooks

E/2 SE NW Sec. 27 Twp. 9S Rge. 20  East West

3300 Ft. North from Southeast Corner of Section

2970 Ft. West from Southeast Corner of Section  
(NOTE: Locate well in section plat below.)


Lease Name Tribble Well # 8

Field Name Northampton

Producing Formation Arbuckle

Elevation: Ground 2274 KB 2279

Total Depth 3910 PBDT



Amount of Surface Pipe Set and Cemented at 217' Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set 1742 Feet

If Alternate II completion, cement circulated from 1742  
feet depth to surface w/ 325 sx cmt.

Operator: License # 5285

Name: The Dane G. Hansen Trust

Address P. O. Box 187

City/State/Zip Logan, Kansas 67646

Purchaser: Farmland Industries

Operator Contact Person: Dane G. Bales

Phone (913) 689-4816

Contractor: Name: Galloway Drilling Co., Inc.

License: 5783

Wellsite Geologist: J. E. Jespersen

Designate Type of Completion

New Well  Re-Entry  Workover

Oil  SWD  Temp. Abd.

Gas  Inj  Delayed Comp.

Dry  Other (Core, Water Supply, etc.)

If OMO: old well info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Drilling Method:

Mud Rotary  Air Rotary  Cable

11/6/90 11/13/90 1/9/91

Spud Date Date Reached TD Completion Date

INSTRUCTIONS: This form shall be completed in triplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date of any well. Rule 82-3-130, 82-3-107 and 82-3-106 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months. One copy of all wireline logs and drillers time log shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells. Any recompletion, workover or conversion of a well requires filing of ACO-2 within 120 days from commencement date of such work.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Dane G. Bales

Title Manager Date 2/20/91

Subscribed and sworn to before me this 20 day of February, 19 91.

Notary Public Betty Jane Dittel

Date Commission Expires July 17, 1992.

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Drillers Timelog Received  
  
Distribution  
 KCC  SWD/Rep  NGPA  
 KGS  Plug  Other  
(Specify)



SIDE TWO

Operator Name The Dane G. Hansen Trust Lease Name Trible Well # 8  
 Sec. 27 Twp. 9 Rge. 20  East County Rooks  West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets.)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy.)

DST #1 - 3817-3830. 15-45-45-45.  
 Rec. 90' GIP; 90' G.W&MCO; 360' O&GCW;  
 300' O&GCW; 360' SOCW; 180' Wtr.  
 SIP's 760/760; FP's 62-218/302-541.

Name	Formation Description	
	Top	Bottom
Anhydrite	1754	(+525)
B/Anhydrite	1784	(+495)
Topeka	3292	(-1013)
Heebner	3496	(-1217)
Toronto	3519	(-1240)
Lansing	3536	(-1257)
BKC	3755	(-1476)
B/Penn Congl	3786	(-1507)
Arbuckle	3824	(-1545)
LTD	3912	(-1633)

CASING RECORD  New  Used  
 Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	23#	217'	60/40 Poz	140	2% Gel; 3% CC
Production	7 7/8	5 1/2		3907			
				Bottom	75 sx 60/40 Poz;		25 sx Common
				Top	325 sx 60/40 Poz,		6% Gel; 500 gal. WFB

Shots Per Foot	PERFORATION RECORD Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	3895-97	100 Gal. 15% Reg.	3842-44
4	3881-83	100 Gal. 15% Reg.	3852-54
4	3865-67	250 Gal. 15% Reg.	3865-67
4	3852-54	100 Gal. 15% Reg.	3881-83
4	3842-44	Squeeze - 120 sx Com.	3852-97

TUBING RECORD Size 2 1/2" Set At 3855 Packer At \_\_\_\_\_ Liner Run  Yes  No

Date of First Production 1/26/91 Producing Method  Flowing  Pumping  Gas Lift  Other (Explain) \_\_\_\_\_  
 Estimated Production Per 24 Hours Oil 4 Bbls. Gas \_\_\_\_\_ Mcf Water 190 Bbls. Gas-Oil Ratio 25 Gravity

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-18.)  
 METHOD OF COMPLETION  Open Hole  Perforation  Dually Completed  Commingled  
 Other (Specify) \_\_\_\_\_ Production Interval 3842-44





COMPANY D.G. Hansen FARM Table WELL NO. 8  
 SEC. TWP. RGE. LOC. COUNTY Boake STATE KY  
 CONTRACTOR Galbraith SIZE HOLE 7 7/8 DRILL PIPE 4 1/2 x 6  
 REMARKS: SIZE PUMP LINERS 6 LENGTH STROKE 14

COMPANY D.G. Hansen FARM Table WELL NO. 8  
 SEC. TWP. RGE. LOC. COUNTY Boake STATE KY  
 CONTRACTOR Galbraith SIZE HOLE 7 7/8 DRILL PIPE 4 1/2 x 6  
 REMARKS: SIZE PUMP LINERS 6 LENGTH STROKE 14

ORIGINAL

DATE	DEPTH	TIME O'CLOCK	MIN.	REMARKS
3850	01	10	4	
	16	4		
	19	3		
	23	4		
3	26	3		
	30	4		
	34	4		
	39	5		
	44	5		
10	51	7		
	57	7		
	7:05	7		
	11	6		
	15	7		
	24	6		
	29	5		
	35	6		
	40	5		
	44	4		
20	48	4		CFS 30-60
	50	3		
	52	3		
	54	3		
	56	3		
	58	3		
	60	3		
	62	3		
	64	3		
	66	3		
	68	3		
	70	3		
	72	3		
	74	3		
	76	3		
	78	3		
	80	3		
	82	3		
	84	3		
	86	3		
	88	3		
	90	3		
	92	3		
	94	3		
	96	3		
	98	3		
	100	3		

DATE	DEPTH	TIME O'CLOCK	MIN.	REMARKS
3850	01	10:57	3	
	05	2		
	07	2		
55	10	3		
	12	2		
	14	2		
	16	2		
	19	3		
3860	23	4		C.F.S. Conn vis 49 7.4m
	25	4		
	27	4		
	29	4		
	31	4		
	33	4		
	35	4		
	37	4		
	39	4		
	41	4		
	43	4		
	45	4		
	47	4		
	49	4		
	51	4		
	53	4		
	55	4		
	57	4		
	59	4		
	61	4		
	63	4		
	65	4		
	67	4		
	69	4		
	71	4		
	73	4		
	75	4		
	77	4		
	79	4		
	81	4		
	83	4		
	85	4		
	87	4		
	89	4		
	91	4		
	93	4		
	95	4		
	97	4		
	99	4		
	101	4		

DATE	DEPTH	TIME O'CLOCK	MIN.	REMARKS
3850	01	5:00	3	
	02	2		
	04	4		
	06	4		
	08	4		
5	13	3		
	16	3		
	20	4		
	23	3		
	26	3		
	28	3		
10	28	2		RTD. Circ 1 1/2 hr Start out for Log
	30	2		
	32	2		
	34	2		
	36	2		
	38	2		
	40	2		
	42	2		
	44	2		
	46	2		
	48	2		
	50	2		
	52	2		
	54	2		
	56	2		
	58	2		
	60	2		
	62	2		
	64	2		
	66	2		
	68	2		
	70	2		
	72	2		
	74	2		
	76	2		
	78	2		
	80	2		
	82	2		
	84	2		
	86	2		
	88	2		
	90	2		
	92	2		
	94	2		
	96	2		
	98	2		
	100	2		

DATE	DEPTH	TIME O'CLOCK	MIN.	REMARKS
3850	01	5:00	3	
	02	2		
	04	4		
	06	4		
	08	4		
5	13	3		
	16	3		
	20	4		
	23	3		
	26	3		
	28	3		
10	28	2		RTD. Circ 1 1/2 hr Start out for Log
	30	2		
	32	2		
	34	2		
	36	2		
	38	2		
	40	2		
	42	2		
	44	2		
	46	2		
	48	2		
	50	2		
	52	2		
	54	2		
	56	2		
	58	2		
	60	2		
	62	2		
	64	2		
	66	2		
	68	2		
	70	2		
	72	2		
	74	2		
	76	2		
	78	2		
	80	2		
	82	2		
	84	2		
	86	2		
	88	2		
	90	2		
	92	2		
	94	2		
	96	2		
	98	2		
	100	2		

Phone 913-483-2627, Russell, Kansas  
 Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812  
 Phone Ness City 913-798-3843

ORIGINAL

# ALLIED CEMENTING CO., INC. No. 9076

Home Office P. O. Box 31 Russell, Kansas 67665

Date	11-6-90	Sec.	27	Twp.	9 <sup>s</sup>	Range	20 <sup>w</sup>	Called Out	4:45 P.M.	On Location	6:45 P.M.	Job Start	8:10 P.M.	Finish	8:30 P.M.
Lease	Tribble	Well No.	8	Location	Pales (E. side) 1E 1/2 S			County	Rooks	State	Ks.				
Contractor	Galloway Dr. Co. Inc.			Rig #1	Owner Same										
Type Job	Set Surface Pipe														
Hole Size	12 1/4"		T.D.	220'											
Csg.	8 5/8"		Depth	217'											
Tbg. Size			Depth												
Drill Pipe			Depth												
Tool			Depth												
Cement Left in Csg.	12'		Shoe Joint												
Press Max.			Minimum												
Meas Line			Displace	X											
Perf.															

To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To The Dane G. Hansen, Trust  
 Street P.O. Box 187  
 City Logan, Mo. State Ks. 67646

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. Carl McGeer  
 X CEMENT

Amount Ordered 140 sks @ 1/40 per 2 1/2 gal, 3 lb c.c.

Consisting of

Common	84 sks @ 5.25/sk.	\$441.00
Poz. Mix	56 sks @ 2.25/sk.	126.00
Gel.	2 sks	
Chloride	4 sks @ 21.00/sk.	84.00
Quickset		

Handling	e 1.00/sk. (140 sks)	140.00
Mileage	e 0.34/sk/mi. (15 mi.)	63.00
Sub Total		854.00
Total		

Floating Equipment Thanks

RECEIVED  
 NOV 9 1990  
 AG

**EQUIPMENT**

No.	Cementer	Helper
Pumptrk #191	Gary H.	Wayne Mc.
Pumptrk #212	Glen C.	
Bulktrk		

**DEPTH of Job**

Reference: #1	Cumpruck-surface	\$380.00
#13	mileage @ 2.00/mi.	30.00
	1-8 5/8" wooden plug	42.00
	Sub-Total	452.00
	Tax	
	Total	

Remarks: Cement Circulated.

Phone 913-483-2627, Russell, Kansas  
 Phone 316-793-5861, Great Bend, Kansas

ORIGINAL

Phone Plainville 913-434-2812  
 Phone Ness City 913-798-3843

*New*  
**ALLIED CEMENTING CO., INC. N<sup>o</sup> 9084**

Home Office P. O. Box 31

Russell, Kansas 67665

Date	11-13-90	Sec.	27	Twp.	9 <sup>s</sup>	Range	20 <sup>w</sup>	Called Out	11:00 A.M.	On Location	4:00 P.M.	Job Start	7:45 P.M.	Finish	8:30 P.M.	
Lease	Tribble		Well No.		8		Location			Palco (S. side) 1E 1/2 S		County	Rooks		State	KS.
Contractor	Galloway Drilling Co., Inc. Rig #1															
Type Job	Two-stage Production String															
Hole Size	7 7/8"		T.D.		3910'											
Csg.	5 1/2"		Depth		3908'											
Csg. Size	8 7/8"		Depth		217'											
Drill Pipe			Depth													
Tool	D.V. (Baker)		Depth		1742'											
Cement Left in Csg.	22'		Shoe Joint		21.43'											
Press Max.	1300 #		Minimum													
Meas Line	X		Displace													
Perf.																

Owner *Same*

To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To *The Dane B. Hansen, Trust*

Street *P.O. Box 187*

City *Logan* State *Ks.* *67646*

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. *[Signature]*

**CEMENT**

Amount Ordered *325 sks @ 60/40 per 60 gal.*

**EQUIPMENT**

Pumptrk	No.	Cementor	<i>Ray H. Wayne Mo.</i>
	<i>191</i>	Helper	
Pumptrk	No.	Cementor	<i>Jim D.</i>
	<i>#156</i>	Helper	
Bulktrk		Driver	
Bulktrk		Driver	

Consisting of

Common	<i>195 sks @ 5.25/sk.</i>	<i>1023.75</i>
Poz. Mix	<i>130 sks @ 2.25/sk.</i>	<i>292.50</i>
Gel. //	<i>11 sks @ 6.75/sk. (Used 17 sks)</i>	<i>74.25</i>
Chloride		
Quickset		
Sales Tax		
Handling	<i>21.00/sk. (325 sks)</i>	<i>325.00</i>
Mileage	<i>0.03¢/sk./mi. (15 mi.)</i>	<i>146.25</i>
Sub Total		<i>#1861.75</i>
Total		

**DEPTH of Job**

Reference	<i>#3 Pump truck-top stage</i>	<i>#475.00</i>
	<i>#13 mileage</i>	<i>N/C</i>
Sub Total		<i>#475.00</i>
Tax		
Total		

Floating Equipment *Thanks*

Remarks: *Plugged rat hole w/15 sks. D.V. tool opened & closed O.K. and held. Cement Circulated.*

Phone 913-483-2627, Russell, Kansas

Phone 316-793-5861, Great Bend, Kansas

ORIGINAL *New*

Phone Plainville 913-434-2812

Phone Ness City 913-798-3843

# ALLIED CEMENTING CO., INC. N<sup>o</sup> 9083

Home Office P. O. Box 31 Russell, Kansas 67665

Date	11-13-90	Sec.	27	Twp.	9 <sup>s</sup>	Range	20 <sup>w</sup>	Called Out	11:00 A.M.	On Location	4:00 P.M.	Job Start	6:30 P.M.	Finish	7:30 P.M.	
Lease	Tribble	Well No.	8	Location				Palco (S. side) 1E 1/2 S	County	Rooks	State	Ks.				
Contractor	Galloway Drilling Co., Inc. Rig #1											Owner	Same			
Type Job	Two-Stage Production String															
Hole Size	7 7/8"		T.D.	3910'												
Csg.	5 1/2"		Depth	3908'												
Csg. Size	8 7/8"		Depth	217'												
Drill Pipe																
Tool	D.V. (Baker)		Depth	1742'												
Cement Left in Csg.	22'		Shoe Joint	21.43'												
Press Max.	900#		Minimum													
Meas Line	X		Displace													
Perf.																

To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To The Dane B. Hansen, Trust

Street P.O. Box 187

City Logan State Ks. 67646

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. [Signature]

[Signature] CEMENT

### EQUIPMENT

Pumptrk	No. 191	Cementor	Gary H.
		Helper	Wayne Mc.
Pumptrk	No.	Cementor	
		Helper	
Bulktrk	#212	Driver	Glen C.
Bulktrk	#156	Driver	Jim D.

Amount Ordered	125 sks com 10 basalt, 75 sks 6/40 p02	
Consisting of	6 gal. with 500 gal. WFR <sub>2</sub> mud flush	
Common	170 sks @ 5.25/sk	787.50
Poz. Mix	30 sks @ 2.25/sk	67.50
Gel.	3 sks @ 6.75/sk (used 4 sks)	20.25
Chloride Salt	12 sks @ 4.75/sk	57.00
Quickset		
WFR <sub>2</sub>	500 gal @ 50¢/gal	250.00
Sales Tax		

DEPTH of Job		
Reference:	#3 Pumptruck-bottom stage	\$880.00
	#13 mileage @ 2.00/mi	30.00
	Plug	N/C
	Sub Total	\$910.00
	Tax	
	Total	

Handling	@ 1.00/sk. (200 sks)	200.00
Mileage	@ 0.34/sk./mi. (15 mi)	101.90
Sub Total		\$1577.25
Total		

Floating Equipment Thanks

Remarks: Float Held.

77323001



Phone 913-483-2627, Russell, Kansas  
 Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812  
 Phone Ness City 913-798-3843

ORIGINAL New

**ALLIED CEMENTING CO., INC.** No. 9636

Home Office P. O. Box 31 Russell, Kansas 67665

Date	1-2-91	Sec.	27	Twp.	9 <sup>s</sup>	Range	20 <sup>w</sup>	Called Out	7:00 A.M.	On Location	9:00 A.M.	Job Start	9:45 A.M.	Finish	12:30 P.M.
Lease	Tribble			Well No.	8			Location	Palco 1/2 SE			County	Rooks		
Contractor	High Plains Production Service														
Type Job	Squeeze														
Hole Size	7 7/8"			T.D.	3910'										
Csg.	5 1/2"			Depth	3907'										
Tbg. Size	2 1/2"			Depth											
Drill Pipe															
Tool	Baker			Depth	3750'										
Cement Left in Csg.															
Press Max.	2500 #			Minimum											
Meas Line	Displace X														
Perfs	3852' - 3897'														

**EQUIPMENT**

Pumptrk	No. 191	Cementer	Gary H.
		Helper	Wayne Mc
Pumptrk	No.	Cementer	
		Helper	
Bulktrk	#212	Driver	Glenn C
Bulktrk		Driver	

DEPTH of Job	Reference	Amount
	#4 Pumptruck-squeeze	\$475.00
	#13 mileage	\$2.00/mi. 30.00
	Sub Total	\$505.00
	Tax	
	Total	

Remarks: Set packer, pumped 6 bbls acid, and displaced. Mixed cement and squeezed to 2500 #. Cleared tbg. Pulled 2 ft. Put 1000 # on squeeze and shut in.

To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To: D. G. Hansen Trust

Street: P.O. Box 187

City: Logan, Mo. State: Mo. 67646

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. \_\_\_\_\_

Amount Ordered: 120 sks cement

Consisting of:

Common	120 sks @ \$5.25/sk	\$630.00
Poz. Mix		
Gel.		
Chloride		
Quickset		
Sales Tax		
Handling	\$1.00/sk. (120 sks)	120.00
Mileage	\$0.44/sk./mi. (15 mi.)	72.00
Sub Total		\$822.00
Total		

Floating Equipment: Thanks

FEB 22 1991