


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Graham County, Sec. 35 Twp. 10 Rge. (E) 20 (W)
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines 1650' from West Line & 990' from
Lease Owner Cities Service Oil Co. North line
Lease Name Armbrister Well No. 1
Office Address Bartlesville, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) oil
Date well completed 10-3-52 19
Application for plugging filed 11-5-53 19
Application for plugging approved 11-6-53 19
Plugging commenced 12-8-53 19
Plugging completed 12-9-53 19
Reason for abandonment of well or producing formation non-commercial

If a producing well is abandoned, date of last production 10-31-53 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Mr. Eldon Petty
Producing formation Arbuckle Depth to top 3739 Bottom Total Depth of Well 3745 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8-5/8	244'	0
				5 1/2	3740'	2519'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Fill with sand from 3745 to 3725', run four sacks cement on sand
fill with mud to 250', set 10' rock bridge plug with 15 sacks cement.
Fill with mud to 30', set 5' rock bridge plug with ten sacks cement to
surface.

12-16-1953


(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor B & W Casing Pulling Co.
Address Great Bend, Kansas

STATE OF KANSAS, COUNTY OF BARTON, ss.
James Porter (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) James Porter
Box 553, Russell, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 15th day of December, 1953

My commission expires 3-12-1955 Notary Public.



15-163-03920-00-00
WELL RECORD

Company Cities Production Corporation Well No. 1 Farm Ambrister
 Location 1650' from West Line & 990' from North Line Sec. 35 T. 10 R. 20W
 Elevation 2160 (2157 Gr.) County _____ Rocks _____ State Kansas
 Drlg. Comm. September 17, 1952 Contractor Prime Drilling Company
 Drlg. Comp. October 3, 1952 Acid 1000 gals. 10-5-52; 2500 gals. 10-6-52.
 T. D. 3745' Initial Prod. 76 oil, 2 water, 24 hrs. (10-8-52)

CASING RECORD:

8-5/8" @ 244' con. 125 sk cement
 5-1/2" @ 3740' con. 175 sk cement

FORMATION RECORD:

surface sand & clay	0-40
shale	244
sand & shale	600
shale & shells	720
sand & shale	800
red bed & shale	920
shale & shells	1070
sand	1280
sand, shale & pyrite	1305
shale, shells & red bed	1600
anhydrite	1645
shale & shells	2220
shale & lime	2530
lime & shale	2630
shale & lime	3280
lime & shale	3440
lime	3680
conglomerate	3728
shale	3727
sand	3730
shale	3734
cored: shale & lime	3738
lime	3742
lime	3742 STD = 3740 SLN
lime	3745 T. D.

Corr. Nechner	3395'
Corr. Dodge	3417'
Corr. Lansing	3433'
Corr. Conglomerate	3678'
Corr. Simpson	3716'
Corr. Arbuckle	3739'
Penetration	6'
Total Depth	3745'

244 gals. oil in 12 hrs.

SLOPE TESTS (EASTMAN):

350'	1/2°
680'	1/2°
960'	3/4°
1200'	1/4°
1615'	1/2°
2000'	3/4°
2450'	3/4°
2970'	1/2°

7-7/8" rotary hole.

PLUGGING
 FILE SEC 35 T 10 R 20W
 BOOK PAGE 141 LINE 10