Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

Address: P.O. Box 701, Russell, Kansas 67665	API Number: 15 - 167-23462-0000
	Lease Name:
Phone: (785) 483 -8027 Operator License #: 33813	Well Number:
Type of Well: (Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) The plugging proposal was approved on: 10/21/2007 (Date) by: Rich Williams - Hays (KCC District Agent's Name) Is ACO-1 filed? Yes No	Spot Location (QQQQ): 100'E - C - S/2 - SE 620 Feet from North / South Section Line 1220 Feet from East / West Section Line Sec. 17 Twp. 14 S. R. 13 East West Russell County:
Producing Formation(s): List All (If needed attach another sheet)	Date Well Completed: 10/21/2007
Depth to Top: Bottom: T.D	Plugging Commenced: 10/21/2007
Depth to Top: Bottom: T.D Depth to Top: Bottom: T.D	Plugging Completed: 10/21/2007
Show depth and thickness of all water, oil and gas formations.	I.
	Surface Conductor & Production)
Formation Content From To Size	Put In Pulled Out
Describe in detail the manner in which the well is plugged, indicating where the mud fluid was phole. If cement or other plugs were used, state the character of same depth placed from (botto Plugged with 165 sacks 60/40 Poz., 4% Gel., 1/4# Flowseal per sack. 1st. plug - 25 sacks @ 480' wiper plug - 10 sacks @ 40' to surface rat hole. 15 sacks	om), to (top) for each plug set. acks @ 3286', 2nd. plug - 25 sacks @ 855', 3rd. plug - 80
hole. If cement or other plugs were used, state the character of same depth placed from (botto	om), to (top) for each plug set. acks @ 3286', 2nd. plug - 25 sacks @ 855', 3rd. plug - 80 mouse hole - 10 sacks. RECEIVED
hole. If cement or other plugs were used, state the character of same depth placed from (bottom Plugged with 165 sacks 60/40 Poz., 4% Gel., 1/4# Flowseal per sack. 1st. plug - 25 sacks @ 480', wiper plug - 10 sacks @ 40' to surface, rat hole - 15 sacks,	om), to (top) for each plug set. acks @ 3286', 2nd. plug - 25 sacks @ 855', 3rd. plug - 80
hole. If cement or other plugs were used, state the character of same depth placed from (botto Plugged with 165 sacks 60/40 Poz., 4% Gel., 1/4# Flowseal per sack. 1st. plug - 25 sacks @ 480', wiper plug - 10 sacks @ 40' to surface, rat hole - 15 sacks,	om), to (top) for each plug set. acks @ 3286', 2nd. plug - 25 sacks @ 855', 3rd. plug - 80 mouse hole - 10 sacks. RECEIVED KANSAS CORPORATION COMMISSIO
hole. If cement or other plugs were used, state the character of same depth placed from (botto Plugged with 165 sacks 60/40 Poz., 4% Gel., 1/4# Flowseal per sack. 1st. plug - 25 sacks @ 480', wiper plug - 10 sacks @ 40' to surface, rat hole - 15 sacks, Name of Plugging Contractor: Quality Oilwell Cementing, Inc. P.O. Box 32, Russell, Kansas 67665	mouse hole - 10 sacks. RECEIVED KANSAS CORPORATION COMMISSIC NOV 2.6 2007 License #: 33905 CONSERVATION DIVISION
hole. If cement or other plugs were used, state the character of same depth placed from (botto Plugged with 165 sacks 60/40 Poz., 4% Gel., 1/4# Flowseal per sack. 1st. plug - 25 sacks @ 480', wiper plug - 10 sacks @ 40' to surface, rat hole - 15 sacks, Name of Plugging Contractor: Quality Oilwell Cementing, Inc. P.O. Box 32, Russell, Kansas 67665	mouse hole - 10 sacks. RECEIVED KANSAS CORPORATION COMMISSIC NOV 2 6 2007 License #: 33905 CONSERVATION DIVISION WICHITA, KS