Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4 December 2003 Type or Print on this Form Form must be Signed All blanks must be Filled

_ease Operator: Bear P	enoieum, mc.				API Number: 15 - 035-21092 - 00-00			
Address: P.O. Box 438, Haysville, KS 67060					Lease Name:			
Phone: (316) 524 - 1225 Operator License #: 4419					Well Number: #7			
					Spot Location (QQQQ): SE SW SW			
Type of Well: Oil (Oil, Gas D&A, SWD, ENHF	R, Water Supply Well, Catho	Dock odic, Other)	et #: (If SV	VD or ENHR)	330 Feet from North / South Section Line			
The plugging proposal wa				(Date)	Feet from North / South Section Line 4290 Feet from East / West Section Line Sec. 8 Twp. 31 S. R. 6 East West			
_{bv:} 9-13-07			(KCC District	: Agent's Name)				
Is ACO-1 filed?	,				County: Cowley	5. R	st west	
Producing Formation(s): L					County:	2-16-1977 ed:		
-	Depth to Top: 2		2864	_{T.D.} 2975	Date Well Complete	ed: 9-19-07	Tanahar Transis	
	Depth to Top:				Plugging Commenced: 9-19-07 Plugging Completed: 9-24-07			
	Depth to Top:			i i				
Show depth and thicknes								
	Water Records	ao iormations.		Casing Record (S	urface Conductor & Pro	oduction)		
Formation	Content	From	То	Size	Put In	Pulled Out		
	Surface	Surface	185	8 5/8"	185	0		
	Production	Surface	2975	4 1/2"	2975	0		
			-					
	,			1			i i	
Describe in detail the mai			-	•		d or methods used in introducir	ng it into the	
hole. If cement or other	plugs were used, state t	the character of	same depth	placed from (botto	om), to (top) for each			
hole. If cement or other	plugs were used, state to 2800', sanded off bo	the character of sottom to 2750',	same depth pand dump b	placed from (botto	om), to (top) for each	plug set. 360' and circulated 37 sack		
hole. If cement or other Pushed bridge down to	plugs were used, state to 2800', sanded off book goomplete.	the character of sottom to 2750',	same depth pand dump b	placed from (botto	em), to (top) for each ement. Ran pipe to	plug set. 360' and circulated 37 sack	s cement	
hole. If cement or other Pushed bridge down to to surface. Pluggin	plugs were used, state to 2800', sanded off book goomplete.	the character of sottom to 2750',	same depth pand dump b	placed from (botto	em), to (top) for each ement. Ran pipe to	plug set. 360' and circulated 37 sack	s cement	
hole. If cement or other Pushed bridge down to to surface. Pluggin Total cement - 41 sack Name of Plugging Contra	plugs were used, state to 2800', sanded off bodg complete. s 60/40 poz 4%	the character of statement of s	same depth pand dump b	olaced from (botto	em), to (top) for each ement. Ran pipe to	plug set. 9 360' and circulated 37 sack	s cement	
hole. If cement or other Pushed bridge down to to surface. Pluggin Total cement - 41 sack	plugs were used, state to 2800', sanded off bodg complete. s 60/40 poz 4%	the character of statement of s	same depth pand dump b	olaced from (botto	om), to (top) for each	plug set. 360' and circulated 37 sack RANSAS COL	SECEIVED RPORATION COMM	
Pushed bridge down to surface. Pluggin Total cement - 41 sack Name of Plugging Contra	plugs were used, state to 2800', sanded off bodg complete. s 60/40 poz 4% actor: Mike's Testing & 7, Chase, KS 675	the character of softom to 2750', softom	same depth and dump b	olaced from (botto	om), to (top) for each	plug set. 360' and circulated 37 sack RANSAS COL	RECEIVED RPORATION COMM	
hole. If cement or other Pushed bridge down to to surface. Pluggin Total cement - 41 sack Name of Plugging Contra	plugs were used, state to 2800', sanded off bodg complete. s 60/40 poz 4% actor: Mike's Testing & 7, Chase, KS 675	Sedgwick	same depth and dump b	olaced from (botto	om), to (top) for each	plug set. 360' and circulated 37 sack RANSAS COL	RECEIVED RPORATION COMM C 2 6 2007 ERVATION DIVISION	
Pushed bridge down to surface. Pluggin Total cement - 41 sack Name of Plugging Contra Address: P.O. Box 46	plugs were used, state to 2800', sanded off borg complete. s 60/40 poz 4% actor: Mike's Testing & 7, Chase, KS 675 ple for Plugging Fees: E	Sedgwick	same depth and dump b	placed from (botto	om), to (top) for each ement. Ran pipe to	plug set. 9 360' and circulated 37 sack KANSAS COI 529 CONS	ECEIVED RPORATION COMM C 2 6 2007 ERVATION DIVISION WICHITA, KS	
Pushed bridge down to surface. Pluggin Total cement - 41 sack Name of Plugging Contra Address: P.O. Box 46 Name of Party Responsib State of Kansas R. A. Schremmer, Pres	plugs were used, state to 2800', sanded off bords of complete. s 60/40 poz 4% actor: Mike's Testing & 7, Chase, KS 675. ble for Plugging Fees: E County, sident	Salvage, Inc. Sear Petroleu Sedgwick	and dump b	colaced from (botto pailed 4 sacks ce	om), to (top) for each ement. Ran pipe to License #: 31	plug set. 360' and circulated 37 sack RANSAS COL	RECEIVED RPORATION COMM C 2 6 2007 ERVATION DIVISION WICHITA, KS	
Pushed bridge down to surface. Pluggin Total cement - 41 sack Name of Plugging Contra Address: P.O. Box 46 Name of Party Responsib State of Kansas R. A. Schremmer, Pres	plugs were used, state to 2800', sanded off boug complete. s 60/40 poz 4% actor: Mike's Testing & 7, Chase, KS 675. ble for Plugging Fees: County, sident t I have knowledge of the	Salvage, Inc. Sear Petroleu Sedgwick	and dump b	colaced from (botto pailed 4 sacks ce	om), to (top) for each ement. Ran pipe to License #: 31	plug set. 2 360' and circulated 37 sack KANSAS COI 529 CONS Dr) on above-described well, be	RECEIVED RPORATION COMM C 2 6 2007 ERVATION DIVISION WICHITA, KS	
Pushed bridge down to surface. Pluggin Total cement - 41 sack Name of Plugging Contra Address: P.O. Box 46 Name of Party Responsible State of Kansas R. A. Schremmer, Pressum on oath, says: Tha	plugs were used, state to 2800', sanded off boug complete. s 60/40 poz 4% actor: Mike's Testing & 7, Chase, KS 675. ble for Plugging Fees: County, sident t I have knowledge of the	Salvage, Inc. 24 Sear Petroleu Sedgwick ne facts statemer (Signature)	m, Inc.	olaced from (botto pailed 4 sacks contained 4 sacks contained 4 sacks contained 4 sacks contained a sa	Operator) or (Operator) and the log of the	plug set. 2 360' and circulated 37 sack KANSAS COI 529 CONS Dr) on above-described well, be	RECEIVED RPORATION COMM C 2 6 2007 ERVATION DIVISION WICHITA, KS	
Pushed bridge down to surface. Pluggin Total cement - 41 sack Name of Plugging Contra Address: P.O. Box 46 Name of Party Responsible State of Kansas R. A. Schremmer, Pressum on oath, says: Tha	plugs were used, state to 2800', sanded off boug complete. s 60/40 poz 4% actor: Mike's Testing & 7, Chase, KS 675. ble for Plugging Fees: County, sident t I have knowledge of the	Salvage, Inc. 24 Sear Petroleu Sedgwick ne facts statemer (Signature)	m, Inc.	colaced from (botto pailed 4 sacks ce	Operator) or (Operator) and the log of the	plug set. 2 360' and circulated 37 sack KANSAS COI 529 CONS Dr) on above-described well, be	RECEIVED RPORATION COMM C 2 6 2007 ERVATION DIVISION WICHITA, KS	
Pushed bridge down to surface. Pluggin Total cement - 41 sack Name of Plugging Contra Address: P.O. Box 46 Name of Party Responsible State of Kansas R. A. Schremmer, Pressum on oath, says: Tha	plugs were used, state to 2800', sanded off boug complete. s 60/40 poz 4% actor: Mike's Testing & 7, Chase, KS 675. ble for Plugging Fees: County, sident t I have knowledge of the	Salvage, Inc. Sear Petroleu Sedgwick ne facts statemer (Signature) (Address) P.0	m, Inc.	olaced from (botto pailed 4 sacks contained 4 sacks contained 4 sacks contained by the sack	Operator) or (Operator) and the log of the	plug set. 2 360' and circulated 37 sack KANSAS COI 529 CONS Dr) on above-described well, be	RECEIVED RPORATION COMM C 2 6 2007 ERVATION DIVISION WICHITA, KS	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



FIELD ORDER Nº C 32418

BOX 438 • HAYSVILLE, KANSAS 67060 316-524-1225

							DATE <u> SCAL</u>	<u> </u>	20/
IS AUTHORIZ	ED BY:		BREEK	Part	(NAME OF C	CUSTOMER)			(millionino likoperopia signi katemata (si ^{dim} onino) eski kining ayan da ayan ka ayan ayan ayan ayan ayan ayan
Address		1		•	•	•		State	
To Treat Well As Follows: L) ; ;		A CONTRACTOR OF THE CONTRACTOR			Custome		
Sec. Twp.	ease	3,00	>	**************************************					
Range	<u> 315</u>	LeE			County _	Cowbey		State _	<u>K3</u>
not to be held lia implied, and no r treatment is paya our invoicing dep	ble for any dan epresentations able. There will partment in acco	nage that may have been re be no discou ordance with I	accrue in con lied on, as to v nt allowed sub- atest publishe	nection with what may be t sequent to su d price sched	said service he results o ch date. 6% ules.	or treatment. Cor effect of the se	opeland Acid Service harvicing or treating said vicharged after 60 days.	as made no rep vell. The cons	fore mentioned well and is presentation, expressed or ideration of said service or are subject to correction by
THIS ORDER MUS							By		
				Well Owner or	Operator			Age	nt
CODE	QUANTITY				DESCRI	PTION		UNIT COST	AMOUNT
21100	\	Pino	. char	~ to	phy				Ge 605/
2W001	37=4	(0)	40 -4"	LG 8	ما الله	de.			2973
MA	j	Poly	nine.	Perntul		the service of the se			130.00
		1	111						
									RECEIVED
								KANS	AS CORPORATION COMMISS
		İ							DEC 2 6 2007
									CONSERVATION DIVISION
							A CONTRACTOR OF THE CONTRACTOR		WICHITA, KS
4700	375=1	Bulk Char	ne v	.\					1500
14411	143 B	Bulk Truck	(3)	110/	nge-				
	143			1 / n	->-		5. H		1575
		<u> </u>	Process Lice	nse Fee on			Ballons		
							TOTAL BILLING		
manner ur	at the above ider the dire Representativ	ction, supe	as been activision and	cepted and control of	l used; th the owne	at the above r, operator or	service was perforn his agent, whose s	ned in a goo ignature ap	od and workmanlike pears below.
	- Copiesonially	<u></u>	N 12	V					
Station	Bure	200			and the second s		Well Owner, Opera	ator or Agent	
Remarks_			**************************************		MONTH AND THE PROPERTY OF THE PARTY OF THE P	The state of the s			
					NET 30	DAYS			



TREATMENT REPORT

Acid Stage No.

1		<i>p</i>			Type Treatment:	Amt.	Type Fluid	Sand Size	Pounds of Sand
Date 9 2	TO THE	strict. But	PARCH F. C). No		Bbl. /Gal			
Company	Berg!	Her				Bbl./Gal			
Well Name &	No	50 F 7		•••••		Bbl. /Gal			
Location		<i>3</i>	Field			Bbl./Gal			
County C	SUMPER.		State X		Flush	Bbl./Gal			
	1		:		Treated from	ft.	to	ft. No. f	t
Casing: Size	72	Type & Wt	1	Set atft.	from	ft.	to	ft. No. f	t
Formation:			Perf	to	from	ft.	to	ft. No. f	t
Formation:		***************************************		to	Actual Volume of	Oll/Water to Load	Hole:	ih	Rb / Cul
Formation:			Perf	to					Carried Street, Street
			1	. Bottom atft.	Pump Trucks. No	o. Used: Std33	3sp	Twi	in
				ft. toft.	Auxiliary Equipm	nent Bulk T.	rek John	7.7 135	ž
				ft.		01 -			
Peri	forated from		ft. to	ft. to ft.		Holy Diffe.	27	P 7 9-317	uso 0_
			1		Plugging or Sealing	ng Materials: Type			
Open Hole Size	e	T.1)	ft. P.1	3. toft.				(lala	
_						$\mathcal{L}_{i} = \mathcal{Q}_{i}$	//		
Company F	Lepresentative		, 		_ Treater		¥		
a.m./p.m	PRESS	Casing	Total Fluid Pumped			REMARK	8		
4:15			-	D = 0	Sun pole	T win	3601		
			14 88	- BIJIN	eans born	1 bibs 12		WALL C	n ligher
4 35 7 45			7 130	5 100 230 100 1	se will	in den	Tools		
:			2300	275	De Traco	Charles Co	to suele	- lan	done
:		THE STATE OF THE S	32111	Palmora	1. 1. 5 5 5 L	To Da	e e ino	200	<u> </u>
500		<u> </u>		Topedow	- V3-00-3.E3.	7 7-3			
:						ay pagama a managan ya karanga maya maya maya a maya a maya ma			till to Paylin hill till a sakar som flystid þógar agatum verkur till þa
•				u anti-common common e e e e e e e e e e e e e e e e e e e		Access and the Philippe Management (1997)			Control of the contro
:								75-00	Market Control of the
:							70,000	A-CONTROL OF STREET AND ADDRESS OF THE STREET ADDRESS OF THE STREET AND ADDRESS OF THE STREET AN	
:									
•		ment and agreement of the latter of the state of the stat		nama di manga kagama kagama kasaka kadaka kadaka kadaka kada kada 					
		The latest and the la							
					O CONTROL OF THE OWNER,	·	var om a vitalitation and a second a second and a second		
*						# 34773+13041\$* (311)-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		Allow we have a second	**************************************
						arkenin ein formerne is with interestablische Sie Albie eil den eine ein geschen geweine		SECENTED	**************************************
			<u> </u>	\$ 0000 Table 1000 Tabl				RECEIVED REPORATION COM	MISSION
•				300° - 10° 			:841010000		
			<u> </u>				—— AF	C 2 6 2007	7
-:-								The same and the same and the same	
-:-							CONS	ERVATION DIVIS	ION
:						Direct Marketelania (marketelania) in direct del marketelania (direct del marketelania) del marketelania (direct del marketelania) del marketelania (direct del marketelani		WICHITA, KS	
:	AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS			OLDOGO ON ASSATO COLORONO PRESERVACE MATERIA NEL COLORONO MATERIA (A PROPERTIE DE LA COLORONO PROPERTIE DE LA COLORONO PRESERVA DE LA COLORONO PROPERTIE DEL COLORONO PROPERTIE DE LA COLORONO PROPERTIE DEL COLORONO PROPERTIE DE LA COLORONO PROPERTIE DEL COLORONO PROPERTIE DE LA COLORONO PROPERTIE DEL COLORONO PROPERTIE DE LA COLORONO PROPERTIE DEL COLORONO PROPERTIE DE LA COLORONO PROPERTIE DEL COLORONO PROPERTIE DE LA				Marie de la companya	AND THE PROPERTY OF THE PROPER
:						artida hitoeri provincia del productiva del calcular del calcular del calcular del calcular del calcular del c			The course of th
:					PRESIDENCE CONTRACTOR OF THE PRESIDENCE OF THE P	Cille (1995) (1999) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994)	COLUMN CO	Andrew Andrews and America Control of the Control o	The state of the s
•					The second secon	lattini erinin erini ili summuse kulimani omme estantiti erini ili annatiti energa antatansan.	er franklikke i trest entertalle fallet die fan de beste bes	AND DESCRIPTION OF THE PROPERTY OF THE PARTY.	**************************************
:						The second secon		Andrewsky open and produce and proper and the complete of the complete property.	POPOTE SE SE SELECTION CONTRACTOR SE
:	Market Company and the company of th	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~							
:			-			P-Vividad Adaministrator PRIVIDA de STANDA de Comença d			Control of the Contro
:									
:			-		and a service for the contraction of the service of				Formit Strange (State of State