

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Biting Building  
Wichita, Kansas

Graham

County, Sec. 10 Twp. 9S Rge. 22 ## (W)

Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines N/E S/W S/W

Lease Owner Wolfson Oil Co et al

Lease Name J. C. Swayze Well No. 2

Office Address P.O. Box 1144, Wichita Falls, Texas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 8-23-50

Application for plugging filed 7-17-51 19

Application for plugging approved 7-17-51 19

Plugging commenced 7-19-51 19

Plugging completed 7-29-51 19

Reason for abandonment of well or producing formation Well Comp. as Dry Hole

If a producing well is abandoned, date of last production None 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Perry, Hays, Kansas

Producing formation 3894 Depth to top 3886 Bottom 3894 Total Depth of Well 3894 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Anhydrite		1809	1829	8-5/8"	1826	None
Heebner		3488	3510			
Toronto		3512	3525			
Lansing		3528	3743			
Arbuckle		3884	3894	5-1/2"	3886'	2684'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Run Tubing - pumped out heavy mud to 3400'. Pumped plug to 3400'. Dumped 5 sax of cement. Shot casing off at 2653'. Pulled casing out and filled hole with heavy mud to 250'. Set rock bridge. Dumped in 15 sax of cement Filled hole to 30' of top. Mixed 10 sax cement for cap on well.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor J. O. Forbes  
Address Great Bend, Kansas

STATE OF Texas, COUNTY OF Wichita, ss.  
Sam Wolfson (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Sam Wolfson

P.O. Box 1144, Wichita Falls, Texas.

SUBSCRIBED AND SWORN to before me this 13th


day of August, 1951

6-30-53

My commission expires



AUG 14 1951 Notary Public.



CONSERVATION DIVISION  
Wichita, Kansas

KANSAS WELL LOG BUREAU --- KANSAS GEOLOGICAL SOCIETY

412 UNION NATIONAL BANK BUILDING - WICHITA, KANSAS

Wolfson Oil Company

COMPANY ~~WOLFSON OIL COMPANY~~

SEC. 10 T. 9S R. 22W

LOC. N/E S/W S/W

FARM J.C.Swayze

NO. 2

TOTAL DEPTH 3892'

COUNTY Graham


COMM.

COMP.

SHOT OR TREATED Acidized: with 2000 Gallons 8-16-50

CONTRACTOR Herndon Drilling Co.,

ISSUED For Gulf Oil Corporation



CASING

20	10
15½	8¼ 1826'
12½	6¾
13¾	5¼ 3887'

ELEVATION 2266'

PRODUCTION Dry Hole

FIGURES INDICATE BOTTOM OF FORMATIONS

	From	To
Clay, sand & shale	0'	<del>###</del> 510'
Shale		550
Shale & Sand		1175
Shale		1190
Sand		1220
Shale & Shells		1285
Shale & Sand		1500
Red rock & Sand		1580
Red rock		1605
Shale & shells		1809
Anhydrite		1829
Anhydrite & Shale		2010
Shale		2140
Shale & Shells		2425
Shale & lime		2780
Shale		2920
Shale & lime		3200
Shale & shells		3230
Lime		3463
Lime & shale		3530
Lime		3615
Lime & Shale		3670
Lime		3770
Shale		3809
Shale & lime		3860
Shale		3892
TOTAL DEPTH		

ED:RL  
9-11-50

**PLUGGING**  
FILE SEC 10 T 9 R 22W  
BOOK PAGE 94 LINE 35

STATE COMMISSION  
AUG 24 1951  
GEOLOGICAL SURVEY  
WICHITA, KANSAS