

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Operator: License # 4952  
Name: Starr F. Schlobohm  
Address P. O. Box 184  
Durham, NH 03824-0184  
City/State/Zip \_\_\_\_\_  
Purchaser: NCRA, Lease No. 17751  
Operator Contact Person: John L. Driscoll  
Phone (913) 483-5255  
Contractor: Name: Super Oilwell Service, Inc.  
License: 6535  
Wellsite Geologist: None

Designate Type of Completion  
 New Well  Re-Entry  Workover  
 Oil  SWD  S1OW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-Entry: old well info as follows:  
Operator: Yost Oil Operations, Inc.  
Well Name: DeYoung #2  
Comp. Date 3/7/85 Old Total Depth 3780  
 Deepening  Re-perf.  Conv. to Inj/SWD  
 Plug Back  PBTB  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Inj?)  Docket No. E - 26,345  
Feb. 21, 1992  
Spud Date \_\_\_\_\_ Date Reached TD \_\_\_\_\_ Completion Date \_\_\_\_\_

API NO. 15- 065 - 22,150,0002  
County Graham  
NW SE NE Sec. 35 Twp. 9 Rge. 21 XX  
3,630 Feet from S/N (circle one) Line of Section  
990 Feet from E/W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, SE, NW or SW (circle one)  
Lease Name DeYoung Well # 2  
Field Name Cooper North  
Producing Formation Lansing/Kansas City  
Elevation: Ground 2284 KB 2289  
Total Depth 3780 PBTB 3772  
Amount of Surface Pipe Set and Cemented at 281 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 1050 to 900 to 750 to  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content NA ppm Fluid volume NA bbls  
Dewatering method used Not applicable  
Location of fluid disposal if hauled offsite: Not applicable  
Operator Name \_\_\_\_\_  
Lease Name \_\_\_\_\_ License No. \_\_\_\_\_  
Q 1009 Quarter: \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S Rng. \_\_\_\_\_ E/W  
County Graham Docket No. \_\_\_\_\_  
KANSAS

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Starr F. Schlobohm  
Title Owner/Operator Date Mar. 4, 1992  
Subscribed and sworn to before me this 4th day of March  
19 92.  
Notary Public Victoria A. Petechik-Gray  
Date Commission Expires \_\_\_\_\_  
**VICTORIA A. PETECHIK-GRAY, Notary Public**  
My Commission Expires October 24, 1994

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Geologist Report Received  
Distribution  
 KCC 3/9/92 SWD/Rep  MGPA  
 KGS  Plug  Other  
(Specify)

Operator Name Starr F. Schlobohm Lease Name DeYoung Well # 2  
 Sec. 35 Twp. 9 Rge. 21  East County Graham  
 West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken (Attach Additional Sheets.)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datums	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	ANH	1772	517
Electric Log Run (Submit Copy.)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	B/ANH	1806	483
List All E.Logs Run:		TOP	3301	- 1012
Logs previously submitted		HEEB	3506	- 1217
		TOR	3540	- 1251
		LKC	3552	- 1263
		B/LKC	3775	- 1486
		RTD	1780	- 1491

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used <input type="checkbox"/> Not Available							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8"	NA	281'	NA	160	NA
Production	7 7/8	4 1/2"	NA	3772'	NA	175	NA

ADDITIONAL CEMENTING/SQUEEZE RECORD					
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives	
<input checked="" type="checkbox"/> Perforate	1050	com/poz mix	98/32	3 sks gel; 1 sk chloride	
<input checked="" type="checkbox"/> Protect Casing	900	com/poz mix	250/100	9 sks gel; 3 sks chloride	
<input type="checkbox"/> Plug Back TD	750	com/poz mix	250/100	9 sks gel; 3 sks chloride	
<input type="checkbox"/> Plug Off Zone	850	common	75	2 sks chloride	
Backside		com/poz mix	90/60	5 sks gel	

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2 SPF	8 perfs 3686 to 3690		
2 SPF	8 perfs 3707 to 3712		
2 SPF	12 perfs 3727 to 3733		
2 SPF	10 perfs 3745 to 3750		

TUBING RECORD Lined	Size 2 3/8"	Set At 3665'	Packer At 3632'	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------------	-------------	--------------	-----------------	---

Date of First, Resumed Production, SWD or Inj. Awaiting KCC approval	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input checked="" type="checkbox"/> SW Inj. well <input type="checkbox"/> Other (Explain)
--	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-18.)

METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) Salt Water Injection

Production Interval \_\_\_\_\_

Phone 913-283-2627, Russell, Kansas  
 Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812  
 Phone Ness City 913-798-3843

ORIGINAL

**ALLIED CEMENTING CO., INC.**

2474

Home Office P. O. Box 31

Russell, Kansas 67665

OLD

Date	1-22-92	Sec.	35	Twp.	9 S	Range	21 W	Called Out	6:45 AM	On Location	8:45 AM	Job Start	9:00 AM	Finish	10:45 AM
Lease	De Young	Well No.	#2	Location	CHURCH OF GOD 1/2 E 1/2 S			County	GRAHAM	State	KANSAS				
Contractor	SOS-JET Well Service														
Type Job	Squeeze (Circ. Cement)														
Hole Size	T.D.														
Csg.	4 1/2	Depth													
Tbg. Size	2	Depth													
Drill Pipe	Depth														
Tool	Depth														
Cement Left in Csg.	Shoe Joint														
Press Max.	1500 #	Minimum													
Meas Line	✓	Displace 16 3/4 BBL													
Perf.	@ 1050'														

Owner  
 To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To **STARR SCHLOBOHM**  
 Street **Box 184**  
 City **Durham** State **New Hampshire**  
 The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No.  
 X

**EQUIPMENT**

Pumptrk #177	No.	Cementer	<i>Bill</i>
		Helper	<i>Wile</i>
Pumptrk #215	No.	Cementer	
		Helper	
Bulktrk #160		Driver	<i>Janey</i>
Bulktrk #160		Driver	<i>Hart</i>

2 SK SAND		CEMENT	
Amount Ordered	80 SK	60/40 6% Gel	50 SK Com. 32 cc
Consisting of			
Common	98	SKs @	5 25
Poz. Mix	32	SKs @	2 25
Gel.	3	SKs @	6 75
Chloride	1	SKs @	21 00
Quickset			
2 - Sand @	4 75		9 50
Sales Tax			
Handling	1.00 Per SK		130 00
Mileage	.04 Per Ton Mile		88 40
17 miles		Sub Total	
Total			855 65

<b>DEPTH of Job</b>	
Reference:	Pump Trace CHRG. 380 00
	2.00 Per Mile 34 00
1-4" Rubber Plug	33 00
Sub Total	
Tax	
Total	447 00

Remarks:  
 PERF @ 1050' Hooked up to 4 1/2 csg. & pumped into @ 4000 #. @ 2 BBL/Per Min. Mixed 80 SK 60/40 & 50 SK Com. Released Plug & Followed w/ wire line to 1025' SHUT IN @ 1500 #.

Floating Equipment  
 MAR - 9 1992  
 Kansas

*Shank*

TELEPHONE:  
AREA CODE 913 483-2627

**ORIGINAL**  
**ALLIED CEMENTING COMPANY, INC.**  
P. O. BOX 31  
RUSSELL, KANSAS 67665

TO: Starr Schlobohm  
Box 184  
Durham, New Hampshire 03824

INVOICE NO. 61188  
PURCHASE ORDER NO. \_\_\_\_\_  
LEASE NAME DeYoung #2  
DATE Jan. 22, 1992

SERVICE AND MATERIALS AS FOLLOWS:

Common 98 sks @\$5.25	\$ 514.50	
Pozmix 32 sks @\$2.25	72.00	
Gel 3 sks @\$6.75	20.25	
Chloride 1 sk.	21.00	
Sand 2 sks @\$4.75	<u>9.50</u>	\$ 637.25
Handling 130 sks @\$1.00	130.00	
Mileage (17) @\$0.04c per sk per mi	88.40	
Squeeze	380.00	
Mi @\$2.00 pmp. trk.	34.00	
1 plug	<u>33.00</u>	

S. Tax 665.40  
68.39

Total \$ 1,371.04

#1630  
2/17/92 91  
\$10,065 Shut in @1500

MAR - 9 1992  
COL. SERVATION  
Wichita, Kansas  
\$ 205.60  
1,165.38

THANK YOU

All Prices Are Net, Payable 30 Days Following Date of Invoice. 1½% Charged Thereafter.

TELEPHONE:  
AREA CODE 913 483-2627

**ORIGINAL**  
**ALLIED CEMENTING COMPANY, INC.** 0001 0002  
P. O. BOX 31  
RUSSELL, KANSAS 67665

TO: Starr Schlobohm  
Box 184  
Durham, New Hampshire 03824

INVOICE NO. 61201

PURCHASE ORDER NO. \_\_\_\_\_

**CE**  
LEASE NAME DeYoung #2

DATE Jan. 27, 1992

SERVICE AND MATERIALS AS FOLLOWS:

Common 250 sks @\$5.25	\$ 1,312.50	
Pozmix 100 sks @\$2.25	225.00	
Gel 9 sks @\$6.75	60.75	
Chloride 3 sks @\$21.00	63.00	\$ 1,661.25

Handling 350 sks @\$1.00	350.00	
Mileage (19) @\$0.04¢ per sk per mi	266.00	
Squeeze	380.00	
Mi @\$2.00 pmp. trk.	38.00	
1 plug	33.00	1,067.00
		<u>129.59</u>

S. Tx

Total

\$ 2,857.84

*less* 428.68

\$ 2,429.16

#1630  
2/17/92 Shut in at 500  
Cement did not circ.  
710,065.91

THANK YOU

All Prices Are Net, Payable 30 Days Following Date of Invoice. 1½% Charged Thereafter.

TELEPHONE:  
AREA CODE 913 483-2627

ALLIED CEMENTING COMPANY, INC.

P. O. BOX 31  
RUSSELL, KANSAS 67665

101 0002  
ORIGINAL

TO: Starr Schlobohm  
Box 184  
Durham, New Hampshire 03824

INVOICE NO. 61214

PURCHASE ORDER NO. \_\_\_\_\_

LEASE NAME DeYoung #2

DATE Jan. 29, 1992

SERVICE AND MATERIALS AS FOLLOWS:

Common 250 sks @\$5.25	\$ 1,312.50	
Pozmix 100 sks @\$2.25	225.00	
Gel 9 sks @\$6.75	60.75	
Chloride 3 sks @\$21.00	63.00	\$ 1,661.25
	<hr/>	
Handling 350 sks @\$1.00	350.00	
Mileage (19) @\$0.04¢ per sk per mi	266.00	
Pmp. trk. chg.	380.00	
Mi @\$2.00 pmp. trk.	38.00	
1 plug	33.00	
	<hr/>	1,067.00
	S. Tax	143.23
		<hr/>
	Total	\$ 2,871.48

#1630  
2/17/92  
\$10,065.92

THANK YOU

All Prices Are Net, Payable 30 Days Following Date of Invoice. 1½% Charged Thereafter.

RECEIVED  
STATE CORPORATION COMMISSION

MAR - 9 1992

CONSERVATION  
Wichita, Kansas

430.72  
2,440.76

TELEPHONE:  
AREA CODE 913 483-2627

ALLIED CEMENTING COMPANY, INC.  
P. O. BOX 31  
RUSSELL, KANSAS 67665

ORIGINAL

TO: Starr Schlobohm

Box 184

Durham, New Hampshire 03824

INVOICE NO. 61220

PURCHASE ORDER NO. \_\_\_\_\_

LEASE NAME DeYoung #2

DATE Jan. 31, 1992

SERVICE AND MATERIALS AS FOLLOWS:

Common 90 sks @\$5.25	\$472.50	
Pozmix 60 sks @\$2.25	135.00	
Gel-5 sks @\$6.75	<u>33.75</u>	\$ 641.25
Handling 150 sks @\$1.00	150.00	
Mileage (19) @\$.04¢ per sk per mi	114.00	
Squeeze	380.00	
Mi @\$2.00 pmp trk chg	<u>38.00</u>	682.00
	Sales tax	<u>69.47</u>

Total \$1,392.72

208.91  
1,183.81

#1630  
2/17/92  
\$10,065.<sup>91</sup>

Thank you!

MAR - 9 1992

All Prices Are Net, Payable 30 Days Following Date of Invoice. 1½% Charged Thereafter.

TELEPHONE:  
AREA CODE 913 483-2627

ALLIED CEMENTING COMPANY, INC.  
P. O. BOX 31  
RUSSELL, KANSAS 67665

ORIGINAL

TO: Starr Schlobom  
Box 184  
Durham, New Hampshire 03824

INVOICE NO. 61256

PURCHASE ORDER NO. \_\_\_\_\_

LEASE NAME DeYoung #2

DATE Feb. 8, 1992

SERVICE AND MATERIALS AS FOLLOWS:

Common 75 sks @\$5.25	\$ 393.75	
Chloride 2 sks @\$21.00	<u>42.00</u>	\$ 435.75
Handling 75 sks @\$1.00	75.00	
Mileage (19) @\$0.04¢ per sk per mi	57.00	
Squeeze	380.00	
Mi @\$2.00 pmp. trk.	<u>38.00</u>	

S. Tax 550.00  
46.82

Total \$ 1,032.57

*less*  
154.89  
\$ 877.68

STATE COMMISSION

MAR - 9 1992

THANK YOU

All Prices Are Net, Payable 30 Days Following Date of Invoice. 1½% Charged Thereafter.

Squeezed to 1500  
#1630  
2/17/92  
\$10,065.91



Phone 913-483-2627, Russell, Kansas  
 Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812  
 Phone Ness City 913-798-3843

# ALLIED CEMENTING CO., INC.

Home Office P. O. Box 31

Russell, Kansas 67665

2388

Date	1-27-92	Sec.	35	Fwp.	9 <sup>s</sup>	Range	21 <sup>w</sup>	Called Out	9:00 A.M.	On Location	1:45 P.M.	Job Start	2:15 P.M.	Finish	3:30 P.M.
Lease	De Young	Well No.	2	Location				Palco (Booster St.) 3 1/2 W 1/2 SE	County	Graham	State	Ks.			

Contractor *SOS Jet Well Service*

Owner *Same*

Type Job *Squeeze*

Hole Size	7 1/8"	T.D.	3780'
Csg.	4 1/2"	Depth	
Csg. Size	8 7/8"	Depth	284'
Drill Pipe		Depth	
Tool		Depth	
Cement Left in Csg.	16'	Shoe Joint	
Press Max.	900 #	Minimum	
Meas Line	X	Displace	

Perfs *2 holes at 900'*

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To *Starr Schlobohm*

Street *Box 184*

City *Durham*, State *New Hampshire 0382*

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. *[Signature]*

X *[Signature]*

**CEMENT**

**EQUIPMENT**

No.	Cementer	<i>Gary H. Marilyn K.</i>
Pumptrk 191	Helper	
No.	Cementer	<i>Paul D.</i>
Pumptrk	Helper	
	Driver	<i>Joe B.</i>
Bulktrk #213		
Bulktrk #212	Driver	

Amount Ordered	<i>250 sks 60/40 902 6 bagel</i>
Consisting of	<i>100 sks com 360 c.c.</i>
Common	<i>250 sks @ 5.25/sk. 1312.50</i>
Poz. Mix	<i>100 sks @ 2.25/sk. 225.00</i>
Gel.	<i>9 sks @ 6.75/sk. (Used 13 sks) 60.75</i>
Chloride	<i>3 sks @ 21.00/sk. 63.00</i>
Quickset	

**DEPTH of Job**

Reference #4	<i>2nd Day Pumptruck squeeze</i>	#	<i>380.00</i>
#13	<i>mileage @ 2.00/mi.</i>		<i>38.00</i>
	<i>1-4 1/2" rubber plug</i>		<i>33.00</i>
	Sub Total		<i>451.00</i>
	Tax		
	Total		

Handling	<i>21.00/sk. (350 sks)</i>	<i>350.00</i>
Mileage	<i>204 4/sk./mi. (19 mi.)</i>	<i>266.00</i>
Sub Total		<i>2277.25</i>
Total		

**Remarks:**

*Perforated 4 1/2" csg. at 900' with 2 holes.  
 Mixed cement and displaced to 884', and shut in at 500 #.  
 Cement did not circulate.*

Floating Equipment *Thanks*

Phone 913-483-2627, Russell, Kansas  
 Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2012  
 Phone Ness City 913-798-3843

# ALLIED CEMENTING CO., INC.

Home Office P. O. Box 31

Russell, Kansas 67665

1849

*OLD*

Date	1-29-92	Sec.	35	Twp.	9	Range	21	Called Out	8:00 AM	On Location	1:45 PM	Job Start	2:15 PM	Finish	3:00 PM
Lease	DeYoung		Well No.	#2		Location			Palco 1S 32W 2SE			County	Graham Kansas		
Contractor	SOS-52 Well Service														
Type Job	Circulate Cement														

Hole Size	7 7/8"	T.D.	3780'
Csg.	4 1/2"	Depth	
Tbg. Size	2 3/4"	Depth	284'
Drill Pipe		Depth	
Tool		Depth	
Cement Left in Csg.		Shoe Joint	
Press Max.	900 #	Minimum	500 #
Meas Line		Displace	
Perf.	@ 750'		

**EQUIPMENT**

#153 No.	Cementer	M Kaufman
Pumptrk	Helper	Dave F.
No.	Cementer	
Pumptrk	Helper	
#160	Driver	Mark D.
Bulktrk		
Bulktrk #212	Driver	Joe S

Owner *SAMP*

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To *Starr Schlobohm*

Street *Box 184*

City *Durham* State *New Hampshire*

The above was done to satisfaction and supervision of owner agent or contractor. *03824*

Purchase Order No. *[Signature]*

X

**CEMENT**

Amount Ordered *250 SKS 60/40 Poz. 67.6el*

Consisting of *100 SKS COM 37.0cl*

Common	250	SKS	25.25	1,312.50
Poz. Mix	100	SKS	22.25	2,225.00
Gel.	8	SKS	7.625	60.95
Chloride	3	SKS	21.00	63.00
Quickset				

Handling	1.00 per SK	350.00
Mileage	4¢ per SK/mile	266.00
19 mile		
Sub Total		
Total		2,279.00

Floating Equipment

*[Signature]*

9 1992

Kansas

**DEPTH of Job**

Reference:	#	PUMP TRK	380.00
		2.00 per mile	38.00
		4 1/2 Rubber Plug	33.00
		Sub Total	
		Tax	
		Total	451.00

Remarks: *perforated casing @ 750' Mixed 350 SKS Cement Release plug pumped to @ 735' Shut IN @ 500 #*

Phone 913-483-2627, Russell, Kansas  
 Phone 316-793-5861, Great Bend, Kansas

ORIGINAL

Phone Plainville 913-434-2812  
 Phone Ness City 913-798-3843

# ALLIED CEMENTING CO., INC.

1881

Home Office P. O. Box 31

Russell, Kansas 67665

Date <i>1-31-92</i>	Sec. <i>35</i>	Fwp. <i>9</i>	Range <i>21</i>	Called Out	On Location	Job Start	Finish <i>10:45AM</i>
Lease <i>De young</i>	Well No. <i>2</i>	Location <i>Church God 3/4 E 25</i>		County <i>Graham</i>	State <i>Kan</i>		

Contractor

Type Job *Backside Squeezer*

Hole Size	T.D.
Csg. <i>4 1/2</i>	Depth
Tbg. Size	Depth
Drill Pipe	Depth
Tool	Depth
Cement Left in Csg.	Shoe Joint
Press Max.	Minimum
Meas Line	Displace
Perf.	

Owner

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To *Starr Schlobohm*

Street *Box 184*

City *Durham* State *New Hampshire*

The above was done to satisfaction and supervision of owner agent or contractor. *03824*

Purchase Order No.

X *John Smith*

### EQUIPMENT

Pumptrk <i>153</i>	No.	Cementer	<i>Dave</i>
		Helper	<i>Joseph</i>
Pumptrk	No.	Cementer	
		Helper	
Bulktrk <i>213</i>		Driver	<i>Mark</i>
		Driver	

**CEMENT**

Amount Ordered *150 40 6 75 gel*

Consisting of

Common	<i>90</i>	<i>SKs @ 5 25</i>	<i>472 50</i>
Poz. Mix	<i>60</i>	<i>SKs @ 2 25</i>	<i>135 00</i>
Gel.	<i>5</i>	<i>SKs @ 6 75</i>	<i>33 75</i>
Chloride			
Quickset			
Sales Tax			
Handling	<i>1.00 per SK</i>		<i>150 00</i>
Mileage	<i>4¢ per SK/mile</i>		<i>114 00</i>
Sub Total			
Total			<i>905 25</i>

### DEPTH of Job

Reference:	<i>Dump truck chg</i>	<i>380 00</i>
	<i>2¢ per mile</i>	<i>38 00</i>
	Sub Total	
	Tax	
	Total	<i>418 00</i>

### Remarks:

*pressured casing to 700 & shut in  
 mixed cement down 8' shut in @ 100 psi*

MAR - 9 1992



# SUPER OILWELL SERVICE, INC.

JET WELL SERVICING

Phone 913-483-6006 . Russell, Kansas 67665 — P.O. Box 534

NO. -92-R- 15486

COMPANY Starr Schiobohm  
 ADDRESS P.O. Box 184  
 ADDRESS Durham NH 03824  
 LEASE DEYOUNG # 2

FEBRAURY 25, 1992

ORDER NO. \_\_\_\_\_  
 WORK STARTED 12/26/91 COMPLETED 02/21/92

PULLED				RUN			
JTS.	FT.	DESCRIPTION	EQUIPMENT	JTS.	FT.	DESCRIPTION	
			Anchor			JT TAILPIPE	
			Perf.				
			Wk. Barrel				
			Hold Down				
			Tubing	16		2 3/8 EUEBRT PLASTIC	
			Tubing Subs				
			S. Valve				
			T. Valve				
			Pumps				
			Rods				
			Rods				
			Rod Subs				
			Polish Rod				
		PACKER				2 3/8 X 4 1/2 AD-1	
No.		Kind	Balls & Seats				
No.		Kind	Cups				

SERVICES		Hours	Per Hour	Amount
Unit and Power Tools	UNIT # 31	66.5	\$ 42.00	\$ 2,793.00
Operator	DAVE BRAY	80.5	\$ 15.00	\$ 1,207.50
Labor	DON & JIM	161.0	\$ 14.00	\$ 2,254.00
	***MISC***		\$ MATERIAL	\$ 1,147.00
			\$ TAX	\$ 388.58
			<b>TOTAL:</b>	<b>\$ 7,790.08</b>

Remarks:

\*\*\*MISC\*\*\*  
 2-4 1ST DAY MUDPUMP, SWIVEL, & TRUCKS \$ 400.00  
 8 HRS @ 35.00 280.00  
 WORKOVER HEAD N/C  
 1- 2 3/8 HEAD RUBBER 112.00  
 2- DRILL COLLARS & SUBS 100.00  
 1- 3 7/8 BIT 230.00  
 THREAD DOPE 25.00  
 -----  
 \$ 1147.00

7 DAYS DRIVING @ 2HRS = 14

--- CONT ---

BY *Shannon Wagner*

ORIGINAL

SCHLOBOHM  
DEYOUNG #2  
INVOICE # 15486

12-26-91 DROVE TO LOCATION, RIGGED UP, RAN PACKER AND TUBING, AND SHUT DOWN FOR THE DAY. (10)

1-9 DROVE TO LOCATION, PUT ON HEAD RUBBER, GOT OFF PLUG, TESTED PLUG, HELD 800#, PULLED 5 JTS TUBING, SPOTTED SAND, PULLED OUT OF HOLE, PUT SWEDGE ON CASING 4 1/2", LOADED CASING, PRESSURIZED TO 400#, LEFT SHUT IN, DRAINED PUMP, AND SHUT DOWN FOR THE DAY. (6)

2-4 LOADED DRILL COLLARS, TOOK TO LOCATION, PUT ON WORKOVER HEAD, RAN NEW 3 7/8" BIT, DRILLED COLLARS AND TUBING TO 700', TAGGED CEMENT, HOOKED UP MUD PUMP & SWIVEL, BROKE CIR., STARTED DRILLING, DRILLED SLOW, DID NOT SEE ANY PART OF PLUG, DRILLED TO 876', CIRCULATED CLEAN, AND SHUT DOWN FOR THE DAY. (12.5) M.P.(8.5) SWIV (8.5)

2-5 DROVE TO LOCATION, BROKE CIRCULATION, DRILLED FROM 876' TO 908', FELL THROUGH 3 JTS., 1000', DRILLED RUBBER AND WOOD PLUG, THEN CEMENT TO 1032', FELL THROUGH, RAN ON IN TO 1225', CIRCULATED CLEAN, PUT ON HAED RUBBER, PRESS. ON CASING, WOULD NOT HOLD, PULLED OUT OF HOLE, STANDING COLLARS, TOOK OFF HEAD, AND SHUT DOWN FOR THE DAY.(10.5) M.P.(6.5) SWIV.(6)

2-8 DROVE TO LOCATION, PUT ON HEAD, WAITED ON PACKER, RAN PACKER AND 35 JTS TUBING, PUT ON HEAD RUBBER, SET PACKER, TESTED DOWN TUBING, HELD, PULLED 3 JTS, TESTED, HELD, PULLED 5 JTS, TESTED, DID NOT HOLD, TESTED BACKSIDE, HELD, CEMENT SQUEEZED, STAGED, CIRCULATED CLEAN, PULLED 2 JTS TUBING, PRESS. TO 1000#, AND LEFT SHUT IN FOR THE WEEKEND. (7)

2-10 DROVE TO LOCATION, RELEASED PRESSURE, RELEASED PACKER, PULLED OUT OF HOLE, RAN 3 7/8" BIT, COLLARS, & TUBING. TAGGED CEMENT AT 855', HOOKED UP PUMP & SWIVEL, BROKE CIRCULATION, DRILLED CEMENT TO 920', FELL THROUGH, RAN 3 JTS, CIRCULATED CLEAN, PUT ON HEAD RUBBER, TESTED TO 300#, HELD, RAN IN, DRILLED CAP OFF SAND, CIRCULATED SAND OUT, PULLED OUT OF HOLE, TOOK OFF HEAD, LAYED DOWN DRILL COLLARS, PUT ON SWEDGE, AND PRESSURED TO 350#, LEFT SHUT IN, AND SHUT DOWN FOR THE DAY. (12)

2-20 DROVE TO LOCATION, RELEASED PRESSURE, PUT ON HEAD, RAN CATCHER AND TUBING, HOOKED UP PUMP, CIRCULATED SAND OFF PLUG, GOT HOLD OF PLUG, PULLED OUT OF HOLE, LAYED TUBING DOWN ON TRAILER, MOVED TRUCK & TRAILER OUT OF WAY, LOADED DRILL COLLARS, TORE DOWN PUMP, DIESELED UP, TOOK DRILL COLLARS, TO YARD, AND SHUT DOWN FOR THE DAY. (10.5) M.P. (1.5)


2-21 DROVE TO LOCATION, TALLIED, RAN 1 JT, TAILPIPE, PACKER, AND TUBING. SET PACKER 3660, RELEASED PACKER, PUMPED 60 BBL, TREATED WATER DOWN BACKSIDE, COULD NOT GET PACKER TO SET, PULLED OUT OF HOLE, REPAIRED PACKER, RAN BACK IN, SET PACKER 3630, 20,000# OVERWEIGHT, SET IN SLIPS, PACKED OFF, TORE DOWN, CLEANED LOCATION, AND MOVED OFF. (12)

116  
3,662.77  
62.9  
3632  
30.96

257

RECEIVED  
MAY 9 1992

43508



# ELI WIRELINE SERVICES, INC.

P.O. BOX 81—GREAT BEND, KANSAS 67530

**No 12383**

In Remitting or Corresponding  
Please Refer to Above Invoice Number

SERVICE TICKET AND INVOICE

**ORIGINAL**

CHARGE TO STARR SCHLOBOHM  
 ADDRESS P.O. Box 184  
 CITY DURHAM, NH 03824  
 WELL De Young #2  
 FIELD \_\_\_\_\_

Date 1/22/92  
 Engineer SPILLAR  
 Operator BARBIL  
 Truck No. 145

CUSTOMER ORDER NO. \_\_\_\_\_  
 CASING SIZE & WEIGHT 4 1/2  
 COUNTY GRAHAM

LEGAL DESCRIPTION: NW SE NE 35 9S 21W

CASED HOLE SERVICES					OPEN HOLE SERVICES				
Combination G/R-Neutron Log <input type="checkbox"/>	Correlation Log <input type="checkbox"/>	Differential Temperature Log <input type="checkbox"/>	Sonic Bond Log <input type="checkbox"/>	Cement Top Log <input type="checkbox"/>	<input type="checkbox"/>	GAMMA RAY-NEUTRON GUARD & CALIPER LOG <input type="checkbox"/>	<input type="checkbox"/>	BHC SONIC LOG <input type="checkbox"/>	SS <input type="checkbox"/>
<input type="checkbox"/>		Density Gas Detection Log <input type="checkbox"/>	Steel Carrier <input checked="" type="checkbox"/>	Bridge Plug <input type="checkbox"/>	<input type="checkbox"/>	INDUCTION ELECTRIC LOG <input type="checkbox"/>	<input type="checkbox"/>		FF <input type="checkbox"/>
<input type="checkbox"/>		Link Jet <input type="checkbox"/>	Strip Jet <input type="checkbox"/>	Tornado Frac Jet <input type="checkbox"/>	<input type="checkbox"/>	BHC DENSITY LOG <input type="checkbox"/>	GR <input type="checkbox"/>	COMPUTER ANALYZED LOGGING SYSTEMS <input type="checkbox"/>	N <input type="checkbox"/>

Received These Services According To The Terms & Conditions On Reverse Side Hereof:

I DO  WANT TOOL INSURANCE.  
 I DO NOT  WANT TOOL INSURANCE. COST \_\_\_\_\_  
 SIGNATURE LINE \_\_\_\_\_

CUSTOMER [Signature]  
 AUTHORIZED AGENT \_\_\_\_\_

TERMS: Net Cash 20th of Month Following Invoice Date. 1.5% Interest Per Month Charged After 60 Days.

INVOICE SECTION PERFORATING AND OTHER				
Price Ref. No.	No. Holes	Depth		Amount
		From	To	
210-2	2	1050	1050	460.00


INVOICE SECTION — SERVICE CHARGE					
Price Ref. No.	Description Of Charge	From	To	No. Feet	Amount
INVOICE SECTION LOGGING					
	Depth Charge				
	Logging Charge				
	Other				

INVOICE SECTION PLUGS, PACKERS AND OTHER				
Price Ref. No.	Type	Size	Depth	Amount

SUB-TOTAL	810.00
LESS DISCOUNT IF PAID IN 30 DAYS	202.50
<b>TOTAL</b>	<b>607.50</b>







# ELI WIRELINE SERVICES, INC.

P.O. BOX 81—GREAT BEND, KANSAS 67530

**N<sup>o</sup> 12377**  
In Remitting or Corresponding  
Please Refer to Above Invoice Number

## SERVICE TICKET AND INVOICE

**ORIGINAL**

CHARGE TO STARR SCHLOBOHM  
 ADDRESS P.O. Box 184  
 CITY Durham, NH 03824  
 WELL DE YOUNG # 2  
 FIELD \_\_\_\_\_

Date 1-29-92  
 Engineer R SMITH  
 Operator DAN  
 Truck No. 45  
 CUSTOMER ORDER NO. \_\_\_\_\_  
 CASING SIZE & WEIGHT 4 1/2  
 COUNTY GRAMHAM

### LEGAL DESCRIPTION:

CASED HOLE SERVICES				OPEN HOLE SERVICES			
<input type="checkbox"/> Combination G/R-Neutron Log	<input type="checkbox"/> Correlation Log	<input type="checkbox"/> Differential Temperature Log	<input type="checkbox"/> Sonic Bond Log SS	<input type="checkbox"/> Cement Top Log	<input type="checkbox"/> GAMMA RAY-NEUTRON GUARD & CALIPER LOG	<input type="checkbox"/> BHC SONIC LOG	<input type="checkbox"/> SS
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Density Gas Detection Log	<input type="checkbox"/> Steel Carrier	<input type="checkbox"/> Bridge Plug	<input type="checkbox"/> INDUCTION ELECTRIC LOG	<input type="checkbox"/>	<input type="checkbox"/> FF
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Link Jet	<input type="checkbox"/> Strip Jet	<input type="checkbox"/> Tornado Frac Jet	<input type="checkbox"/> BHC DENSITY LOG	<input type="checkbox"/>	<input type="checkbox"/> COMPUTER ANALYZED LOGGING SYSTEMS

Received These Services According To The Terms & Conditions On Reverse Side Hereof:

I DO  WANT TOOL INSURANCE.  
 I DO NOT  WANT TOOL INSURANCE. COST \_\_\_\_\_  
 SIGNATURE LINE \_\_\_\_\_

CUSTOMER \_\_\_\_\_  
 AUTHORIZED AGENT *[Signature]*

TERMS: Net Cash 20th of Month Following Invoice Date. 1.5% Interest Per Month Charged After 60 Days.

INVOICE SECTION PERFORATING AND OTHER				
Price Ref. No.	No. Holes	Depth		Amount
		From	To	
210-1	2	750	750	460 <sup>00</sup>

INVOICE SECTION — SERVICE CHARGE					
Price Ref. No.	Description Of Charge	Depth		No. Feet	Amount
		From	To		
100					350 <sup>00</sup>

INVOICE SECTION LOGGING					
Price Ref. No.	Description Of Charge	Depth		No. Feet	Amount
		From	To		
	Depth Charge				
	Logging Charge				
	Other				

INVOICE SECTION PLUGS, PACKERS AND OTHER				
Price Ref. No.	Type	Size	Depth	Amount

SUB-TOTAL 810<sup>00</sup>  
 LESS DISCOUNT IF PAID IN 30 DAYS 202<sup>50</sup>  
**TOTAL 607<sup>50</sup>**