For KCC Use: 2-3-08 Effective Date: 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date February 4, 2008	Spot ✓ East
month day year	<u>SE</u> <u>SW</u> <u>Sec. 15</u> <u>Twp. 30</u> <u>S. R. 13</u> <u>West</u>
OPERATOR: License#_33365 🖍	438 feet from N / 🗸 S Line of Section
Name: Layne Energy Operating, LLC	2159feet from E / W Line of Section
1900 Shawnee Mission Parkway	Is SECTIONRegularIrregular?
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Timothy H. Wright	County: Elk
Phone: 913-748-3960	Lease Name: Shay Well #: 14-15
33606	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606 Name: Thornton Air	Is this a Prorated / Spaced Field?
Name: THORIGH AII	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 438'
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 1041feet MSL
✓ Gas ✓ Storage ✓ Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic:# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 225'
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1700'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR [_])
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:RECEIVED
AFFI	DAVIT KANSAS CORPORATION COMMISSI
AFFI	DAVII
The undersigned hereby affirms that the drilling, completion and eventual plants	raning of this wall will comply with K.S.A. 55 et. sea
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the posted on each through all unconsolidated materials plus a minimum of 20 feet into the intensity of the well is dry hole, an agreement between the operator and the different pluguals. The appropriate district office will be notified before well is either pluguals. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders.	Ligging of this well will comply with K.S.A. 55 et. seq. JAN 2 9 2008 CONSERVATION DIVISION WICHITA, KS t by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the posted on each through all unconsolidated materials plus a minimum of 20 feet into the intensity of the well is dry hole, an agreement between the operator and the different pluguals. The appropriate district office will be notified before well is either pluguals. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders.	Ligging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION A WICHTA, KS If by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; by different below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the second of the minimum amount of surface pipe as specified below <i>shall be sethology</i> all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the difference of the second of the sec	Ligging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION A WICHTA, KS If by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; by different below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the posted on each and the state of the properties of the specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the state of the specified before well is either plug to the specified before well is either plug to the state of the specified before well is either plug of the specified before well be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the best of the specified before and to the best of the specified before the specified before well is either plug to the spud date or the well shall to the best of the specified before the statements made herein are true and to the best of the specified before the spe	Ligging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS to by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of the posted on each and the state of the posted on each and the state of the state of the properties of the properties of the specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the specified before well is either plug to	Ligging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS to by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of the posted on each and the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the Date: January 28, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 049 - 2250 - 000 feet into the district office will be notified before well is either plug for the well shall be completed within 30 days of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - 049 - 2250 - 000 feet must be conductor pipe required feet feet feet feet feet feet feet fe	Ligging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHTA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of the surface of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: January 28, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 049 - 2250 - 000 Conductor pipe required	Ligging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS to by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of the posted on each and the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the Date: January 28, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 049 - 2250 - 000 feet into the district office will be notified before well is either plug for the well shall be completed within 30 days of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - 049 - 2250 - 000 feet must be conductor pipe required feet feet feet feet feet feet feet fe	CONSERVATION DIVISION In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to the top; in all cases pipe shall be set It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to the top; in all cases surface pipe shall be set It by circulating cement to plugging; It by circulating cement to the top; in all cases surface pipe shall be set It by circulating to plugging; It by circulating to plugging to pipe shall be set It by construction to any cementing It by construction to plugging It by construction to any cementing It by construction to plugging It by construction to any cementing It by construction to plugging It by construction to any cementing It by construction to plugging It by construct
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or a casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plug of the spud date or approval to the best of the plug of the spud date or approval to the best of the plug of the spud date or approval date. For KCC Use ONLY API # 15 - 049 - 22500-000 Conductor pipe required	Ligging of this well will comply with K.S.A. 55 et. seq. Ligging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHTA KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of the surface of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: January 28, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 049 - 2250 - 000 Conductor pipe required	Ligging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

Side Two

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County: Elk	API No. 15 - 049-22500-0000
438feet fromN / ✓ S Line of Section	Operator: Layne Energy Operating, LLC
2159 feet from E / 📝 W Line of Section	Lease: Shay
Sec. 15 Twp. 30 S. R. 13 ✓ East West	Well Number: 14-15
	Field: Cherokee Basin Coal
Is Section: ✓ Regular or Irregular	Number of Acres attributable to well:
If Section is Irregular, locate well from nearest corner boundary.	QTR / QTR / QTR of acreage:
Section corner used: NE NW SE SW	
Sec. 15 Twp. 30 S. R. 13	Well Number: 14-15 Field: Cherokee Basin Coal

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

!		•	•		•	•	•
		•	•		•		•
}							
ì		•	•		•	•	•
i							
i							
}			•				•
	•	•	•		•	-	•
	-		•		•		•
			•		•		
			•		•		
				l			
	٠ .	•		l	•		•
				l			
1				1			
				ř		-	
	٠ ,	,	-	ł	•		
				[
			•	•	•	•	
			•				•
			-		•		
					•		•
	· .		•		-		•
					-		•
					-		•
					•		•
					-		• •
					-		
	·				•		· ·
	·				•		· ·
					-		· ·
	·						· ·
	·				•		· ·
	·						· ·
	·						· ·
	·						· ·
	·						· ·
		· · · ·					· ·
	·	· · · ·					· ·
		· · · ·					· ·
		· · · ·					· ·
		· · · ·					· ·
		· · · ·					· ·
		· · · ·					· ·
		· · · ·					· ·
		· · · ·					· ·
		· · · ·					
		· · · ·					
		· · · ·					
		· · · ·					
		· · · ·					
		· · · ·					
		· · · ·					

RECEIVED KANSAS CORPORATION COMMISSION

JAN 2 9 2008

EXAMPLE 1980 3390' SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawne	e Mission	Parkway,	Mission Woods, KS 66205		
Contact Person: Timothy H. Wright			Phone Number: (913) 748 - 3960		
Lease Name & Well No.: Shay 14-15		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		Sec. 15 Twp. 30 R. 13 ✓ East ☐ West		
Settling Pit	If Existing, date constructed:		438 Feet from North / South Line of Section	on	
Workover Pit Haul-Off Pit	Pit capacity:		2159 Feet from East / V West Line of Section	on	
(If WP Supply API No. or Year Drilled)		(bbis)	<u>Elk</u> Coun	ıty	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration:mg/	, T	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	\dashv	
Yes No	Yes 🗸	No	Self-Sealing		
Pit dimensions (all but working pits):3	0' Length (fe	_{set)} 20'	Width (feet)N/A: Steel Pits	\neg	
-	om ground level to de		(feet)		
				è	
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet.	777	
none / feet Depth of water well _	feet		iredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	<u> </u>	
Producing Formation:			al utilized in drilling/workover: Fresh Water Mud	- S	
Number of producing wells on lease:		Number of working pits to be utilized: Two Abandonment procedure: Let evaporate until dry, then backfill			
Barrels of fluid produced daily:			procedure: Let evaporate until dry, then backfill	-	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		and restore Drill pits must I	be closed within 365 days of spud date.	-	
I hereby certify that the above state	ments are true and	correct to the bes	RECEIVED tof my knowledge and belief. KANSAS CORPORATION COM	MISSI	
January 28, 2008 		Jes Jes	JAN 2 9 2008 Ignature of Applicant or Agent CONSERVATION DIVISION WIGHTA, KS		
	KCC	OFFICE USE O		\neg	
Date Received: \\\\ \begin{align*} 25 \ \sigma_\text{Received:} \\\\ \dagger* \text{Permit Num} \\\\ \dagger* \end{align*}	her	Porm	it Date: 1/29/08 Lease Inspection: Yes 🖪 No		