For KCC Use:	2-4-08	
Effective Date:	2.01-00	
District #	4	
SGA? Yes	☑ No	-

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date February 8, 2008	Cont	
	_ Spot Senwinw Nw _ Sec ² Two 4S c.p. 42	East
22100 /	3ec S. H	. ✓ West
FERRIOR: License#	leet from [A]N / [S Line of	
ame: Noble Energy, Inc. 1625 Broadway, Suite 2000		Section
747000:	Is SECTION Regular Irregular?	
ry/State/Zip.	(Note: Locate well on the Section Plat on reverse side)	
ontact Person: Joe Mazotti	County: Cheyenne	
none: 303.228.4223	Lease Name: Stimbert Well #:	11-2 ,
NTRACTOR: License# 8273 /	Field Name: Cherry Creek r	
me: Excell Services Inc., Wray, CO	is this a Prorated / Spaced Field?	es No
1116.	Target Formation(s): Niobrara	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 650'	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 3674' C	_ feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	es √No
OWWO Disposal Wildcat Cable		es 🗸 No
Seismic; # of Holes Other	Depth to bottom of fresh water: 225	••• 💽 •••
Other	Depth to bottom of usable water: 225'	
900	Surface Pipe by Alternate: √ 1	
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300'	
Operator:		
Well Name:	Projected Total Depth: 1700'	
Original Completion Date:Original Total Depth:	Formation at Total Depth:Niobrara	
	Water Source for Drilling Operations:	- 11.1
ectional, Deviated or Horizontal wellbore?	✓ Well ✓ Farm Pond Other	
es, true vertical depth:	DWR Permit #: Applying for DWR Permit	
tom Hole Location:	(Note: Apply for Permit with DWR)	
C DKT #:	Will Cores be taken?	. [7]
	If Yes, proposed zone:	EI VED
	KANSAS CORPOT	RATION COMMI
AFF undersigned hereby affirms that the drilling, completion and eventual p	FIDAVIT	_
	Olugaing of this well will comply with K.C.A. EE at age. [AN]	3 U JUUG
agreed that the following minimum requirements will be met:	plugging of this well will comply with K.S.A. 55 et. seq. JAN	3 0 2008
s agreed that the following minimum requirements will be met:	3	
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea	CONSERVA	ATION DIVISION HITA, KS
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s	CONSERVA ach drilling rig; Wich ach by circulating cement to the top: in all cases surface ping chall be	ATION DIVISION HITA, KS
 agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the 	CONSERVA ach drilling rig; WiCl set by circulating cement to the top; in all cases surface pipe shall be the underlying formation	ATION DIVISION HITA, KS set
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the company of the company </i>	CONSERVA ach drilling rig; wich with the underlying cement to the top; in all cases surface pipe shall be the underlying formation.	ATION DIVISION HITA, KS set
 agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plus 	CONSERVA ach drilling rig; wich with the underlying cement to the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is competed in:	ATION DIVISION HITA, KS set gging;
 agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the companient of t	CONSERVA ach drilling rig; wich with the underlying cement to the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plu gged or production casing is cemented in; ted from below any usable water to surface within 120 days of sound	ATION DIVISION HITA, KS set rgging;
agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eas. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the constitution of the constitutio	CONSERVA ach drilling rig; wich with the underlying cement to the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plu gged or production casing is cemented in; the from below any usable water to surface within 120 days of spud to the CCC District 3 area alternated in;	ATION DIVISION HITA, KS set gging; date.
 agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the determinant of the complete of the specified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. 	CONSERVA ach drilling rig; wich with w	ATION DIVISION HITA, KS set gging; date.
 agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum of 20 feet into the specific plus a minimum o	CONSERVA ach drilling rig; wich with w	ATION DIVISION HITA, KS set gging; date.
a agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea as. 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the set of the well is different to the well is a statement to the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the spud	CONSERVA ach drilling rig; wich with the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief.	ATION DIVISION HITA, KS set gging; date.
a agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea as. 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the following the surface of the well is dry hole, an agreement between the operator and the constitution of the surface of the well shall be completed within 30 days of the spud date or the well shall reby certify that the statements made herein are true and to the best of the surface.	CONSERVA ach drilling rig; with the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged or production casing is the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Regulatory Analyst	ATION DIVISION HITA, KS set gging; date.
a agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea a. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the determinant of the surface of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the statements of the details of the details of the statements. 3. Signature of Operator or Agent:	CONSERVA ach drilling rig; with the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged or production to the KCC District 3 area, alternate II complete to the the the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Regulatory Analyst Remember to:	ATION DIVISION HITA, KS set gging; date.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the deterministic office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudicate or the well shall be certify that the statements made herein are true and to the best of the complete of the statements of the complete of the statements of the complete of the statements of the spudicate of the statements. 2. **Indicate of the statement of the sta	CONSERVA ach drilling rig; with the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged from below any usable water to surface within 120 days of spudged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Regulatory Analyst Remember to: File Drill Pit Application (form CDP-1) with intent to Drill;	ATION DIVISION HITA, KS set gging; date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the fifth the well is dry hole, an agreement between the operator and the constitution of the propriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the certification. Signature of Operator or Agent: OF KCC Use ONLY PI # 15 - O23-20969-0000	CONSERVA ach drilling rig; with the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged or production to the KCC District 3 area, alternate II completed in the plugged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Regulatory Analyst Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ATION DIVISION HITA, KS set gging; date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall reby certify that the statements made herein are true and to the best o 9: 1/28/2008 Signature of Operator or Agent: Or KCC Use ONLY PI # 15 - OZ 3 - 2 0 9 0 9 - 0000 onductor pipe required NoNE feet	CONSERVA ach drilling rig; with the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged or production to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Regulatory Analyst Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ATION DIVISION HITA, KS set seging; date. ementing hiting.
agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eas. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the well is dry hole, an agreement between the operator and the constitution of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall reby certify that the statements made herein are true and to the best of the constitution of the constitution of the constitution of the propriate of the constitution of the propriate of the constitution of the propriate of the constitution of the cons	CONSERVA ach drilling rig; with the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Regulatory Analyst Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en	ATION DIVISION HITA, KS set seging; date. ementing hiting.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the constitution of the set of the appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall reby certify that the statements made herein are true and to the best of the set of th	CONSERVA ach drilling rig; with the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged or production casing is cemented in; ated from below any usable water to surface within 120 days of spudged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Regulatory Analyst Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en- Submit plugging report (CP-4) after plugging is completed;	ATION DIVISION HITA, KS set seging; date. ementing hiting.
Agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eas. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be suppropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be demonstrated by the surface casing order must be completed within 30 days of the spud date or the well shall reby certify that the statements made herein are true and to the best of the suppropriate district office will be provided by the statement of the statements of the spud date or the well shall reby certify that the statements made herein are true and to the best of the supprovided by the supproved by the supp	CONSERVA ach drilling rig; witch w	ATION DIVISION HITA, KS set seging; date. ementing hiting.
agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be supproved all unconsolidated materials plus a minimum of 20 feet into the surface pipe and the operator and the object of the surface pipe shall be cement of the surface and the object of the surface pipe shall be cement of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall reby certify that the statements made herein are true and to the best of the surface pipe required Signature of Operator or Agent: 1/28/2008 Signature of Operator or Agent: 1/28/2008 Signature of Operator or Agent: 1/28/2008 feet per Alt. 1 x opproved by: When 1-30-08	CONSERVA ach drilling rig; with the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; sted from below any usable water to surface within 120 days of spudged from below any usable water to surface within 120 days of spudged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Regulatory Analyst Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ATION DIVISION HITA, KS set seging; date. ementing hiting.
agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the constitution of the surface well is either plugical. If an ALTERNATE II COMPLETION, production pipe shall be demonstrated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall reby certify that the statements made herein are true and to the best of the statements of the statement of the statement of the statement of	CONSERVA ach drilling rig; witch ach drilling rig; ach drilling rig; witch the underlying formation. district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud p#133,891-C, which applies to the KCC District 3 area, alternate II or be plugged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Regulatory Analyst Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ATION DIVISION HITA, KS set seging; date. ementing hiting.
Agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be supported. If the well is dry hole, an agreement between the operator and the construction of the surface of the surface well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be demonstrated by the surface casing order must be completed within 30 days of the spud date or the well shall reby certify that the statements made herein are true and to the best of the surface pipe required Signature of Operator or Agent: 1/28/2008 Signature of Operator or Agent:	CONSERVA ach drilling rig; ach drilling remait to the top; in all cases surface pipe shall be the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; atherefore below any usable water to surface within 120 days of spud priint and plugged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Regulatory Analyst Remember to: - File Drill Pit Application (form CDP-1) with intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-en submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	ATION DIVISION HITA, KS set seging; date. ementing hiting.
Agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be supproved all unconsolidated materials plus a minimum of 20 feet into the surface pipe and the constitution of the surface plus and the complete plus and the surface plus and to approve the surface plus and to the pest of the surface plus and the surfa	CONSERVA ach drilling rig; witch ach drilling rig; ach drilling rig; witch the underlying formation. district office on plug length and placement is necessary prior to plug gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud p#133,891-C, which applies to the KCC District 3 area, alternate II or be plugged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Regulatory Analyst Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ATION DIVISION HITA, KS set seging; date. ementing hiting.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15.023.20969-0000	Location of Well: County: Cheyenne
Operator: Noble Energy, Inc.	650feet from V N / S Line of Section
Lease: Stimbert	650 feet from E / W Line of Section
Well Number: 11 - 2 Field: Cherry Creek	Sec. 2 Twp. 4S S. R. 42 ☐ East ✓ Wes
Number of Acres attributable to well: 40	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SE NW - NW - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

ocation of the well and shade attributable acr

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)


• •			•	
 •			•	
	· -		· · · · · · · · · · · · · · · · · · ·	
		• • • .		
		:	:	•
 		• • •		
 · · · · · · · · · · · · · · · · · · ·		:		
 		•		
: :		•	:	:



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



<u>CHEYENNE</u>

Section .

Township 4 SOUTH

42 WEST Range_

of the Sixth KANSAS County,

Principal Meridian,

7800 MILLER DRIVE

303-702-1617

FREDERICK, COLORADO

LOCATION NOTES

LOCATION FALLS IN: NATURAL GROUND IMPROVEMENTS: NONE WITHIN 200' OF LOCATION

ELEVATION DETERMINED FROM NAVD 1988 DATUM.

RECEIVED

DISTANCES AND BEARINGS ARE FIELD MEASURED KANSAS CORPORATION COMMISSION UNLESS OTHERWISE NOTED

JAN 3 0 2008

LEGEND

SECTION CORNER (AS NOTED)

CONSERVATION DIVISION

WICHITA, KS





PROPOSED WELL LOCATION

FIELD DATE: 9-18-07 WO# 501-07-872 DATE OF COMPLETION: 9-19-07

Surveying Company, Inc.

Established 1948

UNIT C

80504

102°00'00" W

WGS84 101°59'00" W

102°01'00" W

Form CDP-1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Noble Energy, Inc.		License Number: 33190			
Operator Address: 1625 Broadway, Suite 2000, Denver, CO 80202					
Contact Person: Joe Mazotti		Phone Number: (303) 228 - 4223			
Lease Name & Well No.: Stimbert 11 - 2		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SENW NW NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 2 Twp. 4S R. 42 East V West		
Settling Pit 🕢 Drilling Pit	If Existing, date constructed:		650 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / ✓ West Line of Section Cheyenne County		
Is the pit located in a Sensitive Ground Water A	rea? ☐ Yes 📝] No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ☑	No	How is the pit lined if a plastic liner is not used?		
The difference (and see the first price).	Ponth from ground level to deepest point: 4 (feet)				
If the pit is lined give a brief description of the liner Describe proce		edures for periodic maintenance and determining concluding any special monitoring.			
n/a n/a		. 20 9 a			
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water 225 feet. mation: well owner delectric log KDWR			
n/a feet Depth of water wellfeet		measu	redwell owner ✓ _ electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		_ - .	over and Haul-Off Pits ONLY:		
Producing Formation: Type of ma		Type of materia	al utilized in drilling/workover: fresh water		
Number of producing wells on lease: Number of		Number of wor	Number of working pits to be utilized: three (3)		
Barrels of fluid produced daily: Abandonmen		Abandonment	procedure: Onsite land farming - mix and bury		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must t	De closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSIO		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. JAN 3 0 2008					
1/28/2008	_	4	CONSERVATION DIVISION WICHITA, KS		
Date		- (Milatore of Applicant of Agent		
KCC OFFICE USE ONLY					
Date Received: 1/30/08 Permit Numbe	er:	Permi	t Date: 130/08 Lease Inspection: Yes 1 No		