For KCC Use: Effective Date: District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (of any opinion to community train
Expected Spud Date: February 8, 2008	Spot Description:
month day year	NE_ NE_ NW Sec. 23 Twp. 34 S. R. 17 XE W
32887	(0/0/0/0) 330 feet from N / S Line of Section
OPERATOR: License#	2.310 feet from E / X W Line of Section
Name: Endeavor Energy Resources, LP	the of Section Line of Section
Address 1: PO Box 40	Is SECTION: Regular Inregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Delaware State: OK Zip: 74027 +	County: Labette
Contact Person: Joe Driskill	Lease Name: R. Stevenson Well #: 23-3
Phone: 918-467-3111	Field Name: Coffeyville
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
Name: Well Defined Drilling	Target Formation(s): Summit, Mulk, Squirrel, Wier-Pitt, Bartlesville, Rowe, Riverton
	Nearest Lease or unit boundary line (in footage): 660
Well Drilled For: Well Class: Type Equipment:	745.0
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 20'
Other:	Depth to bottom of usable water: 1567 100
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator: NA	Length of Conductor Pipe (if any): none
Weil Name:	Projected Total Depth: 1000'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
Original Completion Date. Original Total Depth.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:
	arra cross a manual h
	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone: RECEIVED
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COM
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COM
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: PACEIVED KANSAS CORPORATION COM ging of this well will comply with K.S.A. 55 et. seq.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COM
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d	Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB ② 1 2008
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: PAVIT Will Cores be taken? RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Conservation Division of the core; in all cases surface pipe shall be setwichted as
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a mini	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Itrilling rig; or circulating cement to the top; in all cases surface pipe shall be setwichtta, KS underlying formation.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the t 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Voirculating cement to the top; in all cases surface pipe shall be setwichted, KS underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented the	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Voirculating cement to the top; in all cases surface pipe shall be setwichted, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the distric 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; oriculating cement to the top; in all cases surface pipe shall be setwichtta, KS underlying formation. d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; oriculating cement to the top; in all cases surface pipe shall be setwichtta, KS underlying formation. d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the distric 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; conservation blows of circulating cement to the top; in all cases surface pipe shall be setwichtta, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the t. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; conservation Division of circulating cement to the top; in all cases surface pipe shall be setwichted, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing stugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the t 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; conservation blows of circulating cement to the top; in all cases surface pipe shall be setwichtta, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements a	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Conservation Division Conse
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented it. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best. Date: 1-30-2008 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Conservation Division of control of the top; in all cases surface pipe shall be setwichted, KS underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing standard of my knowledge and belief. Operations Superintendent Title:
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best patern. Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Conservation Division of circulating cement to the top; in all cases surface pipe shall be setwichted, KS underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented it. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best parts: 1-30-2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O 99 - 24205-0000	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COM RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Conservation Division circulating cement to the top; in all cases surface pipe shall be setwichtta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the t. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: 1-30-2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24/205-0000 Conductor pipe required April 6 - Feet	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Conservation Division Conservation
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best parts. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24205-0000 Conductor pipe required feet	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; conservation Division of circulating cement to the top; in all cases surface pipe shall be setwichted, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best poate: 1-30-2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 999 - 24205-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT 1 I III	Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Conservation Division of circulating cement to the top; in all cases surface pipe shall be setwichted. KS underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Operations Superintendent Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP.4) after plugging is completed (within 60 days).
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the t. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented it. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: 1-30-2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - O99 - 24205-0000 Conductor pipe required Minimum surface pipe required Approved by: Full 2-1 08	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig; Conservation Division Conservation Conservation Conservation Conservation Conservation Division Conservation
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the t. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented it. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: 1-30-2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - O99 - 24205-0000 Conductor pipe required Minimum surface pipe required Approved by: Full 2-1 08	Will Cores be taken? If Yes, proposed zone: PASSAS CORPORATION COM RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irrilling rig: Conservation Division of circulating cement to the top; in all cases surface pipe shall be setwichita, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing stugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the t. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best posterior. For KCC Use ONLY API # 15 - O99 - 24205-0000 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irilling rig: Conservation division recirculating cement to the top; in all cases surface pipe shall be setwichtta, ks underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the t. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented it Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: 1-30-2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24265-0000 Conductor pipe required Minimum surface pipe required Approved by: FWH 21 O8 This authorization expires: 2-1-09 This authorization expires:	Will Cores be taken? If Yes, proposed zone: PASSAS CORPORATION COM RECEIVED KANSAS CORPORATION COM FEB 0 1 2008 Irrilling rig: Conservation Division of circulating cement to the top; in all cases surface pipe shall be setwichita, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing stugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24265-0000	
Operator: Endeavor Energy Resources, LP	Location of Well: County: Labette
Lease: R. Stevenson	feet from N / S Line of Section
Well Number: 23-3	2,310 feet from E / X W Line of Section
Field: Coffeyville	Sec. 23 Twp. 34 S. R. 17 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



RECEIVED
KANSAS CORPORATION COMMISSION

FEB 0 1 2008

ONSERVATION DIVISION: WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Endeavor Energy Resources, LP		License Number: 32887		
Operator Address: PO Box 40		Delaware OK 74027		
Contact Person: Joe Driskill		Phone Number: 918-467-3111		
Lease Name & Well No.: R. Stevenson 23-3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>_ NE _ NE _ NW</u>	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 23 Twp. 34 R. 17 East West	
Settling Pit X Drilling Pit	If Existing, date of	onstructed:	330 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			2,310 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Labette	
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l	
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? natural clay / earth	
Pit dimensions (all but working pits): 40 Length (feet) 16 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point: 4 (feet) No Pit				
		edures for periodic maintenance and determining ncluding any special monitoring.		
NA NA				
, , , , , , , , , , , , , , , , , , , ,		west fresh waterfeet.		
unknown feet Depth of water well feet measu		rmation: ured well owner electric log KDWR		
		Drilling, Work	illing, Workover and Haul-Off Pits ONLY:	
		Illowest fresh waterfeet. formation: Issuredwell ownerelectric logKDWR Instruction		
Number of producing wells on lease: Number of wor		king pits to be utilized:1		
Barrels of fluid produced daily: Abandonment		procedure: dewater and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		be closed within 365 days of spud date. RECEIVED		
I hereby certify that the above state	ments are true and o	correct to the bes	t of my knowledge and belief. «ANSAS CORPORATION COM	
1-30-2008 Date		Jos s	FEB 0 1 2008 ignature of Applicant or Agent CONSERVATION DIVISION WICHITA KS	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 2/1/08 Permit Num	ber:	Perm	it Date: 2/1/08 Lease Inspection: Yes [No	