# For KCC Use: Effective Date: 2-6-08 District # 3

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

xpected Spud Date: 2 2 - 6 - 08	Spot Description:	
month day year	C _ NW _ SE Sec. 2 _ Twp. 30 _ S. R. 13 _ ☑ E	
PERATOR: License#	teet from IN / K S Line of Section	
ame: Cherokee Wells, LLC	1,980 feet from X E / W Line of Sect	tion
ddress 1: P.O. Box 296	Is SECTION: Regular Irregular?	
ddress 2:	(Note: Locate well on the Section Plat on reverse side)	
ity: Fredonia State: KS Zip: 6601360 +	County.	
ontact Person: Emily Lybarger	Lease Name: Taylor Well #: A-1	
ione.	Field Name: Cherokee Basin Coal Gas Area	
DNTRACTOR: License# 33072	Is this a Prorated / Spaced Field?	No
ame: Well Refined Drilling	Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1980	
Oil I Enh Rec  MInfield  Mud Rotary	Ground Surface Elevation: Unknown feet M Water well within one-guarter mile:	
Gas Storage Pool Ext. Air Rotary	, , , , , , , , , , , , , , , , , , ,	-
Disposal Wildcat Cable	·	NO
Seismic ; # of Holes Other	Depth to bottom of fresh water: est. 100'  Depth to bottom of usable water: est. 229 200	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum	
	Length of Conductor Pipe (if any): N/A	
Operator:	Projected Total Depth: 1350'	
Well Name:Original Total Depth:	Formation at Total Depth: Mississippian	
Original Completion Date Original Total Deptil	Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	·
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR )	
CC DKT #:	─ Will Cores be taken?	No
CC DKT #:	If Yes, proposed zone:	
	If Yes, proposed zone:	ED
AF	If Yes, proposed zone:	ED
AF ne undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:  RECEIVE FFIDAVIT  KANSAS CORPORATION Discussing of this well will comply with K.S.A. 55 et. seq.	ED I COMMIS
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	ED I COMMIS
AF  ne undersigned hereby affirms that the drilling, completion and eventual p  is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	FFIDAVIT  FFIDAVIT  CONSTRUCTION  RECEIVE  KANSAS CORPORATION  FEB 0 1 2	ED I COMMIS
AF  ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the appropriate district of intent to drill shall be nosted on each	FFIDAVIT  FEB 0 1 2  Ch drilling rig:  RECEIVE KANSAS CORPORATION  CONSERVATION D  CONSERVATION D	ED I COMMIS 1008 DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t	If Yes, proposed zone:  RECEIVE KANSAS CORPORATION Dlugging of this well will comply with K.S.A. 55 et. seq.  FEB 0 1 2  CONSERVATION D  CONSERVATION D  The by circulating cement to the top; in all cases surface pipe shall be self-HITA, Kithe underlying formation.	ED I COMMIS 1008 DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di	RECEIVE KANSAS CORPORATION Conservation of drilling rig; Pet by circulating cement to the top; in all cases surface pipe shall be self-HITA, Kithe underlying formation. In the underlying formation of the self-HITA, Kithe underlying formation. In the underlying tempth and placement is necessary prior to plugging;	ED I COMMIS 1008 DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus	RECEIVE KANSAS CORPORATION  TEBU 1 2  CONSERVATION D  CONSERVA	ED I COMMIS 1008 DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE IL COMPLETION, production pipe shall be cement	RECEIVE KANSAS CORPORATION  TOUR STREET OF THE PROPERTY OF THE	ED I COMMIS 1008 DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cement  Or pursuant to Appendix "B" - Eastern Kansas surface casing orders	RECEIVE KANSAS CORPORATION  FEB 0 1 2  ch drilling rig; conservation of the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing	ED I COMMI 1008 DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be	RECEIVE KANSAS CORPORATION CONSERVATION CONS	ED I COMMIN 1008 DIVISION
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall the mereby certify that the statements made herein are true and correct to the	RECEIVE KANSAS CORPORATION CONSERVATION DIsconting rig; CONSERVATION is the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	ED I COMMIS POOS DIVISION S
AF  the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office proved on the appropriate district office proved on the appropriate district office proved on the appropriate district office prior to appropriate district office proved on the appropriate district office prior to appropriate district office proved on the appropriate district office prior to appropriate district office prior to appropriate district office prior to appropriate	RECEIVE KANSAS CORPORATION CONSERVATION CONS	ED I COMMI POOS DIVISION S
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the difference of the set of the	RECEIVE KANSAS CORPORATION CONSERVATION DIsconting rig; CONSERVATION is the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	ED I COMMIN POOS DIVISION S
AF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the ate:  Signature of Operator or Agent:  For KCC Use ONLY	RECEIVE KANSAS CORPORATION CONSERVATION of this well will comply with K.S.A. 55 et. seq.  FEB 0 1 2  CONSERVATION DESCRIPTION OF CONSERVATION	ED I COMMIS
AF  ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the  ate: 1/31/08 Signature of Operator or Agent:	RECEIVE KANSAS CORPORATION CONSERVATION of this well will comply with K.S.A. 55 et. seq.  FEB 0 1 2  CONSERVATION DESCRIPTION OF CONSERVATION	ED COMMINE COM
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the analysis of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the completed within 30 days of the spuddate or the well shall be the complete or the well shall be the completed within 30 days of the spuddate or the well shall be the complete or the well shall be the comp	RECEIVE KANSAS CORPORATION CONSERVATION of this well will comply with K.S.A. 55 et. seq.  FEB 0 1 2  CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION DE CONSERVATION DE CONSERVAT	ED I COMMINICATION S
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the dien.  5. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the ate:	RECEIVE KANSAS CORPORATION CONSERVATION of this well will comply with K.S.A. 55 et. seq.  FEB 0 1 2  CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION DE CONSERVATION DE CONSE	ED COMMI
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the different of the surface district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the precipitation of the statements made herein are true and correct to the ate:	RECEIVE KANSAS CORPORATION CONSERVATION of this well will comply with K.S.A. 55 et. seq.  FEB 0 1 2  CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION DE CONSERVATION DE CONSERVAT	OO8 DIVISION S
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the ate:	RECEIVE KANSAS CORPORATION CONSERVATION of this well will comply with K.S.A. 55 et. seq.  FEB 0 1 2  CONSERVATION DESTRUCTION OF CONSERVATION DESTRUCTION OF CONSERVATION DESTRUCTION OF CONSERVATION DESTRUCTION DE CONSERVATION	ED COMMINE COM
AF  the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in a ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall the mereby certify that the statements made herein are true and correct to the sate:  1/31/08  Signature of Operator or Agent:  Nove feet  Minimum surface pipe required feet per ALT. If feet per A	RECEIVE KANSAS CORPORATION CONSERVATION of this well will comply with K.S.A. 55 et. seq.  FEB 0 1 2  CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION OF CONSERVATION DESCRIPTION DE CONSERVATION DE CONSERVAT	OO8 DIVISION S
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be nereby certify that the statements made herein are true and correct to the ate:  1/31/08  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27428-0000  Conductor pipe required  More  feet per ALT. I	RECEIVE KANSAS CORPORATION CONSERVATION of this well will comply with K.S.A. 55 et. seq.  FEB 0 1 2  CONSERVATION DESTRUCTION OF CONSERVATION DESTRICT OF CONSERVATION DESTRUCTION DE CONSERVATION	OO8 DIVISION S

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27428-0000	1.1116
Operator: Cherokee Wells, LLC	Location of Well: County: Wilson
Lease: Taylor	1,980 feet from N / X S Line of Section
Well Number: A-1	1,980 feet from X E / W Line of Section
Field: Cherokee Basin Coal Gas Area	Sec. 2 Twp. 30 S. R. 13 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

					•		:
1 :	:	:			;	:	;
					•	•	:
		:			:	:	
;					•	•	:
	:				:	:	:
		•					
		:			:	:	
		: .					•
:		:			:	:	:
1		; .			•		:
:					:	:	;
1							
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				*******	*******	*******	
1		:			:	:	;
1		:		1	:		:
1 :		:			:	:	;
1					:		:
1 :	;	:			:	:	
}		•			•		•
1				1		_	
1 :	:	: .			:	:	
1			•	1	:		: 1
		:	:		:	: (	: 1
		;	•		·/- `	17	<u>- ۱</u>
	:	:	:		71 .\	i/ ٢	; \
	;	:			: ነሎ፣እ	KOL L	<u> </u>
'	•		•		· 1001	· ·	
						7	
		;			•	)	:
1					: `	•	;
1		: .				•	:
1		:		1	• 1	6 O ~ 1	و سو ہ
				1	: ]:	480 F	FI.
j :					: <i> </i> '	480° F	EL
					]	480, £	EL
	······				· /	480° F	EL
	• • • • • • • • • • • • • • • • • • •				: /' 	160° F	EL
	• • • • • • • • • • • • • • • • • • •				: /'	480' F	EL
				۱ ,	ł	480' F	EL
	···········			۱ ,	ł	480' F	EL
				۱ ,	ł	480' F	EL
	····			۱ ,	ł	480' F	EL
				۱ ,	ł	480' F	EL
				۱ ,	ł	480' F	EL
				۱ ,	ł	980' F	EL
				۱ ,	ł	480° F	EL
				۱ ,	ł	480' F	EL
				۱ ,	ł	480° F	EL
				۱ ,	ł	480' F	EL
				158, 157	ł	480' F	EL
				۱ ,	ł	480' F	EL
				۱ ,	ł	480' F	EL
				۱ ,	ł	480' F	EL_
				۱ ,	ł	480' F	EL
				۱ ,	ł	480' F	EL.
				۱ ,	ł	480' F	EL_
				۱ ,	ł	480' F	EL_
				۱ ,	ł	480' F	EL
				۱ ,	ł	480' F	EL_

RECEIVED KANSAS CORPORATION COMMISSION

FEB 0 1 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cherokee Wells			License Number: 33539			
Operator Address: P.O. Box 296	·	,	Fredonia, KS 66736			
Contact Person: Emily Lybarger			Phone Number: 620-378-3650			
Lease Name & Well No.: Taylor A-1			Pit Location (QQQQ):			
Type of Pit:	Pit is:	- Eviatina	C NW SE			
Emergency Pit Burn Pit	Proposed Existing  If Existing, date constructed:		Sec. 2 Twp. 30 R. 13 East West			
Settling Pit    Drilling Pit   Workover Pit   Haul-Off Pit			1,980 Feet from North / South Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: 800	(bbls)	Feet from East / West Line of Section  County			
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fe		Width (feet) N/A: Steel Pits  (feet) No Pit			
•		Depth to shallo Source of infor	west fresh water40feet.			
1652 feet Depth of water well 60 feet		measu	ured well owner electric log KDWR			
			Drilling, Workover and Haul-Off Pits ONLY:			
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to		Type of material utilized in drilling/workover: Fresh Water  Alumber of working pite to be utilized: 1				
			Number of working pits to be utilized:1  Abandonment procedure: Remove Fluids, Allow to Dry, Level			
		Apandonment	Surface			
		Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMI				
I hereby certify that the above state	ements are true and o	correct to the bes				
1/31/08 Date		Fmila	GONSERVATION DIVISION Ignature of Applicant or Agent  MICHITA, KS			
	КСС	OFFICE USE O	NLY Steel Pit RFAC RFAS			
Date Received: 2/1/08 Permit Num	nber:	Perm	it Date: $\frac{2}{1/68}$ Lease Inspection: Yes $4$ No			