For KCC Use:	7 15 55
Effective Date:	2-10-08
District #	4
SGA? ✓ Yes	□No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed
Form must be Signed

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	
Expected Spud Date: 2 7 2008	Spot Description: 130'S & 160'W
month day year	W/2 . SE - NW Sec. 5 Twp. 15 S. R. 14 EXW
33633	(acacac) 2,110 feet from N / S Line of Section
UPERATOR: License#	1,490 feet from E / X W Line of Section
144. A DO Poy 401	Is SECTION: Regular Irregular?
Address 1: P.O. Box 491 Address 2:	is SECTION: Mregular Infregular?
City: Russell State: KS Zip: 67665 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jimmy Carter	County: Russell
Phone: 785-483-8057	Lease Name: Keil Well #: 10 Field Name: Corham
CONTRACTOR Licensett 33905	Tiold (dallio).
CONTRACTOR: License# 33905 V Name: Royal Drilling, Inc.	Is this a Prorated / Spaced Field?
Y	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	A770
⊠Oil	Glodid Suitable Elevation.
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water: Depth to bottom of usable water: 380300
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): -0-
Well Name:	Projected Total Depth: 3300'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
	I IVEN IZITATA FONDI DUNEL
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
·	DWR Permit #:(Note: Apply for Permit with DWR
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR
Bottom Hole Location: KCC DKT #: AFF	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:
Bottom Hole Location: KCC DKT #:	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken? Will Cores be taken? If Yes, proposed zone: FIDAVIT regging of this well will comply with K.S.A. 55 et. seq. It drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. First office on plug length and placement is necessary prior to plugging; led or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken? Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. It drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set and entrying formation. In all cases in the comply with it is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements have the statements and the statements have a supplied to the statement and the statements have a supplied to the statements and the statements have a supplied to the statements and the stat	Will Cores be taken? Will Cores be taken? If Yes, proposed zone: FIDAVIT regging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set endertying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. lest of my knowledge and belief.
Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. If drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Title:
Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. If drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In a price on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 10 7- 23484-000	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Individual complete comply length and placement is necessary prior to plugging; led or production casing is comented in; and from below any usable water to surface within 120 DAYS of spud date. Individual complete
Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 23484-0000 Conductor pipe required feet	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Individual of this well will comply will will be set. Individual of this well will comply with K.S.A.
Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 23484-000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. If drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. Fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; af from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 10 7 - 23 484-000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will pomply with K.S.A. 55 et. seq. Individual comment to the top; in all cases surface pipe shall be set to underlying formation. Individual comment to the top; in all cases surface pipe shall be set to underlying formation. Individual comment is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
Bottom Hole Location: KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 23484-000 Conductor pipe required	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. If drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In a frict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 167 - 23484-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. II III	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will pomply with K.S.A. 55 et. seq. If Yes, proposed zone: FIDAVIT agging of this well will pomply with K.S.A. 55 et. seq. If drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In all cases surface pipe shall be set a underlying formation. In all cases surface pipe shall be set a underlying formation. In all cases surface pipe shall be set a underlying formation. In all cases surface pipe shall be set a underlying formation. In all cases surface pipe shall be set a underlying formation. In all cases, NOTIFY district office prior to plugging; a plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Agent Title: Remember to: In File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date: Signature of Operator or Agent: Shall Sha	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. If drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In a frict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

ONSERVATION DIVISION WICHITA KS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 167-23 484-0000 Operator: J Carter Oil	Location of Well: County: Russell
Lease: Keil	2,110 feet from N / S Line of Section
Well Number: 10	1,490 feet from E / X W Line of Section
Field:	Sec. 5 Twp. 15 S. R. 14 E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NENNSESSW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			1 14	1901 F	WL			
						•	•	
						:		
الا								
2110' FAL								
7	••••		,				•••••	
	•••••	,		***********		• • • • • • • • • • • • • • • • • • • •		
							••••	
		:		:				

EXAMPLE	:
	1980
	10
	3390'
:	········
SEWARD CO.	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		bilit in Dupileat				
Operator Name: J Carter Oil			License Number: 33633			
Operator Address: P.O. Box 49	1			Russell	KS	67665
Contact Person: Jimmy Carter			Phone Number:	785-483-8	057	
Lease Name & Well No.: Keil	1	0	Pit Location (QQQQ):			
Type of Pit:	Pit is:	130'5+	160'W W/2 S	SE _ NW		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 15	R. 14	East 🔀	West
Settling Pit Drilling Pit	If Existing, date of	onstructed:	2,110 Feet fro	m North /	South Line	of Section
Workover Pit Haul-Off Pit	Pit capacity:		1 1/100	m East / 🔀	_	
(If WP Supply API No. or Year Drilled)	400	(bbls)	Russell		-	
Is the pit located in a Sensitive Ground Water	Area? Yes	₹ ₩	Chloride concentration:	gency Pits and Settli		· ·
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a Native Mud	plastic liner is no	t used?	
Pit dimensions (all but working pits):	30 Length (fe	eet) 80	Width (feet)		N/A: Steel	Pits
Depth fr	om ground level to de	eepest point:	6 (feet)		No Pit	
		Illowest fresh water229(%feet.				
		measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits	ONLY:		Ċ
Producing Formation:	- · · · · ·	Type of materia	al utiliz ed i n drilling/workd	ver: Fresh Mud		s
Number of producing wells on lease: Number of work		nber of working pits to be utilized:			s	
Barrels of fluid produced daily:		Abandonment	procedure: Allow to	dry and ba	ckfill	\{
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must t	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and o	correct to the best	of my knowledge and b	elief.		
2/1/2008 Date		Si	Sherry Organignature of Applicant of	gent)		
	KCC	OFFICE USE ON	NLY Steel Pit	RFAC		_
Date Received: 2/4/68 Permit Num	nber:	Permi	it Date: 2/5/08	Lease Inspection		SEIVED

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

FEB 0 4 2008



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

February 5, 2008

Mr. Jimmy Carter J Carter Oil PO Box 491 Russell, KS 67665

RE: Drilling Pit Application Keil Lease Well No. 10 NW/4 Sec. 05-15S-14W Russell County, Kansas

Dear Mr. Carter:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: File