For KCC Use: Effective Date: 2-10-08 District # Ves VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: February 11, 2008	Snot Description	
month day year	Spot Description:	7
33190 🗸	390 Sec S. H E	
OPERATOR: License#	leet not let not let not se	ction
Name: Noble Energy, Inc.	leet from [X] E / [] W Line of Se	ction
Address 1: 1625 Broadway, Suite 2200	Is SECTION: A Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Denver State: CO Zip: 80202 +	County: Cheyenne	
Contact Person: Joe Mazotti Phone: 303.228.4223	Lease Name: Raile Well #: 31 - 11	
	Field Name: Cherry Creek	
CONTRACTOR: License# 8273	Is this a Prorated / Spaced Field?	No
Name: Excell Services Inc., Wray, CO	Target Formation(s): Niobrara	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660'	
	Ground Surface Elevation: 3707' feet I	MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	_
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water: 250'	g -
Other:	Depth to bottom of usable water: 250'	
	Surface Pine by Alternate: XII III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Onessteri	Length of Conductor Pipe (if any):	
Operator:	Projected Total Depth: 1700'	
Well Name:Original Total Depth:	Formation at Total Depth: Niobrara	
Original Completion Date Original Total Depth	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Waler Study of the Parm Pond Other:	
If Yes, true vertical depth:	DWR Permit #: applying for DWR permit	
Bottom Hole Location:	(Note: Apply for Permit with DWR 1)	
KCC DKT #:	Will Cores be taken?	No
		1.00
	_	
	If Yes, proposed zone:	^
ΔFF	If Yes, proposed zone:RECEIV	
	If Yes, proposed zone: RECEIV IDAVIT KANSAS CORPORATIO	
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIV IDAVIT KANSAS CORPORATIO gging of this well will comply with K.S.A. 55 et. seq.	N COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIV IDAVIT KANSAS CORPORATIO	N COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: RECEIV IDAVIT KANSAS CORPORATION gging of this well will comply with K.S.A. 55 et. seq. FEB 0 1	n commissio 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specific of the approved notice of the prior to drill <i>shall be</i> posted on each of the specific of the approved notice of the specific of the s	If Yes, proposed zone: RECEIV IDAVIT RANSAS CORPORATION gging of this well will comply with K.S.A. 55 et. seq. FEB 0 1 2 drilling rig; CONSERVATED	N COMMISSIO 2008 DEVN≰IBED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIV IDAVIT KANSAS CORPORATION gging of this well will comply with K.S.A. 55 et. seq. FEB 0 1 2 drilling rig; y circulating cement to the top; in all cases surface pipe shall be a sequence of the sequence o	N COMMISSIO 2008 ENNEEDD ENTON COMM
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIV IDAVIT KANSAS CORPORATION gging of this well will comply with K.S.A. 55 et. seq. FEB 0 1 2 drilling rig; y circulating cement to the top; in all cases surface pipe shall be a sequence of the sequence o	N COMMISSIO 2008 ENNEEDD ENTON COMM
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	RECEIV IDAVIT KANSAS CORPORATION gging of this well will comply with K.S.A. 55 et. seq. FEB 0 1 drilling rig; conservation y circulating cement to the top; in all cases surface pipe shair be said underlying formation. ict office on plug length and placement is necessary prior to plugging and or production casing is cemented in;	N COMMISSIO 2008 ENNEEDD ENTON COMM
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: RECEIV RECEIV RANSAS CORPORATION Recit Receiv Rec	2008 ENVISION STORY STORY
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the set is described by the set is described by the set is the set is the set is described. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order ***	RECEIV IDAVIT KANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq. FEB (1.1) drilling rig; y circulating cement to the top; in all cases surface pipe shall be sale underlying formation. ict office on plug length and placement is necessary prior to plugging B and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud data, 13,891-C, which applies to the KCC District 3 area, alternate II cementing IVA	2008 ENVISION STORY STORY
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	RECEIV IDAVIT KANSAS CORPORATION ging of this well will comply with K.S.A. 55 et. seq. FEB 0 1 drilling rig; y circulating cement to the top; in all cases surface pipe shall be a sh	2008 ENVISION STORY STORY
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of	RECEIV CONSERVATE CONSERVATE RECEIV RECEIV	2008 ENVISION STORY STORY
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	RECEIV IDAVIT KANSAS CORPORATION Iging of this well will comply with K.S.A. 55 et. seq. FEB 0 1 drilling rig; y circulating cement to the top; in all cases surface pipe shall be a completed in the complete of the com	2008 ENVISION STORY STORY
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	RECEIV CONSERVATE CONSER	N COMMISSIO 2008 ENVISED VISTION COMM 5 2008 FION DIVISION LITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of surface pipe as specified below <i>shall be set</i> of the well is dry hole, an agreement between the operator and the distription of the well is dry hole, an agreement between the operator and the distription of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put that the statements made herein are true and correct to the beautiful to the statements of the operator of Agent. Signature of Operator or Agent.	RECEIV CONSERVATE CONSER	2008 ENVISION STORY STORY
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of the state of	RECEIV CONSERVATED CONSERVATE	2008 2008 2008 2008 25 2008 CHON DIVISION 21TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well be notified before well is either plugge of if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the completed within 30 days of the spud date or the well shall be producted by the completed within 30 days of the spud date or the well shall be producted by the statements made herein are true and correct to the because of the completed within 30 days of the spud date or the well shall be producted by the statements made herein are true and correct to the because of the spud date or the well shall be producted by the statements of the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the well shall be producted by the spud date or the spud da	RECEIV CONSERVATED CO	2008 2008 ENNSISSIO STION COMM TION DIVISION HITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of the state of	RECEIV RE	2008 2008 2008 2008 25 2008 CHON DIVISION 21TA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office will be set by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the distriction of the state of the well be notified before well is either plugged. It an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best of the state of the state of the spud state of the state of the spud state of the state of the state of the spud state of the spud state of the state of the spud stat	RECEIV RE	2008 2008 ENNSISSIO STION COMM TION DIVISION HITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be approved notice of intent to drill <i>shall be</i> posted on each of the shall be approved notice of intent to drill <i>shall be</i> posted on each of the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the shall be well is dry hole, an agreement between the operator and the district of the well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements made herein are true and correct to the beat of the statements are true and correct to the beat of the statemen	RECEIV RE	2008 2008 ENVISED CETION COMM TON DIVISION OUTA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of the approved intention of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district of the well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the intention of the intent	RECEIV RANSAS CORPORATION In ging of this well will comply with K.S.A. 55 et. seq. FEB 0 1 In drilling rig; In drill	2008 2008 ENNSISSIO STION COMM TION DIVISION HITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plugges. If the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best placed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 23 - 20 9 71 - 00 00 Conductor pipe required	RECEIV IDAVIT RECEIV CONSERVATE CONSERVATE	2008 2008 ENVISED CETION COMM TON DIVISION OUTA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of the approved intention of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district of the well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the intention of the intent	RECEIV IDAVIT KANSAS CORPORATION In ging of this well will comply with K.S.A. 55 et. seq. FEB 0 1 Adrilling rig; CONSERVATED CON	2008 2008 ENVISION 5 2008 FION DIVISION ITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plugges. If the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best placed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 23 - 20 9 71 - 00 00 Conductor pipe required	RECEIV IDAVIT RECEIV CONSERVATE CONSERVATE	2008 2008 ENVISED CETION COMM TON DIVISION OUTA, KS


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 023-20971-0000			
Operator: Noble Energy, Inc.	Location of Well: County: Cheyenne		
Lease: Raile	660 feet from N / S Line of Section		
Well Number: 31 - 11	1,980 feet from X E / W Line of Section		
Field: Cherry Creek	Sec. 11 Twp. 3 S. R. 42 E W		
Number of Acres attributable to well:	is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)






NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Noble Energy, Inc.		License Number: 33190				
Operator Address: 1625 Broadway, Suite 2200		Denver	CO 80202			
Contact Person: Joe Mazotti		Phone Number: 303.228.4223				
Lease Name & Well No.: Raile	3	1 - 11	Pit Location (QQQQ):			
Type of Pit:	Pit is:		_NWNE			
Emergency Pit Burn Pit	Proposed Existing		Sec. 11 Twp. 3 R. 42 East West			
Settling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1,980 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbls)	Cheyenne	County		
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:(For Emergency Pits and Settling	_			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not			
Pit dimensions (all but working pits): 50 Length (feet) 60 Width (feet) N/A: Steel Pits						
Depth from ground level to deepest point:4 (feet) No Pit						
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determinion SAS CORPORATION COMMISS						
interintegrity, in		totaling any operation mornioning.	FEB 0 5 2008			
				CONSERVATION DIVISION WICHITA, KS		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water250 _200_feet.	$\overline{\Omega}$			
	251 feet	measu		KDWR S		
Producing Formation: Type of material		orkover and Haul-Off Pits ONLY: terial utilized in drilling/workover: Fresh Water				
		er of working pits to be utilized:				
Barrels of fluid produced daily:						
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must b	pe closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
A						
1/30/2008 Date	<u> </u>	8	Finature of Applicant or Aport			
Date Stgnature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 3/5/08 Permit Number: Permit Date: 3/5/08 Lease Inspection: Yes \tag{No}						