Effective Date: 2-10-QP District # 4 For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	by KCC five (5) days prior to commencing well
Expected Spud Date: 2/15/2008	Spot Description: SE SW SW
month day year	<u>SE SW Sec. 1 Twp. 11 S. R. 18 </u>
30537	(GOGOGO) 330 feet from N / X S Line of Section
UPERALOR: LICENSE#	990 feet fromE / X W Line of Section
Name: Venture Resources, Inc.	
Address 1: P.O. Box 101234	ls SECTION: Regular X Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Denver State: CO Zip: 80250 +	County: Ellis
Contact Person: Ron Mackey	County: #1
Phone: 303-722-2899	Lease Name: Ridler H Well #: #1
	Field Name: Bemis-Shutts
CONTRACTOR: License# 33493	Is this a Prorated / Spaced Field? Yes X No
Name: American Eagle Drilling, LLC	Target Formation(s): Arbuckle
	Normat toppo or unit boundary line (in factors), 330
Well Drilled For: Well Class: Type Equipmen	Consumal Students Florestines, 1958.6 feet MCI
◯ Oil ◯ Enh Rec ◯ Infield ◯ Mud Rota	rv*
Gas Storage Pool Ext. Air Rotary	water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'
Other:	Depth to bottom of usable water:
Outer.	Surface Pipe by Alternate: I I III
If OWWO: old well information as follows:	
	Length of Surface Pipe Planned to be set: 240'
Operator:	
Well Name:	Projected Total Depth: 3600'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore?	PS No K Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #: 895
Bottom Hole Location:	
KCC DKT #:	
	Will Coles be taken:
	If Yes, proposed zone:
	A FEIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and e	AFFIDAVIT ASSAS CORPORATION COMMI
	sventual plugging of this well will comply with r.s.n. 55 et. seq.
It is agreed that the following minimum requirements will be met:	FEB 0 4 2008
1. Notify the appropriate district office prior to spudding of we	
2. A comulation announced nation at intent to drill shall be nost	ted on each drilling rig.
3. The minimum amount of surface pipe as specified below si	hall be set by circulating cement to the top; in all cases surface pipe shall be set like in the like
through all unconsolidated materials plus a minimum of 20	teet into the underlying formation.
4. If the well is dry hole, an agreement between the operator a	and the district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is	either plugged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall b	be cemented from below any usable water to surface within 120 DAYS of spud date.
	ng order #133,891-C, which applies to the KCC District 3 area, alternate if cementing
must be completed within 30 days of the spud date or the w	vell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
hereby certify that the statements made herein are true and corp	ect to the best of my knowledge and belief.
The state of the s	
Date: 1-31-08 Signature of Operator or Agent	And Whales Title: CEO
Date Organical of Operator of Agent	
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 · 051-25736-0000	- File Completion Form ACO-1 within 120 days of spud date;
	- File acreage attribution plat according to field proration orders;
Conductor pipe required feet	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 200 feet per AL	
Minimum various pipe in quinting	- Obtain written approval before disposing or injecting salt water.
Approved by: full 2-508	
This authorization expires: 2-5-09	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 12 months of approve	aldate.)
•	Well Not Drilled - Permit Expired Date:
	Signature of Operator or Agent:
Spud date: Agent:	1 * * *

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25734-0000	
Operator: Venture Resources, Inc.	Location of Well: County: Ellis
Lease: Ridler H	330 feet from N / X S Line of Section
Well Number: #1	990 feet from E / W Line of Section
Field: Bemis-Shutts	Sec. 1 Twp. 11 S. R. 18 E W
Number of Acres attributable to well: OTP/OTP/OTP of acrespe: SE - SW - SW	Is Section: Regular or X Irregular
QTR/QTR/QTR of acreage: SE _ SW _ SW	
	if Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					,		
:		:	:	ì	:	:	:
,		;	•	ł	<u>.</u>	•	:
		:			;	;	:
				i	•		:
:		:	:	ì	:	:	:
		-					
				1			
:		•	:	1	:	:	:
:		:		i	•		
			•		:	:	:
		:		1			
		•	•	\$:	•	:
1							


i .			•	F			
			•		:	•	:
		:			:	:	
			•		•		:
1 :		:		l		:	
1			•	Ī	:	•	:
1 .			•	ł	•	•	•

1				ł			
			•			•	•
:		:		ŀ	;	:	:
		;			•		
:		•	:	T .	:	:	:
:		:				:	
					:	<u>:</u>	:
					· 	•	
				L			:
1 :							
					:		:
:							
			!				:
:							
				ì			
1 :							
		•			:		
1 :	:			1			
1 :	-			1	:	:	:
}		•]			
			,,				
1				1			
1		•	:	I	:		:
				j	•		
1 :		-		l .			
1 :				1			:
1 :				1			
					•		•
1			i e				
004					•		•
— 440	- e	:		1	:		
1 19	~ ~			l .			:
:	330'					:	
1	337			1		:	:
	. مال ن	•	'	l			

RECEIVED MANSAS CORPORATION COMMISSION

FEB 0 4 2008

CONSERVATION DIVISION VAICHITA, KS



NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Mantino Bassimos I				
Operator Name: Venture Resources, I	nc.		License Number: 30537	
Operator Address: P.O. Box 10123	34		Denver	CO 80250
Contact Person: Ron Mackey			Phone Number: 303-722-289	9
Lease Name & Well No.: Ridler H	#1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		5 <u>ε_</u> 5ω <u>δ</u> ι	J.
Emergency Pit Burn Pit	Proposed	Existing	Sec. 1 Twp. 11 R. 18	East West
Settling Pit Drilling Pit	If Existing, date of	onstructed:	330 Feet from North /	South Line of Section
Workover Pit Haul-Off Pit	Dit appoins		990 Feet from East /	
(If WP Supply API No. or Year Drilled)	Pit capacity: 1,000	(bbls)	Ellis	
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:	
To the presented and obtained obtained trans-	, <u> </u>	¥***	(For Emergency Pits and Se	•
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is r	not used?
Pit dimensions (all but working pits):	00 Length (fe	eet)50	Width (feet)	N/A: Steel Pits
Depth fr	om ground level to de		6	No Pit
				FEB 0 4 2008
Distance to nearest water well within one-mile	of pit		west fresh water & feet.	WICHITA KS
2310feet		Source of infor		
	75 feet	X measu	mation:	1-2-
		X measu	mation:	1-2-
Emergency, Settling and Burn Pits ONLY:		Drilling, Worke	mation: red well owner electric	log X KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation:		Drilling, Worke Type of materia	mation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh wat king pits to be utilized: 3	er mud system
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:		Drilling, Worke Type of materia	mation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh wat	er mud system
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Drilling, Worke Type of materia Number of work Abandonment	mation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh wat king pits to be utilized: 3	er mud system
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	spilled fluids to	Drilling, Worker Type of material Number of work Abandonment Drill pits must to	mation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh wat king pits to be utilized: 3 procedure: Refill with original so oe closed within 365 days of spud date.	er mud system
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drilling, Worker Type of material Number of work Abandonment Drill pits must to	mation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh wat king pits to be utilized: 3 procedure: Refill with original so oe closed within 365 days of spud date.	er mud system
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	spilled fluids to	Drilling, Worked Type of material Number of work Abandonment Drill pits must be	mation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh wat king pits to be utilized: 3 procedure: Refill with original so be closed within 365 days of spud date. It of my knowledge and belief.	er mud system
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	spilled fluids to	Drilling, Worked Type of material Number of work Abandonment Drill pits must be	mation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh wat king pits to be utilized: 3 procedure: Refill with original so oe closed within 365 days of spud date.	er mud system
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 1/31/2008	spilled fluids to	Drilling, Worked Type of material Number of work Abandonment Drill pits must be	mation: red well owner electric over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh wat king pits to be utilized: 3 procedure: Refill with original so oe closed within 365 days of spud date. It of my knowledge and belief.	ter mud system