For KCC Use: Effective Date: 2-11-08 District # 3/ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: February 11, 2008		
month day year	Spot Description:	
-	SW Sec. 20 Twp. 30 S. R. 13 XE 1	
OPERATOR: License# 33365 /	feet from N / X S Line of Section	
Name: Layne Energy Operating, LLC	615 feet from ☐ E / ☒ W Line of Section Is SECTION: ☒ Regular ☐ Irregular?	ווכ
Address 1: 1900 Shawnee Mission Parkway		
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Timothy H. Wright	County: Elk Lease Name: Jones Well #: 13-20	—
Phone: 913-748-3960	Objective Deale Conf.	_
33606		<u> </u>
CONTRACTOR: License#_ 33000 Name: Thomton Air	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals	U
	Nearest Lease or unit boundary line (in footage): 390'	_
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 962 feet MS	3L
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	ره
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	٧o
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water: 150'	
Other:	Depth to bottom of usable water: 225'	
	Surface Pipe by Alternate: XIII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: None	—
Operator:	Length of Conductor Pipe (if any): 110110	—
Well Name:	Projected Total Depth: 1500' Formation at Total Depth: Mississippian	
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	_
Bottom Hole Location:	(Note: Apply for Permit with DWR)	_
KCC DKT #:	Will Cores be taken?	No.
	If Yes, proposed zone:RECEIVED	
	KANSAS CORPORATION COMM	
	COMM	USSI
	DAVIT	IISSI
The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT	IISSI
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:	ging of this well will comply with K.S.A. 55 et. seq. FEB 0 6 2008	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ging of this well will comply with K.S.A. 55 et. seq. FEB 0 6 2008 CONSERVATION DIVISION	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ging of this well will comply with K.S.A. 55 et. seq. FEB 0 6 2008 CONSERVATION DIVISION WICHITA, KS	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation.	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the same appropriate district office will be notified before well is either plugger.	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the approved notice of intent to drill <i>shall be</i> posted on each of the second state	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the analysis of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the approved notice of intent to drill <i>shall be</i> posted on each of the second state	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the analysis of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hote, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ging of this well will comply with K.S.A. 55 et. seq. FEB 0 6 2008 CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent	1
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the state of the spuddate of the state of the state of the state of the spuddate of the state of	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Title:	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	20
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> of the through all unconsolidated materials plus a minimum of 20 feet into the state of	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Title:	20
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the seco	ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS vicirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	1
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the seco	ging of this well will comply with K.S.A. 55 et. seq. FEB 0 6 2008 CONSERVATION DIVISION WICHITA, KS vicirculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; dior production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	20 30
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the second state. February 4, 2008 Signature of Operator or Agant. For KCC Use ONLY API # 15 - O49 - 22 501-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I Till Approved by: **Mark 26-08**	ging of this well will comply with K.S.A. 55 et. seq. FEB 0 6 2008 CONSERVATION DIVISION WICHITA, KS with circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	20
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the standard and the district office will be notified before well is either plugge. If the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a lhereby certify that the statements made herein are true and correct to the best pate: February 4, 2008 Signature of Operator or Agent. For KCC Use ONLY API # 15 - O49 - 22 501-0000 Conductor pipe required	ging of this well will comply with K.S.A. 55 et. seq. FEB 0 6 2008 CONSERVATION DIVISION WICHITA, KS with the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	20 30 13
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the second state. February 4, 2008 Signature of Operator or Agant. For KCC Use ONLY API # 15 - O49 - 22 501-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I Till Approved by: **Mark 26-08**	ging of this well will comply with K.S.A. 55 et. seq. FEB 0 6 2008 CONSERVATION DIVISION WICHITA, KS with the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	20 30
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the standard and the district office will be notified before well is either plugge. If the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a lhereby certify that the statements made herein are true and correct to the best pate: February 4, 2008 Signature of Operator or Agent. For KCC Use ONLY API # 15 - O49 - 22 501-0000 Conductor pipe required	ging of this well will comply with K.S.A. 55 et. seq. FEB 0 6 2008 CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	20 30 13 🗙

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 049-22501-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Elk
Lease: Jones	390 feet from N / X S Line of Section
Well Number: 13-20	615 feet from E / X W Line of Section
Field: Cherokee Basin Coal	Sec. 20 Twp. 30 S. R. 13 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:	:	t.		1	<u>.</u>		
			-					
_							•••••••	
RECEIVED KANSAS CORPORATION COMMISSION	:	:	•		:			
FEB 0 6 2008		:		***************************************			:	
CONSERVATION DIVISION WICHITA, KS	: :			•••••	:	: :		*******
EXAMPLE	:	:			<u>:</u>		:	
				ì	• •			
1980	: :	: : :		,,,,,,,,,		:	,	
3390'	:	 :			:	:		*******
	 !	:	*******		:	·	- -	615 '
SEWARD CO.							90'	—— <i>(</i>)

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells: CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Ope	erating, LLC	License Number: 33365		
Operator Address: 1900 Shawnee	Mission Pa	Mission Woods KS 66205		
Contact Person: Timothy H. Wrig	ıht	Phone Number: 913-748-3960		
Lease Name & Well No.: Jones	13	-20	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>sw</u> <u>sw</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 20 Twp. 30 R. 13 East West	
Settling Pit	If Existing, date constructed:		390 Feet from North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit canacity:		615 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)		Elk County	
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes No		self-sealing	
Pit dimensions (all but working pits):	0 Length (fe	eet)20	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point:	3 (feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and determining RECEIVED ncluding any special monitoring. KANSAS CORPORATION COMMISSION	
			FEB 0 6 2008	
			CONSERVATION DIVISION	
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh water 40 feet.	
3100	60 feet	Samuel of informations		
leet Deptil of water well	1001	measu		
Emergency, Settling and Burn Pits ONLY:				
Producing Formation:				
Number of producing wells on lease:		Number of working pits to be utilized: 2 Abandonment procedure: Let evaporate until dry, then backfill and restore		
Barrels of fluid produced daily: Abandonment Does the slope from the tank battery allow all spilled fluids to		and restore		
flow into the pit? Yes No			Y ₁	
flow into the pit? Yes No	spilled fluids to	Drill pits must l	be closed within 365 days of spud date.	
t hereby certify that the above state		<u> </u>	be closed within 365 days of spud date.	
		<u> </u>	be closed within 365 days of spud date.	
t hereby certify that the above state February 4, 2008		correct to the bes	t of my knowledge and belief.	
I hereby certify that the above state		correct to the bes	be closed within 365 days of spud date.	
t hereby certify that the above state February 4, 2008	ments are true and o	correct to the bes	be closed within 365 days of spud date. It of my knowledge and belief. It of my knowledge and belief. It of my knowledge and belief.	