# For KCC Use: 2-13 -08 District # \_

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (	.,, -, -, -, -, -, -, -, -, -, -, -, -, -,	
Expected Spud Date: February 17, 2008	Spot Description:	
month day year	- NE .NE .SW Sec. 15 Twp. 30 S. R. 14 E	w
OPERATOR: License# 33074	(0/0/0/a) 2000 feet from N / X S Line of Se	
Name: Dart Cherokee Basin Operating Co LLC	3200 feet from ∑E / W Line of Se	ction
Address 1: 211 W Myrtle	is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Independence State: KS Zip: 67301 + Contact Person: Tony Williams	County: Wilson	
Contact Person: 1 Ony Williams Phone: 620-331-7870	Lease Name: M&J Huser Well #. C2-15	
F07F	Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License# 50/5 Name: McPherson Drilling	Is this a Prorated / Spaced Field?  Target Formation(s): Mississippian	] <sub>I/O</sub>
	Nearest Lease or unit boundary line (in footage): 640 Feet	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1055 feet	MSL
Oil Enh Rec Infield Mud Rotary		No /
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	
Disposal Wildcat Cable  Selsmic , # of Holes Other	Depth to bottom of fresh water: 175' +-	
Other:	Depth to bottom of usable water: 200'	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1669 Feet  Formation at Total Depth: Mississippian	
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	· · · · · · · · · · · · · · · · · · ·
ΔFFI		EIVED RATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plugg		TOTA COMMISSI
It is agreed that the following minimum requirements will be met:		8 2008
Notify the appropriate district office <i>prior</i> to spudding of well;	· •••	0 2000
2. A copy of the approved notice of intent to drill shall be posted on each of	drilling rig; CONSERVA	TION DIVISION
3. The minimum amount of surface pipe as specified below <b>shall be set</b> by		HITA, KS
through all unconsolidated materials plus a minimum of 20 feet into the c 4. If the well is dry hole, an agreement between the operator and the district	ct office on plug length and placement is necessary prior to plugging:	
5. The appropriate district office will be notified before well is either plugger		
5. The appropriate district office will be notified before will is clinic plugger	d or production casing is cemented in;	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	
<ol> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.	ger
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.	ger
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the best services of 2008.	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing slugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Safety & Environmental Mana	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the best Date:  February 7, 2008  Signature of Operator or Agent:  For KCC Use ONLY	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Safety & Environmental Mana Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;	ger
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be possible the complete that the statements made herein are true and correct to the best Date:  February 7, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27437-0000	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Safety & Environmental Mana Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	<b>5</b>
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p  I hereby certify that the statements made herein are true and correct to the best Date:  February 7, 2008  Signature of Operator or Agent:  For KCC Use ONLY	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Safety & Environmental Mana Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be possible to the statements made herein are true and correct to the best Date:  February 7, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27437-0000	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Safety & Environmental Mana Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days)	15 30
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be possible to the statements made herein are true and correct to the best Date:  February 7, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27437-0000  Conductor pipe required  Minimum surface pipe required  YO  feet per ALT. I	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing slugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Safety & Environmental Mana Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days) - Obtain written approval before disposing or injecting salt water.	15 30
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be possible to the statements made herein are true and correct to the best Date:  February 7, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27437-0000  Conductor pipe required  Feet	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Safety & Environmental Mana Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	15 30
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be possible to the statements made herein are true and correct to the best pate:  February 7, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27437-0000  Conductor pipe required  Minimum surface pipe required  Approved by:  MARCE Use ONLY  Feet Minimum surface pipe required  Approved by:  MARCE Use ONLY  Feet Minimum surface pipe required  Approved by:  MARCE Use ONLY  Feet Minimum surface pipe required  Approved by:  MARCE Use ONLY  Feet Minimum surface pipe required  Approved by:  MARCE Use ONLY  Feet Minimum surface pipe required  Approved by:  MARCE Use ONLY  Feet Minimum surface pipe required  Approved by:  MARCE Use ONLY  Feet Minimum surface pipe required  Approved by:  MARCE Use ONLY  Feet Minimum surface pipe required  MARCE Use ONLY  Feet Minimum surface pipe required  MARCE Use ONLY  Feet March Use Mar	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing slugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Safety & Environmental Mana Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	15 30 14
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be possible to the statements made herein are true and correct to the best Date:  February 7, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 205 - 27437-0000  Conductor pipe required  Minimum surface pipe required  Approved by:  Minimum surface pipe required  Approved by:  Minimum surface pipe requires:  This authorization expires:	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Safety & Environmental Mana Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	15 30

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205 - 27437-0000		A.P
Operator: Dart Cherokee Basin Operating Co LLC Lease: M&J Huser	Location of Well: County: 19 2000	Vilson feet from N / S Line of Section
Well Number: C2-15	3200	feet from X E / W Line of Section
Field: Cherokee Basin Coal Gas Area	Sec. 15 Twp. 30	S. R. <sup>14</sup> 🔀 E 🔲 W
Number of Acres attributable to well: 40  QTR/QTR/QTR/QTR of acreage: _ NE _ NE _ SW	Is Section: Regular of	or Irregular
	If Section is Irregular, locate well from nearest corner bound in the Section corner used: NE NW SE SW	

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.) T30S

ſ						
	•			-		
	:					
	•					
	4.5					RECEIVED
			•	•		KECEIVED
			•			KANSAS CORPORATION COMMISSI
ļ ,	•					FEB 0 8 2008
						1 LD 0 0 2000
:					R14E	CONSERVATION DIVISION
					NI-TE	WICHITA, KS
1						• -
					EXAMPLE	
		45		:	EXAMPLE	
		15				
		3200	FEL			
1						
		<u> </u>				o——1980
İ		<b>小</b> :		.		
	;			-	10	<b> </b>
	2000 FSL		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		33	390'
						•
				. !		· · ·
İ			4			
i				:	1	
					SEWARD CO.	
		I				
NOTE: In al	ii cases locate the	spot of the propose	d drilling locator	7.	Wilson County	

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Dart Cherokee Basin (	Operating Co LLC	3	License Number: 33074		
Operator Address: 211 W Myrtle		Independence	KS	67301	
Contact Person: Tony Williams		Phone Number: 620-331-7870			
Lease Name & Well No.: M&J Huser C2-15		Pit Location (QQQQ):			
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water April Sensor	Pit is:    Proposed	Existing onstructed:  (bbls)  No  No et) 30 epest point:	NE NE  Sec. 15 Twp. 30 R.  2000 Feet from  3200 Feet from  Wilson  Chloride concentration:  (For Emergency F How is the pit lined if a plastic  Natural Clays  Width (feet)	North / Sou    East / West   West   West   East / North   West   th Line of Section st Line of Section County mg/l s only) d? Steel Pits Pit	
Distance to nearest water well within one-mile $N/A$ feet Depth of water well		Depth to shallo Source of infor measu		feet.	KDWR
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY		,
Producing Formation:			al utilized in drilling/workover:		<del>!</del>
		orking pits to be utilized: 0  t procedure: Air Dry & Backfill			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to		pe closed within 365 days of sp	oud date.	RECEIVED
I hereby certify that the above state  February 7, 2008  Date  Date Received: 2/5/08Permit Numl	кссс	ONY (	Jeller ignature of Applicant or Agent	RFAC	FEB 0 8 200 CONSERVATION DIV. WICHITA, KS