For KCC Use: Effective Date: District # SGA? Yes V No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Falance 42 2000	Spot Description: 100'S & 182'W of	
Expected Spud Date: February 13, 2008 month day year		
, •	C _ SW _ NW _ SE _ Sec. 1 _ Twp. 26 _ S. R. 22 _ DE X	
OPERATOR: License# 4767	1,000 reet from IN / X S Life of Section	
Name: Ritchie Exploration, Inc.	lest ituit \(\subset \)	on
Address 1: PO 783188	is SECTION: Regular I Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Wichita State: KS Zip: 67278 + 3188	County: Ford	
Contact Person: Justin Clegg	Lease Name: Naab Well #: 1	
Phone: 316-691-9500	Fleid Name: Wildcat	
CONTRACTOR: License#_KLN 5929	Is this a Prorated / Spaced Field?	lo
Name: Duke Drilling Co., Inc.	Target Formation(s): Mississippian	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1090'	
	Ground Surface Elevation: 2399.5teet Mi	3L
⊠Oil Enh Rec Infield	Trater tress tribing one degree time.	40
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No
Disposal Wildcat Cable	Depth to bottom of fresh water: 180	
Seismic ; # of HolesOther	Depth to bottom of usable water: 800	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300'	
Operator:	Length of Conductor Pipe (if any): NONE	
•	Projected Total Depth: 4975	_
Well Name: Original Total Depth:	Formation at Total Depth: Mississippian	_
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
Bottom Hole Location:		
KCC DKT #:	Will Cores be taken?	No
	Will Cores be taken? If Yes, proposed zone:	_
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: RECEIVE	_
Oil & Gas Lease Attached (S/2 Sec. 1) AFFII	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION	_
Oil & Gas Lease Attached (S/2 Sec. 1) AFFII	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of this well will comply with K.S.A. 55 et. seq.	 O COMMISSION
Cilis Gas Lease Attached (S/2 Sec. 1) AFFIL The undersigned hereby affirms that the drilling, completion and eventual plugg	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION	 O COMMISSION
CCC DKT #: Diligias Lease Attached (S/2 Sec.1) The undersigned hereby affirms that the drilling, completion and eventual plugged it is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION FEB 0 7 20	O COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A convert the expressed protect of intent to drill shall be posted on each description.	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF THE PROPERTY OF TH	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each d 3. The minimum amount of surface pipe as specified below <i>shall</i> be set by	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF THE PROPOSED CONSERVATION DISCIPLINATION OF THE PROPOSED CONSERVATION O	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minim	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF FEB 0 7 20 rilling rig: Conservation of riculating cement to the top; in all cases surface pipe shall be WICHITA, KS underlying formation.	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF FEB 0 7 20 rilling rig: Conservation of riculating cement to the top; in all cases surface pipe shall be SUCHITA, KS anderlying formation. It office on plug length and placement is necessary prior to plugging;	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged.	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF FEB 0 7 20 rilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be SECHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; did or production casing is cemented in;	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF FEB 0 7 20 Trilling rig; Conservation of circulating cement to the top; in all cases surface pipe shall be septimital, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF FEB 0 7 20 Trilling rig; Conservation of circulating cement to the top; in all cases surface pipe shall be septimital, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF FEB 0 7 20 rilling rig; conservation of ricculating cement to the top; in all cases surface pipe shall be SHCHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE If COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best constants.	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of KANSAS CORPORATION of this well will comply with K.S.A. 55 et. seq. FEB 0 7 20 rilling rig; circulating cement to the top; in all cases surface pipe shall be WECHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF FEB 0 7 20 rilling rig; conservation of ricculating cement to the top; in all cases surface pipe shall be SHCHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF FEB 0 7 20 rilling rig; circulating cement to the top; in all cases surface pipe shall be Wightia, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. R of my knowledge and belief.	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.d. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B". Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: February 6, 2008 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of ging of this well will comply with K.S.A. 55 et. seq. FEB 0 7 20 rilling rig; CONSERVATION DI ricculating cement to the top; in all cases surface pipe shall be SEPHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: GIS Specialist Remember to:	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.d. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B". Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: February 6, 2008 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of ging of this well will comply with K.S.A. 55 et. seq. FEB 0 7 20 rilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be WECHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. Title: GIS Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	DOCOMMISSION 108 VISION:
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be demented from the completed within 30 days of the spud date or the well shall be proposed to the spud date of the well shall be proposed. Thereby certify that the statements made herein are true and correct to the best pate: February 6, 2008 Signature of Operator or Agent: **The Application of the Statement of the Statement of Operator or Agent: **The Application of the Statement of Operator or Agent: **The Application o	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of KANSAS CORPORATION of this well will comply with K.S.A. 55 et. seq. FEB 0 7 20 rilling rig; circulating cement to the top; in all cases surface pipe shall be WECHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. Title: GIS Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	O COMMISSION 108 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pates: February 6, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF CIRCUlating cement to the top; in all cases surface pipe shall be WECHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. If of my knowledge and belief. GIS Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	DOCOMMISSION 108 VISION:
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: February 6, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D 5 7 - 20 5 9 8 - 0000 Conductor pipe required Minimum surface pipe required Geet per ALT. II	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of KANSAS CORPORATION of this well will comply with K.S.A. 55 et. seq. FEB 0 7 20 rilling rig; circulating cement to the top; in all cases surface pipe shall be WECHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lauged. In all cases, NOTIFY district office prior to any cementing. Title: GIS Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	DOCOMMISSION 108 VISION:
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pates: February 6, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D 57 - 20598-0000 Conductor pipe required None feet per ALT. I Mill Approved by: MM 2-8 08	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of FEB 0 7 20 rilling rig; circulating cement to the top; in all cases surface pipe shall be WIPHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: GIS Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	DOCOMMISSION 108 VISION:
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pates: February 6, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D 57 - 20598-0000 Conductor pipe required None feet per ALT. I Mill Approved by: MM 2-8 08	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF KANSAS CORPORATION OF CITY CONSERVATION OF CONSE	DOCOMMISSION 108 VISION:
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: February 6, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D 5 7 - 20 5 9 8 - 0000 Conductor pipe required Minimum surface pipe required Geet per ALT. II	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of ping of this well will comply with K.S.A. 55 et. seq. FEB 0 7 20 rilling rig; conservation of circulating cement to the top; in all cases surface pipe shall be with HTA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. Title: GIS Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	DOCOMMISSION 108 VISION:
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each d. 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: February 6, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D 5 7 - 20 5 9 8 - 0000 Conductor pipe required Minimum surface pipe required Approved by: MAPI # 2 - 8 - 8 - 8 - 8 - 9 - 10 - 10 - 10 - 10 - 10 - 10 - 10	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION OF KANSAS CORPORATION OF CITY CONSERVATION OF CONSE	DOCOMMISSION 108 VISION:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 057-20598-0000	
Operator: Ritchie Exploration, Inc.	Location of Weli: County: Ford
Lease: Naab	1,550 feet from N / S Line of Section
Well Number: 1	2,492 feet from X E / W Line of Section
Field: Wildcat	Sec. 1 Twp. 26 S. R. 22 E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: C SW - NW - SE	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

:							
:		:					•
							•
		,		1 .			
		•					
							•
							•
		,					
_							•
		,					•
							•
							•
-							
		•		: .			
							-
							•
						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
							•
				1			
							2
							-
		_					•
1 5				1 .			
				1			
							-
				1 '			
				4			•
		•		1 .			
				1 '			
				1			
				1			
				1			
		-					
				1			•
		S .					•
_							•
			•				
							-
					•		•
					,		4
							•
			•				-
			•		•		•
		· · · · · · · · · · · · · · · · · · ·		ſ			
L							
		-					•
		: :					•
•				· ·			
,							
			,		******		
		· · · · · · · · · · · · · · · · · · ·	,		******		
············			,		******		
		· · · · · · · · · · · · · · · · · · ·	,				
······································		· : :	,				
······································		· · · · · · · · · · · · · · · · · · ·	,				
·		·	,				
	*******	· · · · · · · · · · · · · · · · · · ·	,		197 'EF		
 			,	1	192 FE	 L	
			,	2	192 FE	L	
			,		192 FE	L	
			,	2/2	192 FE	L	
`			,	0/2	192 FE	L	
············`	*******		,	0/2	192 FE	L	
			,	0/2	192 FE	<u>L</u>	
			,	0/2	192 FE	L	
				0/2	192 FE	<u>L</u>	
` 			,	0/2	192 FE	<u>L</u>	
				0/2	192 FE	<u>L</u>	
				0/2	192 FE	<u>L</u>	
				0/2	192 FE	<u>L</u>	
			,	0/2	192 FE	L	
				0/2	192 FE	<u>L</u>	
				· · · · · · · · · · · · · · · · · · ·	192 FE	<u>L</u>	
				o 21	192 FE	<u>L</u>	
				0 15.5	192 FE	<u>L</u>	
			,	\$\frac{1}{2}	192 FE	<u>L</u>	
				0 15.20 Z	192 FE	<u>L</u>	
				0 15.20	192 FE	L	
				0 15.50	192 FE	<u>L</u>	
				0 15.20	192 FE	<u>L</u>	
				0 18.80	192 FE	<u>L</u>	
				0 15.50	192 FE	L	
				0 15.20 2	192 FE	<u>L</u>	
				\$ 15.50 E	192 FE	<u>L</u>	
				0 15 50 ES	192 FE	<u>L</u>	
				0 15.20 ES	192 FE	<u>L</u>	
				0 15.20 ESC	192 FE		
				0 15.20 ESC	492 'FE	L	
				0 15.20 Br	192 FE	<u>L</u>	
				0 15.20 EST	192 FE	<u>L</u>	
				0 15.20 ESC	/92 FE		
				0 15.20 ESC	492 'FE	L	
				0 15.20 EST	192 FE	<u>L</u>	
				0 15.20 EST	192 FE	<u>L</u>	
				0 15.20 EST	192 FE	L	
				0 15.20 EST	192 FE	<u>L</u>	

RECEIVED
KANSAS CORPORATION COMMISSIO

FEB 0 7 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Ritchie Exploration, Inc.		License Number:	4767			
Operator Address: PO 783188				Wichita	KS	67278
Contact Person: Justin Clegg			Phone Number:	316-691-950	00	
Lease Name & Well No.: Naab	1		Pit Location (QQ	QQ):		
Type of Pit: Emergency Pit	Pit is: Proposed If Existing, date co	Existing onstructed:	Sec. 1 Twp. 1,550 Fe	<u>NWSE</u>	South Line	of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 10,686	(bbls)	Ford Fe	et from East /	West Line	e of Section County
Is the pit located in a Sensitive Ground Water		No	(For	ation: Emergency Pits and Settli	ing Pits only)	mg/l
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit line	d if a plastic liner is no ulls / AquaGel	t used?	
Pit dimensions (all but working pits).	00 Length (fe		Width (feet)		N/A: Steel	l Pits
						12
Distance to nearest water well within one-mile of pit Depth to shallowest fresh water 78feet. Source of information:				2057		
5-10-10-10-10-10-10-10-10-10-10-10-10-10-			sured well owner electric log KDWR			
		rkover and Haul-Off Pits ONLY: erial utilized in drilling/workover: Fresh / Chemical Mud				
i I		rking pits to be utiliz	2		KDWR 7:30 S 9 S C	
Trainbo or producing trainbo		procedure: Backt			<u> </u>	
Does the slope from the tank battery allow al flow into the pit? Yes No		Drill pits must	be closed within 365	5 days of spud date. KANS	RECE AS CORPORA	
I hereby certify that the above stat	ements are true and			and belief.	FEB 0	7 2008
February 6, 2008 Date		\mathcal{I}	Signature of Applicar	t or Agent	WICHI	ITA, KS
	ксс	OFFICE USE O	ONLY Ste	el Pit RFAC	RFA	s
Date Received: 2/7/08 Permit Nur	nber:	Perm	nit Date: 2/7/	or Lease Inspection	on: Yes	No