## For KCC Use: 2-16-08 Effective Date: ... SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

October 2007 Form must be Typed Form must be Signed

Form C-1

		Must be appro	ved by KCC five	(5) days prior to comme	ncing well	All blat	nks must be Filled
Expected Spud D	ate February	14	2008	Spot Description:			
	month	day	year	S2 S2	NW Sec 2 T	wp. 30 S Rng.	9   E   W
OPERATOR: Lice	ense# 5003 /			2970	feet from		ine of Section
Name.	McCoy Petroleum Corpo	ration		1320	feet from		ine of Section
Address 1:	8080 E. Central, Suite #3				Regular Irregula		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Address 2:	OOOO L. Ochtral, Outle #0				Locate well on the Sec		sidel
City:	Wichita State:	KS Zip: 67	7206-2366	County:		gman	dide)
Contact Person:	Scott Hampel	<u></u>		Lease Name:	WHITMER "	·	1#: 1-2
Phone:	316-636-2737 x 104			Field Name:	<del></del>	vey-Grabs	
				Is this a Prorated / Sp			Yes No
CONTRACTOR; L	License # 5142			Target Information(s)	•	Mississippian	
Name: Sterlir	ng Drilling Company			-	t boundary (in footage)		30'
				Ground Surface Elev-	ation:	1610'	feet MSL
Well Drille	ed For: Well Class:	Type Equip	oment:	Water well within one	-quarter mile:		Yes No.
X  0   /	Enh Rec   Infield /	Mud R	otary	Public water supply w	vell within one mile:		Yes No
Gas	Storage Pool Ext.	Air Rot	tary	Depth to bottom of fre	esh water:	150'_	
	Disposal Wildcat	Cable		Depth to bottom of us	able water:	180'	
Seismic:	# of Holes Other			Surface Pipe by Alter	nate: XI	_	
Other:				Length of Surface Pig	e Planned to be set:	200	l'+ <u> </u>
				Length of Conductor	Pipe (if any):	Nor	1e
	: old well information as follows:			Projected Total Depth		4300′ /	
Operator:			<del></del>	Formation at Total De	epth:	Mississippian	
Well Name: _	Jaking Datas Onio	inal Total Depth	., .	Water Source for Drill			
Original Comp	oletion Date: Orig	jinai Totai Depti		¥ Well Fa	rm Pond Other:		
Directional, Deviat	ted or Horizontal wellbore?		Yes 🔀 No	DWR Permit #:			
if Yes, true vertica	il depth:			,	(Note: Apply for Permi	t with DWR 🚺	
Bottom Hole Loca				Will Cores be taken?			Yes No
KCC DKT#:				If Yes, proposed zone	<b>)</b> :		
t is agreed that the 1. Notify the a 2. A copy of th 3. The minimu	nereby affirms that the drilling, con e following minimum requirements ppropriate district office <i>prior</i> to sine approved notice of intent to drill im amount of surface pipe as spec- unconsolidated materials plus a m	s will be met: pudding of well; I <b>shall be</b> posted cified below <b>sha</b>	entual plugging of d on each drilling If be set by circul	rig; ating cement to the top, in	n all cases surface pipe		RECEIVED
6. If an ALTEF Or pursuan must be cor	unconsolidated materials plus a ms dry hole, an agreement between winte district office will be notified the RNATE II COMPLETION, production to Appendix "B" - Eastern Kansampleted within 30 days of the spural the statements made herein are	on pipe shall be s surface casing d date or the wel	cemented from b cemented from b corder #133,891- shall be plugged	elow any unable water to C, which applies to the KC i. In all cases, NOTIFY of	surface within 120 day	s of plug date. nate II cementing = ny cementing.	JAN 25 2008  NSERVATION DIVISION WICHITA, KS
	3/08 Signature of Opera		×	cote Hour	Title:	Vice President	
	·	-		Scott Hampel	•		
For KCC Use (	'NII V			Remember to:		_	
_	095-22136-000	SO		<ul> <li>File Drill Pit Application</li> <li>File Completion Form</li> </ul>	,		$\mathcal{V}$
API#15 - <u>C</u>	More			File Completion Form     File acreage attribution			
Conductor pipe required None feet				- Notify appropriate dis	trict office 48 hours pri	r to workover or re-e	entry; C.
Minimum surface pipe required				<ul> <li>Submit plugging repo</li> <li>Obtain written approv</li> </ul>	. , , ,	• • •	in 60 days);
Approved by:				<ul> <li>Obtain written approv</li> <li>If this permit has expl</li> </ul>		•	se   1
This authorizat	tion expires: 2-11-09				and return to the addre		9
	tion void if drilling not started within	n 12 months of e	effective date.)				r
				Well Not Drilled	d - Permit Expired	Date:	
Spud date:	Agent:	-		Signature of Operato	or or Agent:		K∑
		-	· · · · · · · · · · · · · · · · · · ·				🏻 💆

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 07	5-8-2 136-0000	Location of Well: County: S2 S2 NW, Kingman					
Operator:	McCoy Petroleum Corporation	2970 feet from N S (check one) Line of Section					
Lease:	WHITMER "K"	1320 feet from E W (check one) Line of Section					
Well Number:	#1-2	Sec 2 Twp 30 S.R 9 East West					
Field:	Spivey-Grabs						
Number of Acres at	tributable to well:	Is Section: Regular Irregular?					
QTR / QTR / QTR of acreage:		If Section is Irregular, locate well from nearest corner boundary.					
		Section corner used: NE NW SE SW					

**PLAT** 

(Show location of the well and shade attributable acreage for prorated or spaced wells) (Show footage to the nearest lease or unit boundary fine.)





NOTE: In all cases locate the spot of the proposed drilling location.

In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Address: 8080 E. Central, Suite #300, Wichita, KS 67206-2366  Contact Person: Scott Hampel	Operator Name: McCoy Petroleum Corpora	License Number: 5003			
Lease Name & Well No.  WHITMER "K" #1-2  Pit Location (COCIO):  S2 S2 NW  Emergency Pit   Burn Pit   Pit is:   Setting Pit   Drilling Pit   Proposed   Existing   Sec 2 Twp 30s R 9w   Bast   West   Section   Section   Morth / South Line of Section   Section   Morth / South Line of Section   1320   Feet from   Morth / South Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of Section   1320   Feet from   Bast / West Line of	Operator Address: 8080 E. Central, Suite #300	), Wichita, KS 67206-2366			
Type of Pit:    Emergency Pit   Burn Pit   Casting, date constructed   2970   Feet from   North / Supply API No or Year Desired   Pit capacity:   3600   (bbs)   See 2 1 No 305 R 9w   Bast   West   Morkover Pit   North / Supply API No or Year Desired   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2   West Line of Section   1320   Feet from   See 1/2	Contact Person: Scott Hampel	Phone Number: 316-636-2737x104			
Emergency PI:	Lease Name & Well No.: WHITMER	Pit Location (QQQQ):			
Distance to nearest water well within one-mile of pit  NA 1413   1413   1413   1414   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415   1415	Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit If Ex  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water Area?  Is the bottom below ground level?  Artif  Pit dimensions (all but working pits):  Depth from ground If the pit is lined give a brief description of the liner	s:  Proposed Existing clisting, date constructed:  capacity:  3600 (bbts)  Yes No  ficial Liner?  Yes No  Length (feet) 80  Ind level to deepest point:  Describe proces	S2 S2 NW  Sec2		
Bent	NA feet Depth of water well NA  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids flow into the pit?  Yes No  I hereby certify that the above statements are to	Source of inform measu  Drilling, Worko Type of material Number of worki Abandonment pr return surfa Drill pits must be rue and correct to the best of my kn	Depth to shallowest fresh water		
	13-01-		Bent		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

February 8, 2008

Scott Hampel McCoy Petroleum Corporation 8080 E Central, Se 300 Wichita KS 67206-2366

Re:

**Drilling Pit Application** 

Whitmer K Lease Well No. 1-2

NW/4 02-30S-09W

Kingman County, Kansas

Dear Mr. Hampel:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and <u>all pits</u> <u>must be lined with bentonite</u>. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Form CDP-5 (August 2004), Exploration and Production Waste Transfer, must be filed within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms//

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Sozelle Rains

Department of Environmental Protection and Remediation

CC:

Jeff Klock

File