For KCC Use: Effective Date: _	2-17-08
District #	1,
SGA? Yes	. ☑No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: February 14, 2008	Spot Description; 5' N & 5' W, C SE SE NW
month day year	NW SE SE NW Sec. 29 Twp. 17 S. R. 30 TEXW
33629	(Oracino) 2,305 feet from N / S Line of Section
OPERATOR: License#	2,305 feet from E / X W Line of Section
Name: Great Plains Energy, Inc.	Is SECTION: Regular Irregular?
Address 1: PO Box 292 Address 2: 141 West 10th	
Address 2: 141 West Total	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Dan Blankenau	County: Lane
Phone: 402.277.5336	Lease Name: Joe Cramer Well #: 1
,	Field Name: Wildcat
CONTRACTOR: License# 33575	Is this a Prorated / Spaced Field?
Name: WW Drilling, LLC	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 335
⊠Oil / Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2881 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 200 /80
Other:	Depth to bottom of usable water: 1550'
	Surface Pipe by Alternate: III XIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 220'
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 4700'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	VAIII COLES DE L'ARELLE
	If Yes, proposed zone:
AFFI	If Yes, proposed zone:
*	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED Fig. 1 1 2008 drilling rig; by circulating cement to the top; in all cases surface pipeline with the content of the
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IDAVIT IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge	If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Identifying rig; In all cases surface pipe control of the control
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED Adrilling rig; In y circulating cement to the top; in all cases surface pipe and place or production. In this well will comply with K.S.A. 55 et. seq. RECEIVED RECEIVED Adrilling rig; In y circulating cement to the top; in all cases surface pipe and place or production. In this well will comply with K.S.A. 55 et. seq. RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the standard to the standard the distriction of the standard standard to the standard	If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. RECEIVED In this well will comply with K.S.A. 55 et. seq. In this well will comply will be will comply with K.S.A. 55 et. seq. In this well will comply will be will comply will be
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT ging of this well will comply with K.S.A. 55 et. seq. RECEIVED drilling rig; y circulating cement to the top; in all cases surface pipe with the control of the co
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the standard to the standard the distriction of the standard standard to the standard	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED drilling rig; by circulating cement to the top; in all cases surface pipe and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> of the state of the specified below that the statements made herein are true and correct to the beautiful to the state of t	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED Adrilling rig; by circulating cement to the top; in all cases surface pipe and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved and unconsolidated materials plus a minimum of 20 feet into the the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the best or the statements.	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED drilling rig; by circulating cement to the top; in all cases surface pipe half with HITA underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In title: President Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the district of the specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and correct to the best of the statements. Signature of Operator or Agent:	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED Idining rig; In all cases surface pipe of the plugging; In all cases surface pipe of the plugging; In all cases surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the district office of intent to drill <i>shall be</i> posted on each of the state of the	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED drilling rig; by circulating cement to the top; in all cases surface pipe for with the circulating formation. In the circulating cement to the top; in all cases surface pipe for to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED Adrilling rig; by circulating cement to the top; in all cases surface pipe and with the complete of
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the specified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be computed on pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the best of the state of th	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED drilling rig; by circulating cement to the top; in all cases surface pipe and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best of the state of	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED Idial of this well will comply with K.S.A. 55 et. seq. RECEIVED Idial of this well will comply with K.S.A. 55 et. seq. RECEIVED Idial of this well will comply with K.S.A. 55 et. seq. Idial of this well will comply with K.S.A. 55 et. seq. Idial of this well will comply with K.S.A. 55 et. seq. Idial of this well will comply with K.S.A. 55 et. seq. Idial of this well will comply with K.S.A. 55 et. seq. Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply with K.S.A. 55 et. seq. Received Idial of this well will comply will comply the complete of this well according to the complete of this we
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> of the through all unconsolidated materials plus a minimum of 20 feet into the state of the state	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED drilling rig; by circulating cement to the top; in all cases surface pipe and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - / O/- 2 2078-0000 Conductor pipe required	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED drilling rig; by circulating cement to the top; in all cases surface pipe and with the pipe and underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> be the state of the	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED drilling rig; by circulating cement to the top; in all cases surface pipe and with the plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the intention of surface pipe as specified below <i>shall be set</i> of the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the between the operator or Agent: Signature of Operator or Agent: Image: Image	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED Idilling rig; In y circulating cement to the top; in all cases surface pipe in the property of the plugging; In y circulating cement to the top; in all cases surface pipe in the plugging; In y circulating cement to the top; in all cases surface pipe in the plugging; In y circulating cement to the top; in all cases surface pipe in the plugging; In y circulating cement to the top; in all cases surface pipe in the plugging; In y circulating cement to the top; in all cases surface pipe in the plugging; In y circulating cement to the top; in all cases surface pipe in the plugging; In y circulating cement to the top; in all cases surface pipe in the plugging; In y circulating cement to the top; in all cases surface pipe in the plugging; In y circulating cement to the top; in all cases surface pipe in the plugging; In all cases, NOTIFY district office prior to any cementing pipe pipe plugged. In all cases, NOTIFY district office prior to any cementing. President Title: President In the propriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved and unconsolidated plug as specified below <i>shall be set</i> to though all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the plugge of the spud date or the well shall be in the statements made herein are true and correct to the best of the spud date or the well shall be plate: Por KCC Use ONLY	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> be the state of the	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. Well Not Drilled - Permit Expired Date:


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101-22078-0000				
Operator: Great Plains Energy, Inc.	Location of Well: County: Lane			
Lease: Joe Cramer	2,305 feet from N / S Line of Section			
Well Number: 1	2,305 feet from E / X W Line of Section			
Field: Wildcat	Sec. 29 Twp. 17 S. R. 30 E W			
Number of Acres attributable to well:	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED
FE3 1 1 2008
CC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Great Plains Energy, Inc.		License Number: 33629				
Operator Address: PO Box 292		141	West 10th	Wahoo	NE	68066
Contact Person: Dan Blankenau			Phone Number: 402.277.5336			
Lease Name & Well No.: Joe Cramer	1		Pit Location (QQQQ):			
Type of Pit:	Pit is:	Existing		SE NW	□ ▽	l
Emergency Pit Burn Pit Settling Pit Drilling Pit	If Existing, date of	_	2 205			'
Workover Pit Haul-Off Pit			Feet from XNorth / South Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: 10,700	(bbls)	Lane	eet from East / 2	West Line	of Section County
Is the pit located in a Sensitive Ground Water	Area? Yes	Ĭno		ation: Emergency Pits and Sett		mg/l
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit line	ed if a plastic liner is n	ot used?	
Pit dimensions (all but working pits):	30 Length (fe	eet)60			N/A: Stee	l Pits
Depth fr	om ground level to de	eepest point:	(feet)		No Pit	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for purple in the pit is liner integrity, including an				I monitoring.	ermining ECEIVEL	,
•					B 1 : 20	
				1 14	.e.; '	```
Distance to nearest water well within one-mile of pit Depth to shall		Depth to shallo	owest fresh water 100 feet.			
Source of in		Source of info	formation:			
feet	leet		kover and Haul-Off Pits ONLY: rial utilized in drilling/workover: Fresh water/chemical			
			kover and Haul-Off Pits ONLY: ial utilized in drifling/workover: Fresh water/chemical			
			vorking pits to be utilized:3			
The state of the s		Abandonment	ont procedure: Air dry, backfill and squeeze for farming.			
Does the slope from the tank battery allow all spilled fluids to		Drill pits must	pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and	correct to the bes	at of my knowledge	and belief.		
	/	011	011			
Pate Signature of Applicant or Agent						
Date						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 2/11/08 Permit Num	nber:	Perm	nit Date: 2/11/0	Lease Inspection	on: Yes	No