* Location Correction

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 CORRECTE must be Signed as must be Filled

For KCC Use: 12-19-07

Effective Date: 3

SGA? Yes No

xpected Spud Date:January 2, 2008	Spot Description:	
month day year	. E/2 NE - NE Sec. 9 Twp. 31	
PERATOR: License#	feet from X	N / S Line of Section
arne: Quest Cherokee, LLC	_ *	E / W Line of Section
ddress 1: 210 W. Park Ave., Suite 2750	¹s SECTION: ■ Regular Irregular?	
ddress 2:	(Note: Locate well on the Section Plat or	reverse side)
ity: Oklahoma City State: OK Zip: 73102 +	County: Labette	
ontact Person: Richard Martin	Lease Namer Johnson, Marian A.	Well #: 9-1
none.	Field Name: Cherokee Besin CBM	
ONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?	Yes No
ame: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	Z 336
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 550	× 330
	Ground Surface Elevation: 928 923	feet MSL
	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	∐Yes ⊠ No
Seismic : # of Holes Other	Depth to bottom of fresh water: NA 100	
Other: Coslbed Mathane	Depth to bottom of usable water: NA 130	
	Surface Pipe by Alternate: II XII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any)	
Well Name:	Projected Total Depth: 1200	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?	Well Farm Pond X Other: Air	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DW	
CC DKT #:	Will Cores be laken?	Yes X No
GOD FEL: LOW NLUR: 920 GSF	Will Cores be laken? If Yes, proposed zone:	
60 FEL; 60 NLUB; 920 GSE	Will Cores be laken? If Yes, proposed zone: # WAS: NE-NE	RECEIVED
: 330 FEL; 660 NLUB; 920 GSE	If Yes, proposed zone: # WAS; NE-NE RFFIDAVIT IS: E/2- NE-NE	RECEIVED
CC DKT #: 1 400 FEL; 160 NLUB; 920 GSE 1 330 FEL; 330 NLUB; 922 GSE The undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone: # WAS; NE-NE RFFIDAVIT IS: E/2- NE-NE	RECEIVED KANSAS CORPORATION COM
160 FEL; 160 NLUB; 920 GSE 330 FEL; 330 NLUB; 922 GSE the undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone: # WAS; NE-NE RFFIDAVIT IS: E/2- NE-NE	RECEIVED KANSAS CORPORATION COM
1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: # WAS: NE-NE AFFIDAVIT	RECEIVED KANSAS CORPORATION COM
*: 330 FEL; 330 NLUB; 920 GSE The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A convert the appropriate district of intent to drill <i>shall be</i> posted on a	If Yes, proposed zone: # WAS; NE-NE AFFIDAVIT	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVISION
the DFEL; the NLUB; 920 GSE and a superior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be	If Yes, proposed zone: # WAS: NE-NE AFFIDAVIT	RECEIVED KANSAS CORPORATION COMBERVATION DIVIS
the undersigned hereby affirms that the drilling, completion and eventual its agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	If Yes, proposed zone: # WAS; NE-NE AFFIDAVIT	RECEIVED KANSAS CORPORATION COA DEC 1 4 2007 CONSERVATION DIVIS DE Shall be MICHITA, KS
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone: # WAS: NE-NE RFFIDAVIT	RECEIVED KANSAS CORPORATION COM DEC 14 2007 CONSERVATION DIVIS DE Shall be MICHITA, KS
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materiats plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either place.	If Yes, proposed zone: # WAS: NE-NE # FFIDAVIT IS: E/2-NE-NE If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; # set by circulating cement to the top; in all cases surface pip to the underlying formation. # district office on plug length and placement is necessary plugged or production casing is cemented in; # ented from below any usable water to surface within 120 D.	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVIS the shall be MICHITA, KS brior to plugging; AYS of spud date.
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 16. If an ALTERNATE II COMPLETION, production pipe shall be cemed to the control of the control o	If Yes, proposed zone: ### WAS: NE-NE ### TIS: E/2-NE-NE ## Induging of this well will comply with K.S.A. 55 et. seq. ### see by circulating cement to the top; in all cases surface pigot the underlying formation. ### discussion of the industrial of the indust	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVIS DE shall be MICHITA, KS prior to plugging; AVS of spud date. ernate il cementing
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be postified before well is either of	If Yes, proposed zone: ### WAS: NE-NE ### TIS: E/2-NE-NE ## Induging of this well will comply with K.S.A. 55 et. seq. ### see by circulating cement to the top; in all cases surface pigot the underlying formation. ### discussion of the industrial of the indust	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVIS DE shall be MICHITA, KS orior to plugging; AVS of spud date. ernate il cementing
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: ### WAS: NE-NE ### TAS: E/2-NE-NE If plugging of this well will comply with K.S.A. 55 et. seq. #### Set by circulating cement to the top; in all cases surface pigo of the underlying formation. ### district office on plug length and placement is necessary plugged or production casing is cemented in; ented from below any usable water to surface within 120 D. or #133,891-C, which applies to the KCC District 3 area, all all be plugged. In all cases, NOTIFY district office prior to	RECEIVED KANSAS CORPORATION COA DEC 1 4 2007 CONSERVATION DIVIS DE shall be MICHITA, KS prior to plugging; AVS of spud date. ernate il cementing
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the contr	If Yes, proposed zone: ## WAS: NE-NE ## WAS: NE-NE ## Indepth of this well will comply with K.S.A. 55 et. seq. ## ach drilling rig; ## set by circulating cement to the top; in all cases surface pip ## to the underlying formation. ## district office on plug length and placement is necessary properties of the complete of the co	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVIS DE shall be MICHITA, KS Prior to plugging; AYS of spud date. ernate il cementing any cementing.
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first appropriate district office will be notified before well is either please. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the sum of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made herein are true and correct to the program of the spud that the statements made the spud that the statements made the spud that the statements are true and correct to the spud that the statements made the spud that the statements are true and correct that the statements a	If Yes, proposed zone: ## WAS: NE-NE ## WAS: NE-NE ## Indepth of this well will comply with K.S.A. 55 et. seq. ## ach drilling rig; ## set by circulating cement to the top; in all cases surface pip ## to the underlying formation. ## district office on plug length and placement is necessary properties of the complete of the co	RECEIVED KANSAS CORPORATION COA DEC 1 4 2007 CONSERVATION DIVIS DE shall be MICHITA, KS prior to plugging; AVS of spud date. ernate il cementing
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the control of the statements made herein are true and correct to the control of the statements made herein are true and correct to the control of the contr	If Yes, proposed zone: ## WAS: NE-NE ## WAS: NE-NE ## Indepth of this well will comply with K.S.A. 55 et. seq. ## ach drilling rig; ## set by circulating cement to the top; in all cases surface pip ## to the underlying formation. ## district office on plug length and placement is necessary properties of the complete of the co	RECEIVED KANSAS CORPORATION COA DEC 1 4 2007 CONSERVATION DIVIS DE shall be MICHITA, KS prior to plugging; AYS of spud date. ernate il cementing any cementing. President
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl. 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the content of the content of the correct of the content of the correct of the content of the correct of the	If Yes, proposed zone: ## WAS: NE-NE ## WAS: NE-NE ## In plugging of this well will comply with K.S.A. 55 et. seq. ## Plugging of this well will comply will be plugged of this well w	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVISION SHALL BE SHALL BE SMICHITA, KS Prior to plugging; AYS of spud date. ernate il cementing any cementing. President
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materiats plus a minimum of 20 feet inte. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl. 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the date: December 12, 2007 Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: ### WAS: NE-NE ### NE-NE ### If JUNES: E/2-NE-NE ### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If yes, proposed will comply with K.S.A. 55 et. seq. ##### If yes, proposed will comply with K.S.A. 55 et. seq. ###################################	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVISION SHALL BE SHALL BE SMICHITA, KS Prior to pluggling; AYS of spud date. ernate II cementing any cementing. President Drill; ud date;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the plate: December 12, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: ### WAS: NE-NE ### TAS: E/2-NE-NE If plugging of this well will comply with K.S.A. 55 et. seq. #### acach drilling rig; ### set by circulating cement to the top; in all cases surface pigo of the underlying formation. ### district office on plug length and placement is necessary plugged or production casing is cemented in; ### acach drilling rig; ### set by circulating cement to the top; in all cases surface pigo of the underlying formation. ### district office on plug length and placement is necessary plugged or production casing is cemented in; #### acach drilling rig; ### acach	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVISION SHALL BE SHALL BE SMICHITA, KS Prior to pluggling; AYS of spud date. ernate il cementing of any cementing. President Drill; ud date; tion orders;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on a 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the late: December 12, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: ### WAS: NE-NE ### TIS: E/2-NE-NE If plugging of this well will comply with K.S.A. 55 et. seq. #### death drilling rig; ### set by circulating cement to the top; in all cases surface pipe of the underlying formation. ### district office on plug length and placement is necessary production casing is cemented in; ented from below any usable water to surface within 120 Dear #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the best of my knowledge and belief. ###################################	RECEIVED KANSAS CORPORATION COA DEC 1 4 2007 CONSERVATION DIVIS DE shall be MICHITA, KS Prior to plugging; AYS of spud date. ernate Il cementing any cementing. President Drill; ud date; tion orders; prkover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and correct to the complete of the statements of the spud date or Agent: December 12, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: ### WAS: NE-NE ### AFFIDAVIT ### ITS: E/2-NE-NE ### It plugging of this well will comply with K.S.A. 55 et. seq. ### It plugging of this well will comply with K.S.A. 55 et. seq. #### It plugging of this well will comply with K.S.A. 55 et. seq. #### It plugging of this well will comply with K.S.A. 55 et. seq. #### It plugging of this well will comply with K.S.A. 55 et. seq. #### It plugging of this well will comply with K.S.A. 55 et. seq. ##### It plugging is comented in: ##### It plugged or production casing is cemented in: ###################################	RECEIVED KANSAS CORPORATION COA DEC 1 4 2007 CONSERVATION DIVIS DE shall be MICHITA, KS Prior to plugging; AYS of spud date. ernate Il cementing any cementing. President Drill; ud date; tion orders; priceted (within 60 days);
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the formulation of the state of the surface will be notified before well is either please. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and correct to the late: December 12, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: ### WAS: NE-NE ### TIS: E/2-NE-NE If plugging of this well will comply with K.S.A. 55 et. seq. #### Beach drilling rig; ### set by circulating cement to the top; in all cases surface pipe of the underlying formation. ### district office on plug length and placement is necessary production casing is cemented in; ented from below any usable water to surface within 120 Dear #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the best of my knowledge and belief. ###################################	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVISION SHALL BE SHALL BE SANCHITA, KS Prior to plugging; AYS of spud date. The ernate II cementing any cementing. President Drill; ud date; tion orders; price of re-entry; pleted (within 60 days); g sait water.
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the formulation of the strict office will be notified before well is either please. The appropriate district office will be notified before well is either please. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the late: December 12, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: ### WAS: NE-NE ### WAS: NE-NE ### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will cases surface pipeor to the complete of the comple	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVISION SHALL BE SHALL BE SMICHITA, KS Prior to plugging; AYS of spud date. The ernate il cementing any cementing. President Drill; ud date; tion orders; priceted (within 60 days); g salt water. In date) please
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet intent to drill shall be intended and the surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet intended in the well is given by the spurial properties and the surface properties and the surface properties and the surface properties and the surface of production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and correct to the production pipe required	If Yes, proposed zone: ### WAS: NE-NE ### AFFIDAVIT ### ID : E/2-NE-NE ### Id plugging of this well will comply with K.S.A. 55 et. seq. #### Idea of this well will comply with K.S.A. 55 et. seq. #### Idea of this well will comply with K.S.A. 55 et. seq. #### Idea of this well will comply with K.S.A. 55 et. seq. #### Idea of this well will comply with K.S.A. 55 et. seq. #### Idea of this well will comply with K.S.A. 55 et. seq. ##### Idea of this well will comply with K.S.A. 55 et. seq. ##### Idea of this well will comply with K.S.A. 55 et. seq. ###################################	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVISION TO SHARIF DE SANCHITA, KS Prior to plugging; AYS of spud date. Ternate II cementing The any cementing. President Drill; Tud date; Tition orders; Torkover or re-entry; Topleted (within 60 days); Typleted (within 60 days); Typleted (within 60 days); Typleted (please)
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and correct to the state. December 12, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: ### WAS: NE-NE ### WAS: NE-NE ### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will comply with K.S.A. 55 et. seq. #### If plugging of this well will cases surface pipeor to the complete of the comple	RECEIVED KANSAS CORPORATION COM DEC 1 4 2007 CONSERVATION DIVISION TO SHARIF DE SANCHITA, KS Prior to plugging; AYS of spud date. Ternate II cementing The any cementing. President Drill; Tud date; Tition orders; Torkover or re-entry; Topleted (within 60 days); Typleted (within 60 days); Typleted (within 60 days); Typleted (please)

FEB 12 2008

CONSERVATION DIVISION _____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW CORRECTED

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

APINO. 15 - 099-24250000	
Operator: Quest Cherokee, LLC	Location of Well: County: Labelte
Lease: Johnson, Marien A.	660 feet from N / S Line of Section
Well Number: 9-1	★ 669- 330 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 9 Twp. 31 S. R. 19 X E W
Number of Acres attributable to well: OTR/QTR/QTR/QTR of acreage: NE	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locator.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED **MANSAS CORPORATION COMMISSION**

FEB 12 2008

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate License Number: 33344 Operator Name: Quest Cherokee, LLC Oklahoma City Operator Address: 210 W. Park Ave., Suite 2750 405-702-7480 Phone Number: Contact Person: Richard Marlin Pit Location (QQQQ): 9-1 Lease Name & Well No.: Johnson, Marian A. NE _ ΝE Type of Plt: 9 _{Twp.} 31 _{R.} 19 Proposed X East Burn Pit Emergency Pit If Existing, date constructed: **Drilling Pit** South Line of Section Feet from X North / Settling Plt Haul-Off Pit Workover Pit Feet from East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Labette 300 (bbls) mg/l Chloride concentration: Is the pit located in a Sensitive Ground Water Area? Yes (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? **Artificial Liner?** is the bottom below ground level? Yes | X No Air Drilling Well Yes N/A: Steel Pits Width (feet) Length (feet) Pit dimensions (all but working pits): No Pit (feet) Depth from ground level to deepest point: . Describe procedures for periodic maintenance and determining If the pit is lined give a brief description of the liner liner integrity, including any special monitoring. material, thickness and installation procedure Well is being air drilled with operations lasting approx. Well is being air drilled. 3 days 00000 HE-99 feet. Depth to shallowest fresh water Distance to nearest water well within one-mile of pit Source of information: **KDWR** _ measured . electric log well owner feet Depth of water well Drilling, Workover and Haul-Off Pits ONLY: Emergency, Settling and Burn Pits ONLY: Type of material utilized in drilling/workover: Air Drilled Producing Formation: .

Number of producing wells on lease:	Number of working pits to be utilized:1 Abandonment procedure: Air Dry, Back fill and cover.		
Barrels of fluid produced daily:	Abandonment procedure: An Dig. Daoit in arta	003011	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.	RECEIVED NAS CORPORATION COMM	
I hereby certify that the above statements are true and		DEC 14 2007	

CONSERVATION DIVISION December 12, 2007 WICHITA, KS ignature of Applicant or Agent Date

			KCC OFFICE USE ONLY	, Steel Pit	: L RF	FAC RFAS	
				2/12/08			
te Received:	12/14/07	Permit Number:	Permit Date:_	12/14/07	Lease Inspe	ection: 🔲 Yes 🕓	JNo

Date Received: 12/14/07 Permit Number:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 KEUEIVED RANSAS CORPORATION COMMISSION

IBSION

FEB 12 2008